

THE LIVED LINE

JING-ZHANG OPEN CALIBRATION CHAIN

If AI cannot reduce a friction observed in real life, it should not occupy urban space.


REVIEW SIGNAL / CONDITIONAL

CONCEPT COMPLETE
NOT READY FOR DEPLOYMENT

● field evidence pending / statutory controls data gap

THE LIVED LINE

Every AI scenario must pass real life first



临时范围不代表真实地块 | Provisional geometry is not a surveyed parcel map

PROVISIONAL BOUNDARY | CONCEPTUAL RECOMMENDATION | FIELD CALIBRATION PENDING

If AI cannot reduce a lived friction that has actually been observed, it should not occupy urban space.

3 Positionings

3 Calibration Cores

2 Service Wings

12 Lived Work Orders

SEVEN LIVED EVIDENCE GATES

G0	Boundary truth
G1	Lived friction
G2	Non-AI first
G3	Minimum increment
G4	Data restraint
G5	Human final say
G6	Retest and exit

Sources: Beijing official park reports; repository provisional geometry; author-generated design

THE LIVED LINE • PB20000090

60-SECOND REVIEW BRIEF

01 / PROBLEM

FRICION BEFORE TECHNOLOGY

Start with crossing, wayfinding, shade, seating, toilets, and repair. A model may not invent demand.

02 / METHOD

NON-AI REPAIR FIRST

Do not deploy an Agent where physical space, signage, management, or staffed service can solve the problem.

03 / PROMISE

FAILURE STAYS VISIBLE

Stops, rollbacks, vetoes, and human takeover enter the public ledger alongside successes.

12

LIVED WORK ORDERS

pending field review


7

EVIDENCE GATES

G0 through G6

FROM THREE BELTS TO ONE OPEN CALIBRATION CHAIN

Three cores hold calibration, protocol, and retesting / two wings close the service and scenario loop / a sensor-free route always remains



METRICS ARE REVERSIBLE EVIDENCE, NOT TROPHIES

Field facts / non-AI control / minimum AI increment / risk and human takeover / retest threshold / exit result

01

OBSERVATION ID

02

FACT

03

NON-AI REPAIR

04

MINIMUM AI

05

HUMAN REVIEW

06

RETEST & EXIT

12

Lived Work Orders

design count

7

Sampling Frames

not personal profiles

3

Industry Tests

permit required

3

Honor Nodes

conceptual

TARGET ≥20

Field Observations

two walks pending

TARGET =0

Privacy-risk Photos

publication target

EXIT IS NOT FAILURE:

Stop scaling when non-AI repair works, risk is excessive, or human takeover fails.

NO EXTRAPOLATION

Say ‘observed during two site walks,’ never ‘residents generally believe.’

Sources: metrics.json; fieldwork protocol; seven Lived Evidence Gates

THE LIVED LINE · PB20000090

SEVEN LIVED EVIDENCE GATES

G0

BOUNDARY TRUTH

Fail: downgrade to a relationship diagram

G1

LIVED FRICTION

Fail: return to observation

G2

NON-AI FIRST

Fail: create an ordinary city work order

G3

MINIMUM INCREMENT

Fail: reduce or delete AI

G4

DATA RESTRAINT

Fail: use low tech or do nothing

G5

HUMAN FINAL SAY

Fail: block the public-service test

G6

RETEST AND EXIT

Fail: no deployment or expansion

THREE CONTROLLED TESTS / ANY STOP CONDITION TRIGGERS FALLBACK

TVS-01 / DAZHONGSI

ACCESSIBLE LAST-MILE AGENT

Control: static wayfinding and staffed help
Stop: wrong route, stale data, or failed help transfer

TVS-02 / AI ORIGIN

PUBLIC-SPACE MAINTENANCE AGENT

Control: ordinary work orders and human acceptance
Stop: false closure or added frontline workload

TVS-03 / ZHONGZHIYUAN

EMBODIED-AI CO-MOVEMENT

Control: always retain a robot-free route
Stop: boundary, privacy, or takeover failure