

JINGZHANG THICK GROUND

A0-1 | WHY + WHAT | EVIDENCE / NETWORK / FIVE-BAND GRAMMAR

A thicker public ground for connection, climate and daily life.

DESIGN PROPOSAL

PROVISIONAL

G0 MOVE

G1 STAY

G2 THRESHOLD

G3 SHARE

G4 SERVICE

01 WHY - GROUND-FLOOR EVIDENCE



DESIGN

The diagnostic question

Where can the existing city ground become more continuous, open, shaded and shared?

- barriers and weak interfaces
- inactive or inaccessible ground floors
- missing climate-protected stay space
- fragmented public-service connections

Evidence discipline: concept geometry only.
Official GIS remains required.

02 WHAT - THICK-GROUND NETWORK

Thick-Ground Network / 厚基面网络总图

以基面条件为骨架，叠加五段空间干预。
A network of ground conditions and five-band interventions that builds a walkable, stayable, shareable, and serviceable thick-ground corridor.

GROUND-CONDITION FAMILIES / 基面条件谱系 (T1-T6)
T1 Heritage Ground / 遗产型基面 Historical lane, heritage buildings and cultural precincts.
T2 Campus Ground / 校园型基面 Academic zone, research institutes and learning interfaces.
T3 Innovation Ground / 创新街区型基面 Innovation parks, enterprise campuses, R&D and maker facilities.
T4 Neighborhood Ground / 社区邻里型基面 Residential neighborhoods, daily services and community spaces.
T5 Station-City Ground / 站城型基面 Transit hubs, mixed-use complexes and multimodal interfaces.
T6 Blue-Green Ground / 蓝绿型基面 Parks, wetlands, waterways, ecological and landscape spaces.

FIVE-BAND INTERVENTIONS / 五段空间干预 (G0-G4)
G0 MOVE 连续通行 / Continuous Movement Strengthen public transit connectivity and walking network, continuous public movement space and slow-movement network.
G1 STAY 气候停留 / Climate Comfort Shaded and climate-protected outdoor stay zones and pause points.
G2 THRESHOLD 门廊界面 / Interface Edge Strengthened, active ground floors, permeable, entry edges and walk-thru interface transitions.
G3 SHARE 开放共享 / Open Clusters Public, shared, open spaces, plazas, workshops, active ground floors and public spaces.
G4 SERVICE 服务支持 / Service Bands Service hubs, service zones, support and support spaces.

ILLUSTRATIVE CROSS-CORRIDOR DEPLOYMENTS
S01-S12 are design-location IDs only.
Their positions are provisional and require parcel, ownership, access, and field verification.

CONCEPT DESIGN ON PROVISIONAL GEOMETRY
NOT AN OFFICIAL REDLINE - NETWORK ALIGNMENTS REQUIRE GIS/CAD REBUILD
T1-T6 and G0-G4 are design taxonomies; parcel locations remain to verify.

One continuous urban grammar links six deployment families with three place-specific prototypes.


03 HOW - FIVE-BAND SECTION GRAMMAR

- G0** continuous movement
- G1** climate-protected stay
- G2** porous threshold
- G3** active shared ground floor
- G4** service and AI support

AI is an optional enhancement.
G0 remains uninterrupted.

Thick-Ground Section Atlas / 厚基面剖面图谱

Five-Band Ground-Floor Grammar in Action / 五段空间语法的场景化表达



All sections are conceptual and not to scale; dimensions are indicative.
所有剖面均为概念表达，非精确尺规，尺寸仅供参考。

Every section is organized by the five-band thick-ground grammar.
每个剖面均按五段语法组织，体现从通行到服务与AI的完整谱系。



DESIGN / PROVISIONAL

Prototype families

Garden

ecology + research

Learning

street + open ground floor

Station-city

transfer + urban rooms


Evidence boundary:
illustrative applications;
no verified dimensions.

04 FROM NETWORK TO THREE DIFFERENT URBAN CONDITIONS


GARDEN - ZHONGZHIYUAN



LEARNING - AI ORIGIN



STATION-CITY - DAZHONGSI



THREE THICK-GROUND PROTOTYPES

A0-2 | WHERE + HOW | THREE PROTOTYPES / OPERATIONS / DELIVERY

The same grammar develops differently under three urban conditions.

间透视
spective

ple, the Lab for Innovation.

林带与雨水花园 (G1)
Rain Garden & Ecological Buffer

可预测试花园 (G4)
Reservable Test Garden

公共连续步行 (G0)
Public Walk

停驻与共享
Study & Discussion

DAY / TEST GARDEN

DESIGN

透视
Perspective

g. Innovation and Life

门廊与公共空间 (G2)
Porch & Transitional Space

林带与座椅 (G1)
Shade & Seating

共享街道 (G0)
Shared Street

学习与讨论
Study & Discussion

骑行与步行共享
Cycles & Pedestrians

DUSK / SHARED STREET

DESIGN

公共客厅 夜景透視
Room / 4Q Node - Night Perspective

The Heart of Transit, Commerce, Community and Innovation

公共空间 (G3)
Public Space

雨棚与等候空间 (G2)
Canopy & Waiting Area

主步行与公共空间 (G0)
Main Pedestrian & Meeting Space

自行车停车位 (G1)
Bicycle Parking

商业首层与活力界面 (G3)
Retail Edge & Active Frontage

地铁出入口
Metro Entrance

公共空间 (G1)
Community Activity & Rest

导航与AI路度辅助 (G0)
Wayfinding & AI Mobility Assist

公交与步行 (G0)
Bus & Vehicle Access

NIGHT / URBAN ROOM

DESIGN

01 ZHONGZHIYUAN - GARDEN

CONCEPT PLAN

ZHONGZHIYUAN
GARDEN THICK-GROUND
CONCEPT PROTOTYPE

CONCEPT DIAGRAM

BASELINE EVIDENCE PANEL REMOVED

DESIGN PROPOSAL

02 AI ORIGIN - LEARNING

CONCEPT PLAN

AI ORIGIN
SHARED-STREET CONCEPT PROTOTYPE

CONCEPT DIAGRAM

BASELINE EVIDENCE PANEL REMOVED

DESIGN PROPOSAL

03 DAZHONGSI - STATION-CITY

CONCEPT PLAN

DAZHONGSI
STATION-CITY CONCEPT PROTOTYPE

CONCEPT DIAGRAM

BASELINE EVIDENCE PANEL REMOVED

DESIGN PROPOSAL

FLAGSHIP NODE

ZHONGZHIYUAN - AI TEST GARDEN
CONCEPT NODE PROTOTYPE

CONCEPT DIAGRAM

BASELINE EVIDENCE PANEL REMOVED

DESIGN PROPOSAL

OPEN GROUND-FLOOR HERO

Open Ground-Floor Axonometric / 原点开放首层轴测

CONCEPTUAL ORIENTATION

DESIGN PROPOSAL

FOUR-QUADRANT NODE

DAZHONGSI - FOUR-QUADRANT NODE
STATION-CITY CONCEPT PROTOTYPE

CONCEPT DIAGRAM

BASELINE EVIDENCE PANEL REMOVED

DESIGN PROPOSAL

GARDEN-LAB SECTION

众智园花园型创新区 Garden-Lab Section

DESIGN SECTION

SHARED-STREET SECTION

AI原点共享街轴测剖面 Shared-Street Section

DESIGN AXON + SECTION

STATION-CITY SECTION

大钟寺站城轴测剖面 Station-City Section

DESIGN SECTION

04 OPERATIONS, COMPONENTS AND EVIDENCE-LED RENEWAL

24 HOURS x FOUR SEASONS

24 HOURS x FOUR SEASONS
OPERATIONAL SUMMARY / A0 READING SCALE

DESIGN TOOL

ILLUSTRATIVE

DAILY RHYTHM

MORNING PEAK
Move first
walk / cycle / transfer

MIDDAY
Stay + share
shade / lunch / learning

EVENING
Threshold + social
porch / market / event

NIGHT
Quiet public use
safe walk / night learning

LATE NIGHT
Service enables
clean / deliver / secure

SEASONAL PRINCIPLES

SPRING
OPEN + CONNECT
reopen gardens
community planting + events

SUMMER
SHADE + DRAIN
continuous canopy
rainwater capture + cool routes

AUTUMN
CULTURE + MARKET
heritage walk
public market + outdoor learning

WINTER
SUN + SHELTER
sun-facing places
wind protection + clear paths

THICK-GROUND OPERATING LOGIC
G0 ALWAYS OPEN -> G1/G2 ADAPT -> G3 ACTIVATES -> G4 ENABLES

CONCEPTUAL SCHEDULE / NO OPERATING COMMITMENT / VERIFY WITH USERS, MANAGEMENT AND CLIMATE DATA

DESIGN TOOL

Five time points + four seasonal principles.
Operating times remain illustrative.

Detailed operating matrix: A3-P11.

13 COMPONENTS + L1/L2/L3

THICK-GROUND COMPONENT KIT
FIVE REPRESENTATIVE COMPONENTS + THREE INTERVENTION LEVELS

60 SUMMARY

TO VERIFY

REPRESENTATIVE KIT

TG-01 / G0
ACCESSIBLE WALK
continuous, clear, legible

TG-03 / G1
RAIN GARDEN
shade, habitat, water

TG-04 / G2
OPEN PORCH
threshold, shelter, pause

TG-05 / G3
ACTIVE GROUND
share, learn, meet, work

TG-11 / G4
SERVICE BAY
deliver, maintain, reverse

INTERVENTION INTENSITY

L1 / LIGHT TOUCH
seating + shade
wayfinding + paving repair
quick, reversible, low-disruption

L2 / INTERFACE RETROFIT
ground floor + porch
courtyard + crossing
building-public realm coordination

L3 / STRUCTURAL CHANGE
station-city + adaptive reuse
selective new + utilities
conditional, evidence-led, phased

LEVEL DEPENDS ON CONDITION, OWNERSHIP, COST, APPROVAL AND OPERATING CAPACITY

CONCEPT TOOLKIT / SITE FIT AND TECHNICAL PERFORMANCE TO BE VERIFIED

DESIGN TOOL

Five representative components + L1/L2/L3.
Site fit and performance remain to verify.

Full component index: A3-P12.

RETROFIT - REUSE - SELECTIVE NEW

RETAIN -> RETROFIT -> REPAIR -> REUSE -> SELECTIVE NEW
EVIDENCE-LED RENEWAL PATH / STRATEGY BEFORE PARCEL DECISIONS

60 SUMMARY

TO VERIFY

FIVE ACTIONS

01 / RETAIN
KEEP WHAT WORKS
maintain sound buildings
and useful public space

02 / RETROFIT
OPEN THE INTERFACE
upgrade entrance, porch
and active frontage

03 / REPAIR
FIX PUBLIC SPACE
walk, shade, crossing
and rainwater continuity

04 / REUSE
ADAPT, DON'T ERASE
transform underused
buildings for new use

05 / SELECTIVE NEW
FILL VERIFIED GAPS
new only where structure
and evidence require it

PHASED IMPLEMENTATION / NO FIXED DATES

1 QUICK REPAIR
survey + co-design
quick, reversible actions

2 INTERFACE UPGRADE
ground-floor retrofit
access + public-space repair

3 CONDITIONAL CHANGE
adaptive reuse
selective new insertion

STRATEGY FIRST / INVENTORY MAP REMOVED FROM A0
Parcel decisions require ownership, condition, planning, cost and operating evidence.

CONCEPTUAL RENEWAL PATH / NO DEMOLITION OR DEVELOPMENT COMMITMENT

DESIGN TOOL

Five renewal actions + phased path.
Parcel decisions require verified evidence.

Evidence-led renewal path: A3-P13.

JINGZHANG THICK GROUND | IDENTITY • COORDINATION • OPERATIONS

REVIEW REPAIR BOARD | CONCEPT PROPOSALS; NO CONFIRMED PARTNERSHIP, BUDGET OR APPROVAL

01 IDENTITY & LOGO



-  G0 MOVE
-  G1 ECOLOGY
-  G2 THRESHOLD
-  G3 SHARE
-  G4 SUPPORT

- Paired rails × five ground bands
- Minimum: symbol 16px / 6mm; lockup 96px / 34mm
- Black/white only in mono; no stretch, rotate, glow or gradient
- Typeface: Noto Sans CJK SC | SIL OFL 1.1
- Never replaces heritage, transit or emergency signs

02 REGIONAL COORDINATION

Reviewable themes, flows, interfaces, annual mechanisms, proposed roles and indicators.

01 BEIWEI COMMUNITY	Community AI • ageing • youth	Open Porch + no-app desk
	Co-design / access walks	
02 FUTURE SCIENCE CITY	Basic research • prototypes	Garden-Lab + Test Garden
	Open-source week / review	
03 HUAIROU SCIENCE CITY	Research culture • instruments	Reuse Gallery + Century Gauge
	Research-culture residency	
04 BEIJING E-TOWN	Robotics • manufacturing validation	Delivery Bay + G4 interface
	Interoperability drill	
05 BEIJING-TIANJIN-HEBEI	Talent • industry • heritage	Exchange Hall + bilingual map
	Urban AI Forum / exhibition	

BOUNDARY: CONCEPT PROPOSAL | NO CONFIRMED AGREEMENT OR GOVERNMENT COMMITMENT

03 ANNUAL OPERATIONS

SPR	Open-Source Urban Week
	Annual
	Reproducibility / closures
SUM	Test Garden Open Month
	4 weeks
	Supervised hours / incidents
AUT	Jingzhang Urban AI Forum
	Annual
	Regions / follow-up outputs
4Q	Accessible Transfer Drill
	Quarterly
	Time / barriers closed
2M	Developer Walk + Civic Bug Day
	Bimonthly
	Valid reports / closure rate
WIN	Thick-Ground Climate Lab
	2 weeks
	Continuity / response time

PERMIT → SAFETY/ACCESS → MINIMAL DATA → HUMAN OVERRIDE → NO N-AI FALLBACK → REVIEW