```
GLM Power_BL01 Power_BL02 Power_BL03 Power_BL04 Power_IBOE
  /WSFACTOR=ATIVIDADE 5 Polynomial
  /METHOD=SSTYPE(3)
  /PLOT=PROFILE(ATIVIDADE)
  /EMMEANS=TABLES(ATIVIDADE) COMPARE ADJ(BONFERRONI)
  /PRINT=DESCRIPTIVE
  /CRITERIA=ALPHA(.05)
  /WSDESIGN=ATIVIDADE.
```

General Linear Model

[Conjunto_de_dados1]

Within-Subjects Factors

Measure: MEASURE_1

ATIVIDADE	Dependent Variable
1	Power_BL01
2	Power_BL02
3	Power_BL03
4	Power_BL04
5	Power_IBOE

Descriptive Statistics

	Mean	Std. Deviation	N
Power_BL01	-3,422088	3,3412127	7
Power_BL02	-3,435068	3,5253973	7
Power_BL03	-4,667674	2,4422958	7
Power_BL04	-4,118523	2,9544104	7
Power_IBOE	-1,924381	4,2960203	7

Multivariate Tests[a]

Effect		Value	F	Hypothesis df	Error df	Sig.
ATIVIDADE	Pillai's Trace	,977	32,227[b]	4,000	3,000	,008
	Wilks' Lambda	,023	32,227[b]	4,000	3,000	,008
	Hotelling's Trace	42,969	32,227[b]	4,000	3,000	,008
	Roy's Largest Root	42,969	32,227[b]	4,000	3,000	,008

a. Design: Intercept
Within Subjects Design: ATIVIDADE

b. Exact statistic

Mauchly's Test of Sphericity[a]

Measure: MEASURE_1

Within Subjects Effect	Mauchly's W	Approx. Chi-Square	df	Sig.	Epsilon[b] Greenhouse-Geisser
ATIVIDADE	,000	35,189	9	,000	,356

Mauchly's Test of Sphericity[a]

Measure: MEASURE_1

Within Subjects Effect	Epsilon[b] Huynh-Feldt	Lower-bound
ATIVIDADE	,435	,250

Tests the null hypothesis that the error covariance matrix of the orthonormalized transformed dependent variables is proportional to an identity matrix.

a. Design: Intercept
Within Subjects Design: ATIVIDADE

b. May be used to adjust the degrees of freedom for the averaged tests of significance. Corrected tests are displayed in the Tests of Within-Subjects Effects table.

Tests of Within-Subjects Effects

Measure: MEASURE_1

Source		Type III Sum of Squares	df	Mean Square	F
ATIVIDADE	Sphericity Assumed	29,666	4	7,416	3,119
	Greenhouse-Geisser	29,666	1,424	20,829	3,119
	Huynh-Feldt	29,666	1,742	17,032	3,119
	Lower-bound	29,666	1,000	29,666	3,119
Error(ATIVIDADE)	Sphericity Assumed	57,074	24	2,378	
	Greenhouse-Geisser	57,074	8,546	6,679	
	Huynh-Feldt	57,074	10,451	5,461	
	Lower-bound	57,074	6,000	9,512	

Tests of Within-Subjects Effects

Measure: MEASURE_1

Source		Sig.
ATIVIDADE	Sphericity Assumed	,034
	Greenhouse-Geisser	,106
	Huynh-Feldt	,091
	Lower-bound	,128
Error(ATIVIDADE)	Sphericity Assumed	
	Greenhouse-Geisser	
	Huynh-Feldt	
	Lower-bound	

Tests of Within-Subjects Contrasts

Measure: MEASURE_1

Source	ATIVIDADE	Type III Sum of Squares	df	Mean Square	F	Sig.
ATIVIDADE	Linear	3,742	1	3,742	,529	,495
	Quadratic	19,195	1	19,195	23,142	,003
	Cubic	5,744	1	5,744	10,453	,018
	Order 4	,985	1	,985	,932	,372
Error(ATIVIDADE)	Linear	42,462	6	7,077		
	Quadratic	4,977	6	,829		
	Cubic	3,297	6	,550		
	Order 4	6,338	6	1,056		

Tests of Between-Subjects Effects

Measure: MEASURE_1
Transformed Variable: Average

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Intercept	432,075	1	432,075	9,149	,023
Error	283,374	6	47,229		

Estimated Marginal Means

ATIVIDADE

Estimates

Measure: MEASURE_1

ATIVIDADE	Mean	Std. Error	95% Confidence Interval	
			Lower Bound	Upper Bound
1	-3,422	1,263	-6,512	-,332
2	-3,435	1,332	-6,696	-,175
3	-4,668	,923	-6,926	-2,409
4	-4,119	1,117	-6,851	-1,386
5	-1,924	1,624	-5,898	2,049

Pairwise Comparisons

Measure: MEASURE_1

(I) ATIVIDADE	(J) ATIVIDADE	Mean Difference (I-J)	Std. Error	Sig.[a]	95% Confidence [a]... Lower Bound
1	2	,013	,151	1,000	-,638
	3	1,246	,801	1,000	-2,214
	4	,696	,705	1,000	-2,348
	5	-1,498	1,289	1,000	-7,063
2	1	-,013	,151	1,000	-,664
	3	1,233	,815	1,000	-2,285
	4	,683	,719	1,000	-2,419
	5	-1,511	1,233	1,000	-6,834
3	1	-1,246	,801	1,000	-4,705
	2	-1,233	,815	1,000	-4,750
	4	-,549	,296	1,000	-1,826
	5	-2,743	,811	,148	-6,243
4	1	-,696	,705	1,000	-3,741
	2	-,683	,719	1,000	-3,786
	3	,549	,296	1,000	-,728
	5	-2,194	,724	,230	-5,317
5	1	1,498	1,289	1,000	-4,068
	2	1,511	1,233	1,000	-3,813
	3	2,743	,811	,148	-,757
	4	2,194	,724	,230	-,929

Pairwise Comparisons

Measure: MEASURE_1

(I) ATIVIDADE	(J) ATIVIDADE	95% Confidence [a]... Upper Bound
1	2	,664
	3	4,705
	4	3,741
	5	4,068
2	1	,638
	3	4,750
	4	3,786
	5	3,813
3	1	2,214
	2	2,285
	4	,728
	5	,757
4	1	2,348
	2	2,419
	3	1,826
	5	,929
5	1	7,063
	2	6,834
	3	6,243
	4	5,317

Based on estimated marginal means

a. Adjustment for multiple comparisons: Bonferroni.

Multivariate Tests

	Value	F	Hypothesis df	Error df	Sig.
Pillai's trace	,977	32,227[a]	4,000	3,000	,008
Wilks' lambda	,023	32,227[a]	4,000	3,000	,008
Hotelling's trace	42,969	32,227[a]	4,000	3,000	,008
Roy's largest root	42,969	32,227[a]	4,000	3,000	,008

Each F tests the multivariate effect of ATIVIDADE. These tests are based on the linearly independent pairwise comparisons among the estimated marginal means.

a. Exact statistic

Profile Plots


Estimated Marginal Means of MEASURE_1
Estimated Marginal Means
-2,0000
-3,0000
-4,0000
-5,0000
1
2
3
4
5
ATIVIDADE