```
GET DATA /TYPE=XLSX
  /FILE='C:\Users\dhyeg\OneDrive\Área de Trabalho\Nova pasta\RelatorioRegioesSeparadas\
SPSS\TesteNormalidade\Delta_IND_ANOVA.xlsx'
  /SHEET=name 'Normalidade'
  /CELLRANGE=full
  /READNAMES=on
  /ASSUMEDSTRWIDTH=32767.
EXECUTE.
DATASET NAME Conjunto_de_dados1 WINDOW=FRONT.
EXAMINE VARIABLES=Diff_Power_BL01
  /PLOT BOXPLOT STEMLEAF NPPLOT
  /COMPARE GROUPS
  /STATISTICS DESCRIPTIVES
  /CINTERVAL 95
  /MISSING LISTWISE
  /NOTOTAL.

EXAMINE VARIABLES=Diff_Power_BL02
  /PLOT BOXPLOT STEMLEAF NPPLOT
  /COMPARE GROUPS
  /STATISTICS DESCRIPTIVES
  /CINTERVAL 95
  /MISSING LISTWISE
  /NOTOTAL.

EXAMINE VARIABLES=Diff_Power_BL03
  /PLOT BOXPLOT STEMLEAF NPPLOT
  /COMPARE GROUPS
  /STATISTICS DESCRIPTIVES
  /CINTERVAL 95
  /MISSING LISTWISE
  /NOTOTAL.
```

Explore

[Conjunto_de_dados1]

Case Processing Summary

| | Cases | | | | | |
| | Valid | | Missing | | Total | |
	N	Percent	N	Percent	N	Percent
Diff_Power_BL03	7	100,0%	0	0,0%	7	100,0%

Descriptives

			Statistic	Std. Error
Diff_Power_BL03	Mean		,436690	,5221560
	95% Confidence Interval for Mean	Lower Bound	-,840980	
		Upper Bound	1,714359	
	5% Trimmed Mean		,339267	
	Median		,142021	
	Variance		1,909	
	Std. Deviation		1,3814948	
	Minimum		-,7720	
	Maximum		3,3990	
	Range		4,1710	
	Interquartile Range		1,0764	
	Skewness		2,064	,794
	Kurtosis		4,839	1,587

Tests of Normality

	Kolmogorov-Smirnov[a]			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Diff_Power_BL03	,313	7	,036	,760	7	,016

a. Lilliefors Significance Correction

Diff_Power_BL03

Diff_Power_BL03 Stem-and-Leaf Plot

Frequency   Stem & Leaf

   1,00   -0 . 7
   1,00   -0 . 4
   3,00   0 . 011
   1,00   0 . 5
   1,00 Extremes   (>=3,4)

Stem width: 1,0000
Each leaf: 1 case(s)

Normal Q-Q Plot of Diff_Power_BL03

Detrended Normal Q-Q Plot of Diff_Power_BL03

Diff_Power_BL03

EXAMINE VARIABLES=Diff_Power_BL04
  /PLOT BOXPLOT STEMLEAF NPPLOT
  /COMPARE GROUPS
  /STATISTICS DESCRIPTIVES
  /CINTERVAL 95
  /MISSING LISTWISE
  /NOTOTAL.

Explore

[Conjunto_de_dados1]

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Diff_Power_BL04	7	100,0%	0	0,0%	7	100,0%

Descriptives

			Statistic	Std. Error
Diff_Power_BL04	Mean		-,925785	,5561795
	95% Confidence Interval for Mean	Lower Bound	-2,286707	
		Upper Bound	,435137	
	5% Trimmed Mean		-,931519	
	Median		-,339661	
	Variance		2,165	
	Std. Deviation		1,4715126	
	Minimum		-2,9363	
	Maximum		1,1879	
	Range		4,1242	
	Interquartile Range		2,4435	
	Skewness		-,220	,794
	Kurtosis		-,830	1,587

Tests of Normality

	Kolmogorov-Smirnov[a]			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Diff_Power_BL04	,226	7	,200[*]	,923	7	,491

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

Diff_Power_BL04

Diff_Power_BL04 Stem-and-Leaf Plot

Frequency   Stem & Leaf

  6,00   -0 . 000122
  1,00   0 . 1

Stem width: 10,0000
Each leaf: 1 case(s)

Normal Q-Q Plot of Diff_Power_BL04

Detrended Normal Q-Q Plot of Diff_Power_BL04

Diff_Power_BL04