Comparing and Combining Biomarkers as Principle Surrogates for Time-to-Event Clinical Endpoints: Supplementary Materials

Erin E. Gabriel, Michael C. Sachs and Peter B. Gilbert

July 17, 2014

1 Web Appendix A

1.1 Non-random Group of Subjects with Candidate Surrogate Measurements

To account for the possible biased sampling of $S_j(1)$, when case-cohort or two-phase sampling is used in the treatment arm to obtain $S_j(1)$ measurements, one can use inverse sampling probability weights in both the fitting of the location-scale model and the fitting of the imputed likelihood. Those with the candidate PS measured have their likelihood contribution unweighted, and each imputed likelihood contribution is weighted by the inverse probability of measurement for the $s_{1,j,k}(s)$ giving rise to that imputation. Thus, the estimated likelihood contribution for subjects missing $S_j(1)$ is an inverse probability weighted average of their imputed likelihood contributions. When estimating the proposed summary statistics, an unbiased sample, as we have in our simulations and motivating example, allows for empirical estimation of integrals with respect to $F_{S_1(1),\dots,S_J(1)}(s_{1,1},\dots,s_{1,J})$. If the group of subjects with the candidate surrogates measured is not a random sample from the treatment arm, but the sample of subjects having W measured is we suggest Monte Carlo estimation of the integrals by sampling from the weighted location-scale estimated $d\hat{F}_{S_1(1),\dots,S_J(1)|W}(s_{1,1},\dots,s_{1,J}|W)$ across the observed levels of W.

1.2 Derivation of formula for TPF(t|c)

$$TPF(t|c) = \frac{P[D(t) = 1, I_{\{\Delta(t|s_{1,1}, \dots, s_{1,J}) > c\}}]}{P\{D(t) = 1\}}$$

$$= \frac{E[\{D(t) = 1\}I_{\{\Delta(t|s_{1,1}, \dots, s_{1,J}) > c\}}]}{E\{D(t) = 1\}}$$

$$= \frac{E[E\{D(t) = 1|S_1(1) = s_{1,1}, \dots, S_j(1) = s_{1,j}\}I_{\{\Delta(t|s_{1,1}, \dots, s_{1,J}) > c\}}]}{E[E\{D(t) = 1|S_1(1) = s_{1,1}, \dots, S_j(1) = s_{1,j}\}]}$$

$$= \frac{E[\Delta(t|s_{1,1}, \dots, s_{1,J})\}I_{\{\Delta(t|s_{1,1}, \dots, s_{1,J}) > c\}}]}{E\{\Delta(t|s_{1,1}, \dots, s_{1,J})\}}.$$

This deviation follows the time-independent derivation from Huang et al. [2012].

1.3 Violations of A6

$$P(\Delta(t|s_{1,1},\ldots,s_{1,J}) > c|D(t) = 1) \frac{P(D(t) = 1)}{P(D(t) = 1) + P(D(t) = -1)}$$
$$-P(\Delta(t|s_{1,1},\ldots,s_{1,J}) > c|D(t) = -1) \frac{P(D(t) = -1)}{P(D(t) = 1) + P(D(t) = -1)}.$$

When there are obvious violations of A6, this is clearly not a good approximation of what we hope to estimate in the non-monotone setting, the true positive fraction for benefit, as defined in Huang et al. [2012], $TPF^b(t|c) = P(\Delta(t|s_{1,1},\ldots,s_{1,J}) > c|D(t) = 1)$. Thus, under clear violation of A6, the TPF(t|c) estimate should not be calculated. Under minor potential undetectable violations of A6, P(D(t) = -1) will be small and the estimator of TPF(t|c) will be a reasonable approximation. For the slightly more complicated case of FPF(t|c), the decomposition of the derivation under violation of A6 is given by:

$$P(\Delta(t|s_{1,1},\ldots,s_{1,J}) > c|D(t) < 1) \frac{P(D(t) < 1)}{P(D(t) = -1) + P(D(t) < 1)}$$

$$- P(\Delta(t|s_{1,1},\ldots,s_{1,J}) > c|D(t) = -1) \frac{P(D(t) = -1)}{P(D(t) < 1) + P(D(t) = -1)}.$$

This will approximate one of two things under minor violations of A6 where P(D(t) = -1) is small, either the false positive fraction for no-benefit $FPF^N(t|c) = P(\Delta(t|s_{1,1},\ldots,s_{1,J}) > c|D(t) < 1)$, or the false positive fraction for unaffected $FPF^U(t|c) = P(\Delta(t|s_{1,1},\ldots,s_{1,J}) > c|D(t) = 0)$, which depends on the $P(\Delta(t|s_{1,1},\ldots,s_{1,J}) > c|D(t) = -1)$. This leads to two possible ROC curves, either of which are a reasonable and well defined summary statistic for comparison of candidate surrogates. This deviation follows the time-independent derivation from Huang et al. [2012].

1.4 Other summary measures considered

1.4.1 Positive Predictive Value (PPV(t|c)) and Negative Predictive Value (NPV(t|c))

One may wish to consider how well the risk model is predicting protection or lack of protection separately. For this, the concepts of positive predictive value and negative predictive value are useful. Time dependent PPV and NPV were defined for a risk model, f(x), as $PPV(t|c) = Pr(Y^t = 1|f(x) \ge c)$ and $NPV(t|c) = Pr(Y^t = 0|f(x) \le c)$ in [Heagerty et al., 2000].

This concept can be extended to our setting using, a $\Delta(t|s_{1,j})$ of risk difference, where risk is based on the CDF, and $D(t) = Y^t(0) - Y^t(1)$. Defining $PPV(t|v) = Pr(D(t) = 1|\Delta(t|s_{1,j}) \geq c)$ and $NPV(t|v) = Pr(D(t) = 0|\Delta(t|s_{1,j}) \leq c)$. If we assume no active harm, or monotonicity in treatment effect, PPV(t|v) is the probability of protection given that $\Delta(t|s_{1,j})$ is greater than or equal to c. Similarly, if we assume no active harm, NPV(t|v) is the probability of no effect of treatment given that $\Delta(t|s_{1,j})$ is less than or equal to c. These can also be defined and estimated via the quantile curve $R^t(v)$, as defined above, adapted from [Gu and Pepe, 2011] by,

$$PPV(t|v) = \int_{v}^{1} R^{t}(\mu)d\mu/(1-v)$$

$$NPV(t|v) = 1 - \int_{0}^{v} R^{t}(\mu)d\mu/(v),$$

The values of PPV(t|v) and NPV(t|v) at a particular v and t can be used as summary statistics if one wishes, however we suggest that the full curves are of great interest. They differ from the time-dependent and covariate-specific PPV_z' , outlined in [Gabriel and Gilbert, 2014], as they are based on the quantiles of a risk difference rather than the quantiles of the surrogate itself. Because PPV(t|v) and NPV(t|v) are model based, they can be used to evaluate different risk models, compare potential PSs, or for PS evaluation when compared to the clinical outcome prevalence difference over the trial arms.

Positive predictive value, PPV(t|c) and NPV(t|v) have an appealing clinical interpretation given in [Gu and Pepe, 2011] when we assume monotonicity of treatment activity. By applying Bayes theorem we have:

$$\begin{split} PPV(t|v) &= \frac{(\rho_0(t) - \rho_1(t))}{\{1 - \rho_0(t) + \rho_1(t)\}} \frac{TPR(t|v)}{FPR(t|v)} = \frac{(\rho_0(t) - \rho_1(t))}{\{1 - \rho_0(t) + \rho_1(t)\}} \frac{\text{Sensitivity}(t|v)}{1 - \text{Specificity}(t|v)} \\ NPV(t|v) &= \frac{\{1 - \rho_0(t) + \rho_1(t)\}}{(\rho_0(t) - \rho_1(t))} \frac{1 - FPR(t|v)}{1 - TPR(t|v)} = \frac{\{1 - \rho_0(t) + \rho_1(t)\}}{(\rho_0(t) - \rho_1(t))} \frac{\text{Specificity}(t|v)}{1 - \text{Sensitivity}(t|v)}, \end{split}$$

where $\rho_1(t) = Pr(Y^t(z) = 1)$. We use the plug-in estimator for PPV(t|c) and NPV(t|c) given by:

$$\widehat{PPV}(t|v) = \int_{v}^{1} \hat{R}^{t}(\mu) d\mu/(1-v)$$

$$1 - \widehat{NPV}(t|v) = \int_{0}^{v} \hat{R}^{t}(\mu) d\mu/(v).$$

Particular points on the PPV(t|v) and NPV(t|v) curves can be compared via confidence interval to the difference in prevalence of potential clinical outcomes, $(\rho_0(t) - \rho_1(t))$ for the same time t. For example, if $(\rho_0(t) - \rho_1(t))$ at year t is not contained in the CI for $\widehat{PPV}(t|0.8)$, this suggests that there is evidence to reject the null that there is not variation in predictive power of the model over the potential surrogate. Said another way, this is evidence to support that there is higher probability of protection when the model for risk difference is greater than the 80th percentile of predicted risk difference. Most simply, there is evidence of increased probability of protection given that the model predicts protection. A PS with causal necessity will have a NPV(t|v) of one for some low v, but any $\widehat{NPV}(t|v)$ confidence interval that does not cover $1 - (\rho_0(t) - \rho_1(t))$ provides evidence that the risk model is predictive and therefore the candidate biomarker has some value as a PS.

1.4.2 Partial Total Gain (pTG(t))

The definition of PPV(t|v) and the suggested comparison to $(\rho_0(t) - \rho_1(t))$ leads one to the question if these two concepts can be combined into a single summary statistic similar to STG. We consider the partial total gain (pTG) of [Sachs and Zhou, 2013] for this purpose. A simple and intuitive definition pTG, given PPV(t|v), might be,

$$pTG(t|v) = \int_{v}^{1} |R^{t}(\mu) - (\rho_{0}(t) - \rho_{1}(t))|d\mu/(1 - v).$$
(1)

The pTG is defined more flexibly for a binary endpoint in the time-independent biomarker framework in [Sachs and Zhou, 2013] over the lower tail $(0, \nu)$ and upper tail (d, 1) of the quantile curve, R(u), for a given risk model by,

$$pTG(B) = \frac{1}{v\rho + (1-d)(1-\rho)} \int_{B} |R(u) - \rho| \, du,$$

where $B = \{(0,v) \bigcup (d,1)\}$ and ρ is prevalence. The pTG(B) can be standardized so that the measure takes values between 0 and 1. This can be extended to the causal framework for a time-to-event outcome by

again using the quantile curve of the risk difference, $R^t(u)$. The standardized pTG in our setting is given by,

$$pTG(t|B) = pTG(t|d,v) = \frac{1}{v(\rho_0(t) - \rho_1(t)) + (1-d)(1-(\rho_0(t) + \rho_1(t)))} \int_B |R^t(u) - (\rho_0(t) - \rho_1(t))| \, du \cdot \frac{1}{v(\rho_0(t) - \rho_1(t)) + (1-d)(1-(\rho_0(t) + \rho_1(t)))} \int_B |R^t(u) - (\rho_0(t) - \rho_1(t))| \, du \cdot \frac{1}{v(\rho_0(t) - \rho_1(t)) + (1-d)(1-(\rho_0(t) + \rho_1(t)))} \int_B |R^t(u) - (\rho_0(t) - \rho_1(t))| \, du \cdot \frac{1}{v(\rho_0(t) - \rho_1(t)) + (1-d)(1-(\rho_0(t) + \rho_1(t)))} \int_B |R^t(u) - (\rho_0(t) - \rho_1(t))| \, du \cdot \frac{1}{v(\rho_0(t) - \rho_1(t)) + (1-d)(1-(\rho_0(t) + \rho_1(t)))} \int_B |R^t(u) - (\rho_0(t) - \rho_1(t))| \, du \cdot \frac{1}{v(\rho_0(t) - \rho_1(t)) + (1-d)(1-(\rho_0(t) + \rho_1(t)))} \int_B |R^t(u) - (\rho_0(t) - \rho_1(t))| \, du \cdot \frac{1}{v(\rho_0(t) - \rho_1(t)) + (1-d)(1-(\rho_0(t) + \rho_1(t)))} \int_B |R^t(u) - (\rho_0(t) - \rho_1(t))| \, du \cdot \frac{1}{v(\rho_0(t) - \rho_1(t)) + (1-d)(1-(\rho_0(t) + \rho_1(t)))} \int_B |R^t(u) - (\rho_0(t) - \rho_1(t))| \, du \cdot \frac{1}{v(\rho_0(t) - \rho_1(t)) + (1-d)(1-(\rho_0(t) + \rho_1(t)))} \int_B |R^t(u) - (\rho_0(t) - \rho_1(t))| \, du \cdot \frac{1}{v(\rho_0(t) - \rho_1(t)) + (1-d)(1-(\rho_0(t) + \rho_1(t)))} \int_B |R^t(u) - (\rho_0(t) - \rho_1(t))| \, du \cdot \frac{1}{v(\rho_0(t) - \rho_1(t))} \int_B |R^t(u) - (\rho_0(t) - \rho_1(t))| \, du \cdot \frac{1}{v(\rho_0(t) - \rho_1(t))} \int_B |R^t(u) - (\rho_0(t) - \rho_1(t))| \, du \cdot \frac{1}{v(\rho_0(t) - \rho_1(t))} \int_B |R^t(u) - (\rho_0(t) - \rho_1(t))| \, du \cdot \frac{1}{v(\rho_0(t) - \rho_1(t))} \int_B |R^t(u) - (\rho_0(t) - \rho_1(t))| \, du \cdot \frac{1}{v(\rho_0(t) - \rho_1(t))} \int_B |R^t(u) - (\rho_0(t) - \rho_1(t))| \, du \cdot \frac{1}{v(\rho_0(t) - \rho_1(t))} \int_B |R^t(u) - (\rho_0(t) - \rho_1(t))| \, du \cdot \frac{1}{v(\rho_0(t) - \rho_1(t))} \int_B |R^t(u) - (\rho_0(t) - \rho_1(t))| \, du \cdot \frac{1}{v(\rho_0(t) - \rho_1(t))} \int_B |R^t(u) - (\rho_0(t) - \rho_1(t))| \, du \cdot \frac{1}{v(\rho_0(t) - \rho_1(t))} \int_B |R^t(u) - (\rho_0(t) - \rho_1(t))| \, du \cdot \frac{1}{v(\rho_0(t) - \rho_1(t))} \int_B |R^t(u) - (\rho_0(t) - \rho_1(t))| \, du \cdot \frac{1}{v(\rho_0(t) - \rho_1(t))} \int_B |R^t(u) - (\rho_0(t) - \rho_1(t))| \, du \cdot \frac{1}{v(\rho_0(t) - \rho_1(t))} \int_B |R^t(u) - (\rho_0(t) - \rho_1(t))| \, du \cdot \frac{1}{v(\rho_0(t) - \rho_1(t))} \int_B |R^t(u) - \rho_1(t)| \, du \cdot \frac{1}{v(\rho_0(t) - \rho_1(t))} \, du \cdot \frac{1}{v(\rho_0(t) - \rho_1(t)$$

The thresholds are quantiles of risk difference $v=R^t(c)$ and $d=R^t(q)$; if one sets v=0 we arrive at the standardized version of equation 1. As given in [Sachs and Zhou, 2013], if we assume that $v<(\rho_0(t)-\rho_1(t))$, $d>(\rho_0(t)-\rho_1(t))$ and there is no individual active harm by treatment, we can define the unstandardized pTG(t|B) in terms of PPV(t|q) and NPV(t|c).

The pTG(t|B) is of interest in the surrogate evaluation framework for comparison of potential PS quality in cases where STG(t) is not useful or is too similar. Unlike the TG(t) and STG(t) which are summaries over the full quantile curve of the CEP, the pTG(t|B) allows one to summarize a surrogate on a particular range of the risk difference. Finding a range on which the potential surrogate is of high-quality is the main goal of specific PS comparison. Thus, the pTG(t|B) could be a more interesting summary statistic than those that consider the entire range of risk difference. Figure BLAH of [Sachs and Zhou, 2013] illustrates a scenario where pTG is beneficial over STG.

Similarly to STG(t), inference on pTG(t|d,v), is most useful for comparison of candidate PS and risk models, rather than for evaluation of specific PS. Confidence intervals will almost never include zero, suggesting that any candidate PS has some partial surrogate value; CI should rather be compared to those of other candidate PS. When sets of CI within the same trial for different candidate PS do not overlap this provides some evidence that one of the PS is better at classifying treatment effect groups, with higher pTG(t|d,v) implying better classification. However, just as with STG(t) P-values for the difference between two $\widehat{pTG}(t|d,v)$ being different than zero are the preferred means of inference.

We use the plug-in estimator for pTG(t|d, v) when the CEP is risk difference this is given by:

$$\widehat{pTG}(t|d,v) = \frac{1}{v(\widehat{\rho}_0(t) - \widehat{\rho}_1(t)) + (1-d)(1 - (\widehat{\rho}_0(t) + \widehat{\rho}_1(t)))} \int_B |\widehat{R}^t(u) - (\widehat{\rho}_0(t) - \widehat{\rho}_1(t))| \, du.$$

2 Time-dependent and Surrogate-level-based PPV

Although not useful for multivariate PS, the time-dependent covariate-specific positive predictive value (PPV) curve of Zheng et al. [2008] and Zheng et al. [2010] is a different way to evaluate univariate candidate PS. The PPV compares predictive value of a diagnostic test at various thresholds. As thresholds are commonly used in practice for validated surrogates of protection, a modified version of the PPV is appealing for PS quality evaluation and comparison.

To this end, we modify the meaning of the time-dependent and covariate-specific PPV of Zheng et al. [2010] to be the conditional probability of survival above a given threshold of $S_j(1)$ and call it PPV_z' . Under assumption A2, $F_{S(1)|Z}^{-1}(v) = F_{S_j(1)}^{-1}(v) \equiv c(v)$ for any $v \in [0,1]$. We therefore define our time-dependent and treatment-specific PPV_z' as $PPV_z'(t|v) = P\{T(z) > t|S(1) \ge c(v), T(1) \ge \tau, T(0) \ge \tau\}$. Via modification of the derivation given in Moskowitz and Pepe [2004a] we can write,

$$PPV_z'(t|v) = (1-v)^{-1} \int_{c(v)}^{\infty} Q_z(t|s_1) dF_{S_j(1)}(s_{1,j}).$$

The plug-in estimator for $PPV_z^{\prime}(t|v)$ is given by:

$$\widehat{PPV}_{z}'(t|v) = (1-v)^{-1} \int_{c(v)}^{\infty} \widehat{Q}_{z}(t|s_{1}) d\widehat{F}_{S_{j}(1)}(s_{1,j}) \text{ for } t \ge \tau.$$

Comparisons over z using the $PPV_z'(t|v)$ are causal, as they are based on the survivor function and not the hazard. A meaningful comparison of $PPV_z'(t|v)$ for potential surrogate evaluation is the TE above a given threshold of S(1) defined by:

$$TE(t|v+) \equiv 1 - RR(t|v+) \equiv 1 - \frac{1 - PPV_1'(t|v)}{1 - PPV_0'(t|v)},$$

where RR is the conditional cumulative relative risk. This estimand measures vaccine efficacy in the subgroup of individuals who would achieve at least the threshold value of S(1). Figures depicting estimated TE(t|v+) versus v are of interest for describing surrogate quality and determining optimal thresholds. Steps in the curve suggest points where thresholds could be considered, as they indicate rapid gains or losses in TE above a given threshold; smooth curves suggest a threshold may not be a useful view of the candidate PS.

Although A2 implies $c_z(v) = c(v)$, the $S_j(1)$ threshold may not be independent of all baseline covariates. One could easily extend these estimands and estimators to include other covariates by applying Zheng et al. [2010]. When the S(1) threshold is not independent of baseline covariates the plug-in estimator is given by:

$$\widehat{PPV}_{z}'(t|v,w) = (1-v)^{-1} \int_{c_{w}(v)}^{\infty} \widehat{S}_{z}(t|s_{1},w) d\widehat{F}_{S(1)|W}(s_{1}).$$

The PPV_z^{\prime} curve is introduced in the main article via the time-dependent Weibull model; however it is easy to see how a time-independent version of the PPV_z^{\prime} could be estimated via the Cox model or parametric

exponential model. The PPV_z' curve could also be used for binary clinical endpoints by modification of the PPV of Moskowitz and Pepe [2004b], to fit the surrogate evaluation framework. For this illustration let our contrast of interest between the arms of the trial be the treatment efficacy (TE) $1 - risk_1/risk_0$.

Finding a threshold of the potential surrogate above which there is high TE is of interest for surrogate evaluation and vaccine improvement in Phase I and IIa trials, but it is not necessary that this threshold be based on the quantiles of the potential surrogate. The PPV_z' can be determined for fixed cutoffs of S(1) by changing the limits of integration from c(v) to the fixed cutoff, c. This version of the PPV_z' may be advantageous for evaluation of potential surrogates with a defined protective level of immune response.

Basing the threshold on the quantiles of S(1) standardizes the curves for comparison between biomarkers. For example, for a desired level of TE, η , and a candidate surrogate S^1 , let $v^{1,\eta}$ be the lowest percentile of S^1 such that $TE_1(t|v^{1,X}+)=\eta$. If this is lower than $v^{2,\eta}$ for candidate surrogate S^2 it means that more of the population obtains the desired TE as measured by S^1 than S^2 . This is only one way to look at the curves and comparisons based on the full TE(t|v+) curve of each candidate must always be considered. Lower $\hat{v}^{k,X}$ does not imply that TE has greater variation over the candidate surrogate; lower $\hat{v}^{k,X}$ will often imply a flatter TE curve, making it a worse PS by our definition.

3 Appendix B

Let us consider a univariate candidate surrogate for which we define the risks based on the hazard function, $risk_z(t|s_1) \equiv \lambda_z(t|s_1) \equiv f_z(t|s_1)/Q_z(t|s_1)$, where $f_z(t|s_1)$ is the conditional probability density function of T, assuming its existence. Contrasts of risk are the causal estimands of interest for evaluation of PS. One such contrast is TE defined by $TE(t|s_1) \equiv 1 - risk_1(t|s_1)/risk_0(t|s_1)$, as given in Gabriel and Gilbert [2014]. Basing risk on the hazard function makes comparisons of $risk_1(t|s_1)$ and $risk_0(t|s_1)$ noncausal, as outlined in Hernán [2010], because the risks condition on different sets $\{T(z) > T\}$ by arm. We consider the hazard-based TE curve as it allows for discrimination between levels of time-dependence in the data using the methods we are about to describe. As the hazard-based TE can be time-independent or time-dependent depending on the parameterization of the hazards, whereas the CDF-based TE is always time-dependent, tests can be preformed to determine if there is significant time-dependence as well as the type of time dependence present. Under the same assumptions A1-A4 as the main text, we can estimate these risks by assuming a parametric model for the clinical outcome.

We assume a Weibull model for the conditional pdf $g(\cdot|\cdot)$, of T given Z and S(1), which parametrizes both the scale, $\gamma = (\gamma_{00}, \gamma_{10}, \gamma_{01}, \gamma_{11})$, and shape, $\beta = (\beta_{00}, \beta_{10}, \beta_{01}, \beta_{11})$, components of the Weibull

model with treatment, Z, and potential surrogate, S(1). Specifically, our Weibull assumption A5 states that

• A5:
$$g(t|\gamma, \beta, z, s_1, \delta) = \lambda_z(t|\gamma, \beta, s_1)^{\delta} Q_z(t|\gamma, \beta, s_1)$$

where $Q_z(t|\gamma, \beta, s_1)$ is the parametrized conditional Weibull survivor function for the treatment arm Z=z, and the conditional hazard function is given by:

$$\lambda_z(t|\gamma,\beta,s_1) = \frac{\exp(\beta_{z0} + \beta_{z1}s_1)}{\exp(\gamma_{z0} + \gamma_{z1}s_1)} \left\{ \frac{t}{\exp(\gamma_{z0} + \gamma_{z1}s_1)} \right\}^{\{\exp(\beta_{z0} + \beta_{z1}s_1) - 1\}}$$
(2)

The identifiability of this model as well as the meaning of the coefficients is given in Gabriel and Gilbert [2014]. We can estimate this model using the same semi-parametric EML outlined in the main text and under the BIP-only augmentation and in combination with close-out placebo vaccination augmentation [Follmann, 2006, Gilbert and Hudgens, 2008, Huang and Gilbert, 2011]. Based our ability to estimate this model and the meanings of the parameters we propose a three-step process for evaluating a potential PS using the above estimation method.

- Step 1: Fit the time-dependent TE Weibull model via parametric EML; determine the EML estimates by maximizing $L(\beta, \gamma, \hat{\nu})$, where $L(\beta, \gamma, \nu)$ is defined by assumption A5 of the main text.
- Step 2: Test for time-varying conditional treatment efficacy, H0₁: $TE(t|s_1) = TE(s_1)$, by testing $(\beta_{11} \beta_{01}) = (\beta_{10} \beta_{00}) = 0$.
- Step 3: If the data support H0₁, fit the time-independent TE Weibull model, outlined below. Use estimates from this model for figures and inference on surrogate quality. If the data support rejection of H0₁, use the time-dependent TE model estimates for figures and inference on surrogate quality.

The testable null hypotheses of interest are:

- H0₁: $TE(t|s_1) = TE(s_1)$, Null equivalent $(\beta_{11} \beta_{01}) = (\beta_{10} \beta_{00}) = 0$,
- $H0_2^*$: $TE(s_1) = TE$, Null equivalent $\beta_1^* = \gamma_{11}^* \gamma_{01}^* = 0$,
- H0₂: $TE(t|s_1) = TE(t)$, Null equivalent $\beta_{11} = \beta_{01} = \{\gamma_{01} \exp(\beta_{00}) \gamma_{11} \exp(\beta_{10})\} = 0$,
- H0₃: No time-dependence that is associated with S(1), Null equivalent $(\beta_{11} \beta_{01}) = 0 \bigcap \{(\beta_{10} \beta_{00} = 0) \bigcup (\gamma_{11} \gamma_{01} = 0)\}$
- H0₄: No time-dependence in TE(t|0), Null equivalent $\beta_{10}-\beta_{00}=0$,

The justifications for these tests in given in Gabriel and Gilbert [2014].

Let $\beta_{10} = \beta_{00} = \beta_0^*$ and $\beta_{11} = \beta_{01} = \beta_1^*$. Then the time-independent TE model is given by:

$$\begin{split} risk_z^{HZ}(s_1,t;\beta^*,\gamma^*) &= \lambda_z^*(t|s_1) \\ &= \frac{\exp{(\beta_0^* + \beta_1^* s_1)}}{\exp{(\gamma_{z0}^* + \gamma_{z1}^* s_1)}} \left\{ \frac{t}{\exp{(\gamma_{z0}^* + \gamma_{z1}^* s_1)}} \right\}^{\left\{\exp{(\beta_0^* + \beta_1^* s_1)} - 1\right\}}. \end{split}$$

We illustrate our methods in simulated data following a 1:1 randomized two-arm trial with 2000 subjects per treatment-arm using the various case-control sampling designs for CPV and BIP. Suppose the conditional cdf of T given S(1) and Z follows a Weibull model and that $\{S(1), W\}$ follows a bivariate normal model with correlation ρ_{WS} . Information lost to drop out occurs completely at random, and occurs at a rate of 5% per year. Event times are censored at 3 years post τ , at which time the trials have 50% TE on average, with an average of 104 treatment group infections and 208 placebo group infections over the 1000 simulated trials. This follows the HIV vaccine trial design proposed in Gilbert et al. [2011].

We investigate three time-independent Weibull models for T given S(1) and Z that give three different PS quality levels, a high quality surrogate, a marginal quality surrogate and a useless surrogate. For the useless surrogate expressed by differing amounts of variation in $TE(t|s_1)$ over s_1 and ACN. These three scenarios are used to investigate the bias of the EML estimator, the type 1 error rate of $H0_1$ and the power and type 1 error rate of $H0_2$ and $H0_2^*$, in the time-independent setting. We also consider two surrogate quality levels under a time-dependent TE Weibull model for T given S(1) and Z with time-dependence in TE(t|0). We investigate a high-quality surrogate and a marginal-quality surrogate under this type of time-dependence. Finally, we consider a high-quality surrogate and a marginal-quality surrogate under a time-dependent TE Weibull model for T given S(1) and Z where there is time dependence in TE that is both associated with the surrogate quality and in TE(t|0). The four time-dependent scenarios are used to investigate the bias of the estimator and testing power to reject $H0_1$ - $H0_4$ in the presence of time-varying TE.

For each of the Weibull models we consider several different types of case-control sampling of S(1), S^{CO} and W and different levels of ρ_{WS} . We display results from six different types of case-control sampling of $S(1)/S^{CO}$ and W all for ρ_{WS} =0.8. This is only slightly higher than our motivating scenario where there is a $\hat{\rho}_{WS}$ =0.701. The six case-control sampling scenarios considered are broken into two groups of three to consider the issues of case-control sampling of S(1) and S^{CO} separately. First, we consider case-control sampling of S^{CO} , holding sampling of S(1) constant at full, and varying the sampling of S^{CO} between full, 1:5 case-control and no sampling of S^{CO} . We then investigate the effects of sub-sampling of S(1), by holding case-control sampling of S(1) at 1:5 and again varying sampling of S^{CO} between full, 1:5 case-

control and no sampling. Table 1 below displays the bias for points on the TE curve and Table 2 displays the results of null hypotheses of interest.

The findings suggest that the semi-parametric EML method works at least as well as the fully-parametric EML method of Gabriel and Gilbert [2014] for unbiased estimation of the TE curve, possibly being slightly less sensitive to sub-sampling of the CPV measure S^C , and to lower correlations of the BIP, Table 3 and Table 4. Table 4 also display the results of bias for the various summary statistics including STG(t) for time-varying surrogate quality and TE waning. As suggested in the main text, these estimators are unbiased even when there is time-dependence.

References

- D Follmann. Augmented designs to assess immune response in vaccine trials. *Biometrics*, 62(4):1161–1169, 2006.
- Erin E. Gabriel and Peter B. Gilbert. Evaluating principal surrogate endpoints with time-to-event data accounting for time-varying treatment efficacy. *Biostatistics*, 15(2):251–265, 2014.
- PB Gilbert and MG Hudgens. Evaluating candidate principal surrogate endpoints. *Biometrics*, 64(4):1146–1154, 2008.
- PB Gilbert, D Grove, E Gabriel, Y Huang, G Gray, SM Hammer, SP Buchbinder, J Kublin, L Corey, and SG Self. A sequential phase 2b trial design for evaluating vaccine efficacy and immune correlates for multiple hiv vaccine regimens. *Statistical Communications in Infectious Diseases*, 3(1), 2011.
- Wen Gu and Margaret Pepe. Measures to summarize and compare the predictive capacity of markers. *The International Journal of Biostatistics*, 5(1):1–30, 2011.
- Patrick J. Heagerty, Thomas Lumley, and Margaret S. Pepe. Time-dependent ROC curves for censored survival data and a diagnostic marker. *Biometrics*, 56(2):337–44, 2000.
- M. Hernán. The hazards of hazard ratios. *Epidemiology*, 21(1), 2010.
- Ying Huang and Peter B. Gilbert. Comparing biomarkers as principal surrogate endpoints. *Biometrics*, 67 (4):1442–1451, 2011.
- Ying Huang, Peter B. Gilbert, and Holly Janes. Assessing treatment-selection markers using a potential outcomes framework. *Biometrics*, 68(3):687–96, 2012.

- Chaya S. Moskowitz and Margaret S. Pepe. Quantifying and comparing the accuracy of binary biomarkers when predicting a failure time outcome. *Statistics in Medicine*, 23(10):1555–1570, 2004a.
- Chaya S. Moskowitz and Margaret S. Pepe. Quantifying and comparing the predictive accuracy of continuous prognostic factors for binary outcomes. *Biostatistics*, 5:113–127, 2004b.
- Michael C. Sachs and Xiao-Hua Zhou. Partial summary measures of the predictiveness curve. *Biometrical Journal*, 55(4):589–602, 2013.
- Y Zheng, T Cai, MS Pepe, and WC Levy. Time-dependent predictive values of prognostic biomarkers with failure time outcome. *Journal of the American Statistical Association*, 103(481):362–368, 2008.
- Y Zheng, T Cai, JL Stanford, and Z Feng. Semiparametric models of time-dependent predictive values of prognostic biomarkers. *Biometrics*, 66(1):50–60, 2010.

Table 1: Performance of Accuracy Measures Using Univariate BIP for Multivariate PS

Bias $CDF_{\Delta}^{3}(c)$ 0.8 -0.013 (0.035) 0.5 -0.01 (0.033) Bias $TPF(3 c)$ 0.8 -0.068 (0.166) 0.5 -0.072 (0.187) Bias $FPF(3 c)$ 0.8 0.001 (0.026) 0.5 -0.001 (0.004) Bias $STG(3)$ 0.8 -0.011 (0.277) 0.5 -0.024 (0.285)	STG = 0.81
0.8 0.8 0.8 0.8 0.5 0.5	0.001 (0.028)
0.8 0.8 0.8 0.8 0.5 0.5	0.01 (0.04)
0.5 0.8 0.5 0.8 0.5	-0.008 (0.114)
0.8	-0.063 (0.257)
0.5	0.009 (0.02)
0.8	0.006 (0.028)
0.5	-0.009 (0.197)
80	-0.019 (0.299)
0.0	-0.003 (0.058)
0.5 -0.037 (0.238)	-0.05 (0.151)

standard deviation of the estimated statistic over the simulations). *Multivariate candidate PS, **For multivariate surrogate candidates $R_{s_{1,j}w} = x$ Bias entries for the TPF(3|c) and FPF(3|c) curves are average bias over the simulations and 2000 points on each simulated curve (empirical indicates the set $(R_{s_{1,1}w}, R_{s_{1,2}w}) = (x, x)$.

Table 2: Power of difference in STG(t) tests for t=3 years

	$R_{s_1,iw}$	$R_{s_{1,j}w}$ $STG(3) = 0.1$	STG(3) = 0.24	$STG(3)^{\#} = 0.48$	$STG(3)^{\#} = 0.48 STG(3)^{\#*} = 0.23$	$STG(3)^{\#*} = 0.51$
STG(3) = 0.1	0.5	4.80	15.80		16.90	58.20
	0.8	7.20	31.20	90.00	32.80	96.40
STG(3) = 0.24	0.5		4.40	41.80	8.00	39.00
	0.8		5.20	49.60	10.00	09.69
STG(3) = 0.48	0.5			00.9	44.30	13.60
	0.8			5.20	47.60	17.80
$STG(3)^* = 0.23$	(0.5, 0.5)				3.80	21.60
	(0.8, 0.8)				5.00	13.80
$STG(3)^* = 0.51$	(0.5, 0.5)					2.40
	(0.8, 0.8)					90.9

Wald test for comparing two candidate surrogates by testing $STG_1(3) - STG_2(3) = 0$. *Multivariate candidate PS, **For multivariate surrogate candidates $\rho_{s_1,jw}$ stands for $(R_{s_1,1w},R_{s_1,2w})$. #indicates that the candidate surrogate was generated using a censored normal distribution.

Table 3: 1	Percent B	Table 3: Percent Bias: two-arm trial for given sampling of W, S^C and $S(1)$; for W and $S(1)$ correlation (0.8) semi-parametric EML	trial for give	en sampl	ling of ${\it V}$	V,S^{C} an	S(1)	for W	and $S(1)$) correla	ation (0.	8) semi-	parametı	ic EML
		fill samplin	ng W , full sampling S^C and $S(1)$	ampling	S^C and	S(1)			fill san	V	fill sampling W , 5:1 S^C and full $S(1)$	C and fu	111 S(1)	
Estimate		Time Ind		TE wane	vane	Both	Both wane		Time Ind	_	TE v	TE wane	Both wane	wane
	No Val	Some Val	High Val	Some	High	Some	High	No	Some	High	Some	High	Some	High
$\widehat{TE}(1 2)$	0.40	0.30	-0.10	0.40	0.50	1.00	0.50	0.40	0.30	-0.10	0.50	0.30	0.90	09.0
$\widehat{TE}(1 4)$	1.90	09.0	0.30	-0.10	0.10	0.50	0.20	1.60	0.40	0.30	-0.20	-0.00	0.30	0.30
$\widehat{TE}(2.5 4)$	1.90	09.0	0.30	-0.70	0.10	-0.40	0.10	1.60	0.40	0.30	-1.00	0.10	-0.60	0.00
$\widehat{TE}(2.5 0.8+)$	2.02	0.85	0.32	-1.60	-0.52	-0.88	1.47	0.90	0.28	-1.48	-0.47	-1.07	-0.89	
		fill sam	fill sampling W, no S^C and full $S($	S^{C} and	S(1)	()			fill sam	oling of	fill sampling of W, full S^C and 5:1 $S(1)$	S^C and	$5:1\ S(1)$	
Estimate		Time Ind		TE v	TE wane	Both	Both wane		Time Ind	_	TE v	TE wane	Both wane	wane
	No Val	Some Val	High Val	Some	High	Some	High	$^{ m N}_{ m o}$	Some	High	Some	High	Some	High
$\widehat{TE}(1 2)$	0.40	0.20	-0.10	0.40	09.0	0.80	0.50	0.30	0.40	0.10	0.30	09.0	1.40	0.80
$\widehat{TE}(1 4)$	1.70	09.0	0.10	-0.40	0.30	0.30	0.30	1.10	1.00	-1.70	-0.20	0.20	0.10	0.20
$\widehat{TE}(2.5 4)$	1.70	09.0	0.10	-1.10	0.40	-1.20	0.00	1.10	1.00	0.20	-1.30	0.10	-1.20	0.10
$\widehat{TE}(2.5 0.8+)$	1.10	0.77	0.36	-1.49	-0.86	-0.91	-0.66	1.42	1.07	0.49	-0.95	-0.38	-1.15	-0.61
		fill sa	fill sampling W , 5:1 S^C	$5:1 S^C$ a	and $S(1)$				fill sar	npling 1	fill sampling W, no S^C and $5:1$ $S(1)$	^C and 5:	1 S(1)	
Estimate		Time Ind		TE v	TE wane	Both wane	wane		Time Ind	_	TE v	TE wane	Both wane	wane
	No Val	Some Val	High Val	Some	High	Some	High	No	Some	High	Some	High	Some	High
$\widehat{TE}(1 2)$	0:30	0.30	0.20	0.30	0.40	1.50	0.80	0.40	0.40	0.10	0:30	0.40	1.00	09.0
$\widehat{TE}(1 4)$	1.10	0.70	0.20	-0.40	0.10	0.10	0.30	1.40	09.0	0.10	-0.40	0.20	0.20	0.30
$\widehat{TE}(2.5 4)$	1.10	0.70	0.20	-0.80	-0.20	-0.50	0.20	1.40	09.0	0.10	-1.10	0.00	-0.60	0.10
$\widehat{TE}(2.5 0.8+)$	1.02	0.95	0.36	-1.20	-0.39	-1.25	-0.79	0.70	1.09	0.26	-1.54	-0.50	96:0-	-0.69

		пп ѕатрш	fill sampling W, full sampling S^{\cup} and $S(1)$	gundun	S and	S(1)			fill san	N guildi	fill sampling W, 5:1 S and full $S(1)$	and to	$\Pi S(1)$	
		Time Ind		TE v	TE wane	Both wane	wane	-	Time Ind	7	TE v	TE wane	Both wane	wane
PH^{a}	No Val	Some Val	High Val	Some	High	Some	High	No	Some	High	Some	High	Some	High
1	0.05	0.04	0.05	0.37	0.42	0.53	0.59	1	1	1	ı	1	ı	
$H0_1^{-6}$	0.05	0.05	90.0	0.36	0.45	0.81	0.71	0.05	90.0	90.0	0.36	0.42	0.78	0.65
$\mathrm{H0_1}^{\ c}$	0.04	0.04	0.04	0.39	0.54	69.0	69.0	0.04	0.04	0.04	0.36	0.54	89.0	99.0
$\mathrm{H0_2}^{~d}$	0.05	0.72	0.99	0.09	0.25	0.04	0.10	0.05	69.0	0.99	0.09	0.22	0.04	0.10
${ m H0}_2{}^e$	0.05	0.67	0.99	0.36	0.90	0.88	0.99	0.05	99.0	0.99	0.35	0.89	0.87	0.99
$H0_3^{\ f}$	0.05	0.07	0.07	90.0	0.05	0.39	0.24	0.05	0.07	0.07	90.0	0.05	0.40	0.25
$H0_4^{\ g}$	0.05	0.04	0.04	0.27	0.47	0.21	0.35	0.05	0.03	0.03	0.26	0.45	0.21	0.33
		fill samp	oling W, no	S^C and full S	full $S(1)$				fill sam	oling of	fill sampling of W, full S^C and 5:1 $S(1$	S^C and	$5:1\ S(1)$	
Null		Time Ind			TE wane	Both wane	wane	-	Time Ind	7	TE v	TE wane	Both wane	wane
-	No Val	Some Val	High Val	Some	High	Some	High	No	Some	High	Some	High	Some	High
$\mathrm{H0_1}^{\ b}$	0.04	0.04	0.04	0.38	0.54	69.0	89.0	0.04	0.04	0.04	0.36	0.53	99.0	0.65
${ m H0}_2{}^e$	0.05	89.0	0.99	0.36	0.90	0.88	0.99	0.05	09.0	0.99	0.32	0.88	0.84	0.99
$H0_3^{\ f}$	90.0	0.07	0.07	90.0	0.04	0.39	0.24	0.05	90.0	90.0	0.07	0.05	0.36	0.24
$\mathrm{H0}_4^{~g}$	0.04	0.03	0.03	0.28	0.46	0.21	0.35	0.05	90.0	0.06	0.25	0.44	0.21	0.32
		fill sam	npling $W, 5:1\ S^C$	$5:1 S^C$ a	and $S(1)$				fill sar	npling 1	fill sampling W , no S^C	^C and 5:1	1 S(1)	
Null		Time Ind		TE wane	vane	Both wane	wane	-	Time Ind	77	TE v	TE wane	Both wane	wane
-	No Val	Some Val	High Val	Some	High	Some	High	No	Some	High	Some	High	Some	High
$\mathrm{H0_1}^{\ b}$	0.04	0.04	0.07	0.37	0.51	0.65	0.64	90.0	0.04	0.07	0.37	0.52	99.0	0.67
$\mathrm{H0}_2{}^e$	0.04	0.63	0.99	0.33	0.88	0.85	0.99	0.05	99.0	0.99	0.36	0.88	0.85	0.99
$H0_3^{\ f}$	0.03	90.0	0.05	90.0	0.05	0.37	0.25	0.03	90.0	90.0	90.0	90.0	0.37	0.25
$H0_4^{\ g}$	0.04	0.03	90.0	0.26	0.43	0.21	0.32	0.05	0.04	0.05	0.26	0.44	0.21	0.33

Table 5: Comparison Over EML Methods and BIP Correlation $H0_2$ and $H0_1$: full sampling W, full S^C and S(1)

	Pro	portion of re	ejection H0 ₂	2			
		Time Ind		TE v	vane	Both '	Wane
	No Val	Some Val	High Val	Some	High	Some	High
	W	S(1) corre	lation (0.8)				
Parametric EML	0.5	0.68	0.99	0.49	0.93	0.90	0.99
Semi-parametric EML	0.5	0.67	0.99	0.36	0.91	0.88	0.99
	\overline{W}	S(1) corre	elation (0.5)				
Parametric EML	0.05	0.36	0.99	0.24	0.79	0.70	0.96
Semi-parametric EML	0.06	0.41	0.99	0.24	0.77	0.70	0.96
	\overline{W}	S(1) correl	lation (0.25)				
Parametric EML	0.06	0.16	0.88	0.14	0.51	0.46	0.78
Semi-parametric EML	0.05	0.17	0.90	0.16	0.45	0.42	0.77
	Pro	portion of re	ejection H0 ₁	<u> </u>			
	Pro	portion of re Time Ind	ejection H0 ₁	TE v	vane	Both '	Wane
	Pro No Val		ejection H0 ₁ High Val	_	vane High	Both Some	Wane High
	No Val	Time Ind	High Val	TE v			
Parametric EML	No Val	Time Ind Some Val	High Val	TE v			
Parametric EML Semi-parametric EML	No Val	Time Ind Some Val \overline{S} , $S(1)$ corre	High Val	TE v	High	Some	High
	No Val W 0.04 0.04	Time Ind Some Val \overline{S} , $S(1)$ corre 0.05	High Val elation (0.8) 0.07 0.05	TE v Some	High 0.60	Some 0.71	High 0.70
	No Val W 0.04 0.04	Time Ind Some Val \overline{Y} , $S(1)$ corre 0.05 0.04	High Val elation (0.8) 0.07 0.05	TE v Some	High 0.60	Some 0.71	High 0.70
Semi-parametric EML	No Val 0.04 0.04 W 0.05 0.05	Time Ind Some Val \overline{V} , $S(1)$ corres 0.05 0.04 \overline{V} , $S(1)$ corres 0.05 0.05	High Val elation (0.8) 0.07 0.05 elation (0.5) 0.06 0.05	TE v Some 0.51 0.39 0.23 0.27	0.60 0.54	0.71 0.69	0.70 0.69
Parametric EML Semi-parametric EML	No Val 0.04 0.04 W 0.05 0.05	Time Ind Some Val V, S(1) corres 0.05 0.04 V, S(1) corres 0.05	High Val elation (0.8) 0.07 0.05 elation (0.5) 0.06 0.05	TE v Some 0.51 0.39 0.23 0.27	0.60 0.54	0.71 0.69	0.70 0.69
Semi-parametric EML Parametric EML	No Val 0.04 0.04 W 0.05 0.05	Time Ind Some Val \overline{V} , $S(1)$ corres 0.05 0.04 \overline{V} , $S(1)$ corres 0.05 0.05	High Val elation (0.8) 0.07 0.05 elation (0.5) 0.06 0.05	TE v Some 0.51 0.39 0.23 0.27	0.60 0.54	0.71 0.69	0.70 0.69

Table 6: Percent Bias: summary statistic comparison over methods two-arm trial; W, S(1) correlation (0.8) full sampling W, full sampling S^C and S(1), Highy Valuable Surrogate Both wane Both wane 1.73 0.19 0.14 2.03 0.20 0.15 0.35 0.23 full sampling W, 5:1 S^C and S(1), Highy Valuable Surrogate Semi-parametric EML Semi-parametric EML TE wane TE wane 1.06 0.12 0.14 1.30 0.13 0.08 0.23 0.07 Time Ind Time Ind -0.04 0.08 0.10 0.05 0.07 0.10 1.52 Time Ind TE wane Both wane Both wane 0.20 0.19 0.13 0.24 2.55 0.27 0.29 1.73 Parametric EML Parametric EML TE wane 0.84 0.00 0.14 0.00 0.14 0.11 0.11 Time Ind 1.76 0.02 0.07 0.03 0.08 -0.01 0.11 $\widehat{otg}(2.5|0.75, 0.05)$ $\overrightarrow{otg}(2.5|0.75,0.05)$ $\widehat{PPV}(2.5|0.75)$ $\overrightarrow{PPV}(2.5|0.75)$ $\widehat{NPV}(2.5|0.05)$ $\widehat{NPV}(2.5|005)$ $\widehat{STG}(2.5)$ $\widehat{STG}(2.5)$ Estimate Estimate

Average bias (absolute bias times 100) of summary statistic estimates over 1000 simulated experiments. All estimates in all scenarios have average bias less than 3% of the Monte Carlo standard error.




Figure 1: The A panels depict the estimated $CDF^{6.5}(c)$ versus c for the truncated univariate candidate principal surrogates HBA1C and EGFR as well as for the combination candidate PS for given time points. The B panels depict the estimated $ROC^{6.5}(q)$ versus q for HBA1C and the combination of HBA1C and EGFR at given time points.