
Cloud Files Developer Guide Documentation

Release 1.1.0

Eric "EJ" Johnson

August 12, 2009

CONTENTS

1	Overview	1
2	Intended Audience	3
3	Concepts	5
3.1	Accounts	5
3.2	Authentication	5
3.3	Permissions	5
3.4	Containers	5
3.5	Objects	6
3.6	Operations	6
3.7	CDN-enabled Containers	6
4	Language-specific API's	9
5	ReST API's	11
5.1	Authentication	13
5.2	Storage Services	13
5.3	CDN Services	27
6	Troubleshooting	33
6.1	Using cURL	33
7	Glossary	37

OVERVIEW

The Rackspace Cloud Files™ is an affordable, redundant, scalable, and dynamic storage service offering. The core storage system is designed to provide a safe, secure, automatically re-sizing and network accessible way to store data. You can store an unlimited quantity of files and each file can be as large as 5 gigabytes. Users can store as much as they want and pay only for storage space they actually use.

Additionally, Cloud Files provides a simple yet powerful way to publish and distribute content behind the industry leading Limelight Networks' Content Distribution Network. Cloud Files users get access to this network automatically without having to worry about contracts, additional costs, or technical hurdles.

Cloud Files allows users to store/retrieve files and CDN-enable content via a simple Web Service (ReST: Representational State Transfer) interface. There are also language-specific API's that utilize the ReST API but make it much easier for developers to integrate into their applications.

For more details on the Cloud Files service please refer to http://www.rackspacecloud.com/cloud_hosting_products/files

INTENDED AUDIENCE

This document is intended for software developers who have chosen to use Cloud Files. It fully documents the ReST application programming interface (API) that allows developers to interact with the storage and CDN components of the Cloud Files system.

Prerequisites: Familiarity with HTTP, RFC 2616

Rackspace also provides company supported language-specific API's in several popular programming languages. The current list of supported API's is C#/.NET, Java, PHP, Python, and Ruby. These API's utilize the ReST API and are provided to help developers rapidly integrate Cloud Files support into their applications without needing to write at the ReST interface. Each API includes its own documentation in its "native" format. For example, the Java API includes JavaDocs and the C#/.NET API includes a CHM file.

System administrators and other users who are interested in the storage and CDN benefits of Cloud Files, should consider using the File Manager interface within the Rackspace Cloud Control Panel or third party tools like [Fireuploader](#), [Cyberduck](#), and *Cloud Files Manager*_. The control panel provides an easy to use web-based interface for uploading/downloading content to Cloud Files.

CONCEPTS

Cloud Files is not a “file system” in the traditional sense. You will not be able to **map** or **mount** virtual disk drives like you can with other forms of storage such as a SAN or NAS. Since Cloud Files is a different way of thinking when it comes to storage so you should take a few moments to review the key concepts listed below.

3.1 Accounts

The Cloud Files system is designed to be used by many different customers. Your user account is your portion of the Cloud Files system. A user must identify themselves with their Rackspace Cloud username and API Access Key and once authenticated, that user has full read/write access to the files stored under that user account. Please visit <http://www.rackspacecloud.com> to obtain a Cloud Files account and enable your API Access Key.

3.2 Authentication

The language and ReST API’s below describe how to authenticate against the Authentication service to receive Cloud Files connection parameters and an “authentication token”. The token must be passed in for all subsequent Container/Object operations.

Note: The language-specific API’s handle authentication, token passing, and HTTPS request/response communication.

3.3 Permissions

There are no permissions or access-controls around Containers or Objects in Cloud Files. Each user has their own storage account and has full access to that account. Users must authenticate with their credentials as described above, but once authenticated they can create/delete Containers and Objects within that Account. The only way a user can access the content from another Account is if they share their Username/API Access Key or a session token.

3.4 Containers

A Container is a “storage compartment” for your data and provides a way for you to organize your data. You can think of a Container as a folder in Windows® or a directory in UNIX®. The primary difference between a Container and these other “file system” concepts is that Containers cannot be nested. You can, however, create an unlimited number of Containers within your account. Data must be stored in a Container so you must have at least one Container defined in your account prior to uploading data.

The only restrictions on Container names is that they cannot contain a forward slash, “/” character must be less than 256 bytes in length. Please note that the length restriction applies to the name after it has been URL encoded. For example, a Container name of “Course Docs” would be URL encoded as “Course%20Docs” and therefore be 13 bytes in length rather than the expected 11.

3.5 Objects

An “Object” is the basic storage entity and any optional metadata that represents the “files” you store in the Cloud Files system. When you upload data to Cloud Files the data is stored as-is (no compression or encryption) and consists of a location (Container), the Object’s name, and any metadata consisting of key/value pairs. For instance, you may chose to store a backup of your digital photos and organize them into albums. For example, each Object could be tagged with metadata such as “Album : Caribbean Cruise” or “Album : Aspen Ski Trip”.

The only restriction on Object names is that they must be less than 1024 bytes in length after URL encoding. For example, an Object name of “C++final(v2).txt” should be URL encoded as “C%2B%2Bfinal%28v2%29.txt” and therefore be 24 bytes in length rather than the expected 16.

The maximum allowable size for a storage Object is 5 gigabytes and the minimum is zero bytes. For metadata, you should not exceed 90 individual key/value pairs for any one Object and the and the total byte length of all key/value pairs should not exceed 4KB (4096 bytes).

3.6 Operations

Operations are the actions you perform within your Account. Creating or deleting Containers, uploading or downloading Objects, etc. The full list of operations is documented under the ReST API section. Operations may be performed via the ReST web service API or a language-specific API (currently we support Python, PHP, Java, Ruby, and C#/.NET).

Note: All operations must include a valid authorization token.

3.7 CDN-enabled Containers

To publish data that is to be served by Limelight Networks’ Content Distribution Network (CDN), Containers which house the data must be “CDN-enabled”. When a Container is CDN-enabled any files will be publicly accessible and not require an authentication token for read access. Uploading content into a CDN-enabled Container is a secure operation and will require a valid authentication token.

Each CDN-enabled Container has a unique Uniform Resource Locator (URL) that can be combined with its Object names and openly distributed in web pages, emails, or other applications.

For example, a CDN-enabled Container named *photos* might be referenced as <http://c0010171.cdn.cloudfiles.rackspacecloud.com>. If that Container houses a screenshot called *wow1.jpg*, then that image can be served by Limelight Networks’ CDN with the full URL of <http://c0010171.cdn.cloudfiles.rackspacecloud.com/wow1.jpg>. This URL can be embedded in HTML pages, email messages, blog posts, etc. When that URL is accessed, a copy of that image is fetched from the Cloud Files storage system and cached in Limelight Networks’ CDN and served from there for all subsequent requests for a configurable cache timeout (TTL) value. Setting the TTL of a CDN-enabled Container translates to setting the Expires and Cache-Control HTTP headers.

Containers tracked in the CDN management service are completely separate and distinct from the Containers defined in the storage service. It is possibly for a Container to be CDN-enabled even if it doesn’t exist in the storage system.

Users may want the ability to pre-generate CDN URL's before actually uploading content and this separation gives them that ability.

However, for the content to be served from the CDN, the Container names **MUST** match in both the CDN management service and the storage service. For example, you could CDN-enable a Container called *images* and be assigned the CDN URL, but you also need to create a Container called *images* in the storage service.

For more details on the CDN operations refer to “Content Delivery Networks with Cloud Files”

LANGUAGE-SPECIFIC API'S

A set of supported API's in several popular languages are available to help put Cloud Files in the hands of developers. These API's provide a layer of abstraction on top of the base ReST API allowing programmers to work with a Container and Object model instead of working directly with HTTP requests and responses. These API's are free (as in beer and as in speech) to download, use, and modify. They are all licensed under the MIT license as described in the COPYING file packaged with each API. If you do make any improvements to an API, you are encouraged (but not required) to submit those changes back to us.

The API's are hosted at <http://github.com/rackspace>. Feel free to coordinate your changes through github or if you prefer, send your changes to cloudfiles@rackspacecloud.com. Just make sure to indicate which language and version you modified and send us a unified diff.

Each API includes its own documentation (either HTML, PDF, or CHM). They also include code snippets and examples to help you get started. The currently supported API's for Cloud Files are:

- PHP (requires 5.x and the modules: cURL, FileInfo, mbstring)
- Python (requires 2.4 or newer)
- Java (requires JRE v1.5 or newer)
- C#/.NET (requires .NET Framework v3.5)
- Ruby (requires 1.8 or newer and mime-tools module)

There are no other supported language-specific API's at this time. You are welcome to create your own language API's and we will help answer any questions during development, host your code if you like, and give you full credit for your work.

REST API'S

The underlying API for Cloud Files is implemented as a set of ReSTful web services (Representational State Transfer). All Authentication and Container/Object operations can be performed with standard HTTP calls. See the [Wikipedia article](#) for more information about ReST.

The following constraints apply to the ReST API's HTTP requests:

- Maximum number of HTTP headers per request: 90
- Maximum length of all HTTP headers: 4096 bytes
- Maximum length per HTTP request line: 8192 bytes
- Maximum length of HTTP request: 5 gigabytes
- Maximum length of Container name: 256 bytes
- Maximum length of Object name: 1024 bytes

Container and Object names should be properly URL encoded prior to interacting with the ReST interface (the language API's handle URL encoding/decoding). The length restrictions should be checked against the URL encoded string.

Each ReST request against the Cloud Files system requires the inclusion of a specific “authorization token” HTTP header defined as `X-Auth-Token`. Clients obtain this token, along with the Cloud Files URI's, by first using the Authentication service and supplying a valid Username and API Access Key.


There are actually two different sets of ReST services that make up the full Cloud Files product. The first ReST service identified with `X-Storage-Url` is used for managing the data stored in the system. Example operations are creating Containers and uploading Objects. The second ReST service is for managing the CDN feature of Cloud Files and is identified by `X-CDN-Management-Url`.

In the following sections, each HTTP method will be documented and which service the call should be made against. For example, a `PUT` request against `X-Storage-Url` can be used to create a Container or upload an Object. A `PUT` request against the `X-CDN-Management-Url` is used to CDN-enable a Container.

The language-specific API's mask this system separation from the programmer. They simply create a Container and mark it “public” and it handles calling out to the appropriate back-end services using the appropriate ReST API.

Note: All requests to authenticate and operate against Cloud Files are performed using SSL over HTTP (HTTPS) on TCP port 443.

The following diagram illustrates the various system interfaces and the ease with which content can be distributed over the CDN. Authenticate, create a Container, upload Objects, mark the Container as *public* and begin serving that content from Limelight Networks' powerful CDN.



5.1 Authentication

In order to use the Cloud Files storage system, you must first have a valid username and API Access Key. Include these parameters as HTTP headers in the authentication request illustrated below.

5.1.1 Request

Client authentication is provided via a ReST interface using the GET method, with 'auth' supplied as the path. Additionally, two headers are required, X-Auth-User and X-Auth-Key with values for the username and API Access Key respectively.

Sample request:

```
GET /v1.0 HTTP/1.1
Host: auth.api.rackspacecloud.com
X-Auth-User: jdoe
X-Auth-Key: a86850deb2742ec3cb41518e26aa2d89
```

5.1.2 Response

When authentication is successful, an HTTP status 204 (No Content) is returned with three headers, X-Storage-Url, X-CDN-Management-Url, and X-Auth-Token. An HTTP status of 401 (Unauthorized) is returned upon authentication failure. All subsequent Container/Object operations against Cloud Files should be made against the URI specified in X-Storage-Url or X-CDN-Management-Url and must include the X-Auth-Token header.

Sample response:

```
HTTP/1.1 204 No Content
Date: Mon, 12 Nov 2007 15:32:21 GMT
Server: Apache
X-Storage-Url: https://storage.clouddrive.com/v1/CF_xer7_34
X-CDN-Management-Url: https://cdn.clouddrive.com/v1/CF_xer7_34
X-Auth-Token: eaaafd18-0fed-4b3a-81b4-663c99ec1cbb
Content-Length: 0
Content-Type: text/plain; charset=UTF-8
```

The X-Storage-Url and X-CDN-Management-Url will need to be parsed and used in the connection and request line of all subsequent requests against Cloud Files. In the example response above, users connecting to Cloud Files would send most Container/Object requests with a Host header of *storage.clouddrive.com* and the request line's version and account as */v1/CF_xer7_34*. To CDN-enable Containers or adjust CDN attributes, ReST requests should be sent to *cdn.clouddrive.com*. Note that authentication tokens are valid for a 24 hour period.

5.2 Storage Services

The following section describes the ReST API for interacting with the storage component of Cloud Files. All requests will be directed to the host and URL described in the X-Storage-Url HTTP header obtained during successful authentication.

The following are some pointers for the use of the Storage services:

- Container names cannot exceed 256 bytes and cannot contain a '/' character

- Object names cannot exceed 1024 bytes and have no character restrictions
- Object and Container names must be URL-encoded

5.2.1 Storage Account Services

The following operations can be performed at the account level of the URI. For example, the URI for the requests below will end with the Cloud Files account string:

```
METHOD /v1/<account> HTTP/1.1
```

GET

GET operations against the `X-Storage-Url` for an account are performed to retrieve a list of existing storage Containers ordered by name. The following list describes the optional query parameters that are supported with this request.

- **limit** - For an integer value *N*, limits the number of results to at most *N* values.
- **marker** - Given a string value *X*, return Object names greater in value than the specified marker.
- **format** - Specify either *json* or *xml* to return the respective serialized response.

At this time, a “prefix” query parameter is not supported at the Account level.

Request

The list of storage Containers is returned in the response body, one Container name per line.

Sample request:

```
GET /<api version>/<account> HTTP/1.1
Host: storage.clouddrive.com
X-Auth-Token: eaaafd18-0fed-4b3a-81b4-663c99ec1cbb
```

Response

A list of containers is returned in the response body, one container per line. A 204 (No Content) HTTP return code will be passed back if the account has no containers.

Sample response:

```
HTTP/1.1 200 Ok
Date: Thu, 07 Jun 2007 18:57:07 GMT
Server: Apache
Content-Type: text/plain; charset=UTF-8
Content-Length: 32

images
movies
documents
backups
```

Serialized List Output

If a `format=xml` or `format=json` argument is appended to the storage account URL, the service will serve extended container information serialized in the chosen format. The sample responses below are formatted for readability.

Sample JSON format request:

```
GET /<api version>/<account>?format=json HTTP/1.1
Host: storage.clouddrive.com
Content-Length: 0
X-Storage-Token: 182f9c0af0e828cfe3281767d29d19f4
```

Sample JSON response:

```
HTTP/1.1 200 OK
Date: Tue, 25 Nov 2008 19:39:13 GMT
Server: Apache
Content-Type: application/json; charset=utf-8

[
  { "name": "test_container_1", "count": 2, "bytes": 78 },
  { "name": "test_container_2", "count": 1, "bytes": 17 },
]
```

Sample XML format request:

```
GET /<api version>/<account>?format=xml HTTP/1.1
Host: storage.clouddrive.com
Content-Length: 0
X-Storage-Token: 182f9c0af0e828cfe3281767d29d19f4
```

Sample XML response:

```
HTTP/1.1 200 OK
Date: Tue, 25 Nov 2008 19:42:35 GMT
Server: Apache
Content-Type: application/xml; charset=utf-8

<?xml version="1.0" encoding="UTF-8"?>
<account name="MichaelBarton">
  <container>
    <name>test_container_1</name>
    <count>2</count>
    <bytes>78</bytes>
  </container>
  <container>
    <name>test_container_2</name>
    <count>1</count>
    <bytes>17</bytes>
  </container>
</account>
```

Large Container Lists

The system will return a maximum of 10,000 Container names per request. To retrieve subsequent container names, another request must be made with a 'marker' parameter. The marker indicates where the last list left off and the system will return container names greater than this marker, up to 10,000 again. Note that the 'marker' value should be URL encoded prior to sending the HTTP request.

If 10,000 is larger than desired, a 'limit' parameter may be given.

If the number of container names returned equals the limit given (or 10,000 if no limit is given), it can be assumed there are more container names to be listed. If the container name list is exactly divisible by the limit, the last request will simply have no content.

For an example, let's use a listing of five container names:

```
apples
bananas
kiwis
oranges
pears
```

We'll use a limit of 2 to show how things work:

```
GET /<api version>/<account>?limit=2
Host: storage.clouddrive.com
X-Auth-Token: eaaafd18-0fed-4b3a-81b4-663c99ec1cbb
```

```
apples
bananas
```

Since we received 2 items back, we can assume there are more container names to list; so we make another request with a marker of the last item returned:

```
GET /<api version>/<account>?limit=2&marker=bananas
Host: storage.clouddrive.com
X-Auth-Token: eaaafd18-0fed-4b3a-81b4-663c99ec1cbb
```

```
kiwis
oranges
```

Again we have 2 items returned, there may be more:

```
GET /<api version>/<account>?limit=2&marker=oranges
Host: storage.clouddrive.com
X-Auth-Token: eaaafd18-0fed-4b3a-81b4-663c99ec1cbb
```

```
pears
```

Now we received less than the limit number of container names; so we have the complete list.

HEAD

HEAD operations against an account are performed to retrieve the number of Containers and the total bytes stored in Cloud Files for the account. This information is returned in two custom headers, X-Account-Container-Count and X-Account-Bytes-Used.

Request

Determine the number of Containers within the account and the total bytes stored. Since the storage system is designed to store large amounts of data, care should be taken when representing the total bytes response as an “integer”; when possible, convert it to a 64-bit unsigned integer if your platform supports that primitive type.

Sample request:

```
HEAD /<api version>/<account> HTTP/1.1
Host: storage.clouddrive.com
X-Auth-Token: eaaafd18-0fed-4b3a-81b4-663c99ec1cbb
```

Response

The HTTP return code will be 204 (No Content) if the request succeeds. A 401 (Unauthorized) will be returned for an invalid account or access key.

Sample response:

```
HTTP/1.1 204 No Content
Date: Thu, 07 Jun 2007 18:57:07 GMT
Server: Apache
X-Account-Container-Count: 3
X-Account-Total-Bytes-Used: 323479
```

5.2.2 Storage Container Services

This section documents the ReST operations that can be performed on Containers. All operations are valid HTTP request methods and will resemble this format:

```
METHOD /v1/<account>/<container> HTTP/1.1
```

HEAD

HEAD operations against a storage Container are used to determine the number of Objects, and the total bytes of all Objects stored in the Container.

Request

Determine the number of Objects and total stored bytes within the Container. Since the storage system is designed to store large amounts of data, care should be taken when representing the total bytes response as an “integer”; when possible, convert it to a 64-bit unsigned integer if your platform supports that primitive type.

Sample request:

```
HEAD /<api version>/<account>/<container> HTTP/1.1
Host: storage.clouddrive.com
X-Auth-Token: eaaafd18-0fed-4b3a-81b4-663c99ec1cbb
```

Response

The HTTP return code will be 204 (No Content) if the Container exists, and 404 (Not Found) if it does not. The Object count and utilization are returned in the X-Container-Object-Count and X-Container-Bytes-Used headers respectively.

Sample response:

```
HTTP/1.1 204 No Content
Date: Wed, 11 Jul 2007 19:37:41 GMT
Content-type: text/html
X-Container-Object-Count: 7
X-Container-Bytes-Used: 413
```

GET

GET operations against a storage Container name are performed to retrieve a list of Objects stored in the Container. Additionally, there are a number of optional query parameters that can be used to refine the list results.

Request

A request with no query parameters will return the full list of Object names stored in the Container up to 10,000 names. Optionally specifying the query parameters will filter the full list and return a subset of Objects.

- **limit** - For an integer value N, limits the number of results to at most N values.
- **marker** - Given a string value X, return Object names greater in value than the specified marker.
- **prefix** - For a string value X, causes the results to be limited to Object names beginning with the substring X.
- **format** - Specify either *json* or *xml* to return the respective serialized response.
- **path** - For a string value X, return the Object names nested in the pseudo path (assuming preconditions are met - see below).

Sample request:

```
GET /<api version>/<account>/<container>[?parm=value] HTTP/1.1
Host: storage.clouddrive.com
X-Auth-Token: eaaafd18-0fed-4b3a-81b4-663c99ec1cbb
```

Response

A list of Objects is returned in the response body, one Object name per line. A 204 (No Content) HTTP return code will be passed back if the Container is empty or does not exist for the specified account. If an incorrect Account is specified, the HTTP return code will be 404 (Not Found).

Sample response:

```
HTTP/1.1 200 Ok
Date: Thu, 07 Jun 2007 18:50:19 GMT
Server: Apache
Content-Type: text/plain; charset=UTF-8
Content-Length: 171
```

```
kate_beckinsale.jpg
How To Win Friends And Influence People.pdf
moms_birthday.jpg
poodle_strut.mov
Disturbed - Down With The Sickness.mp3
army_of_darkness.avi
the_mad.avi
```

Serialized List Output

If a `format=xml` or `format=json` argument is appended to the storage account URL, the service will serve extended container information serialized in the chosen format. Other than the `?format=xml|json` param, it will return the same status/errors codes. The sample responses below are formatted for readability.

Sample JSON format request:

```
GET /<api version>/<account>/<container>?format=json HTTP/1.1
Host: storage.clouddrive.com
Content-Length: 0
X-Storage-Token: 182f9c0af0e828cfe3281767d29d19f4
```

Sample JSON response:

```
HTTP/1.1 200 OK
Date: Tue, 25 Nov 2008 19:39:13 GMT
Server: Apache
Content-Length: 387
Content-Type: application/json; charset=utf-8

[
  { "name": "test_obj_1",
    "hash": "4281c348eaf83e70ddce0e07221c3d28",
    "bytes": 14,
    "content_type": "application/octet-stream",
    "last_modified": "2009-02-03T05:26:32.612278" },
  { "name": "test_obj_2",
    "hash": "b039efe731ad111bc1b0ef221c3849d0",
    "bytes": 64,
    "content_type": "application/octet-stream",
    "last_modified": "2009-02-03T05:26:32.612278" },
]
```

Sample XML format request:

```
GET /<api version>/<account>/<container>?format=xml HTTP/1.1
Host: storage.clouddrive.com
X-Storage-Token: 182f9c0af0e828cfe3281767d29d19f4
```

Sample XML response:

```
HTTP/1.1 200 OK
Date: Tue, 25 Nov 2008 19:42:35 GMT
Server: Apache
Content-Length: 643
Content-Type: application/xml; charset=utf-8
```

```
<?xml version="1.0" encoding="UTF-8"?>
<container name="test_container_1">
  <object>
    <name>test_object_1</name>
    <hash>4281c348eaf83e70ddce0e07221c3d28</hash>
    <bytes>14</bytes>
    <content_type>application/octet-stream</content_type>
    <last_modified>2009-02-03T05:26:32.612278</last_modified>
  </object>
  <object>
    <name>test_object_2</name>
    <hash>b039efe731ad11bc1b0ef221c3849d0</hash>
    <bytes>64</bytes>
    <content_type>application/octet-stream</content_type>
    <last_modified>2009-02-03T05:26:32.612278</last_modified>
  </object>
</container>
```

Large Object lists

The system will return a maximum of 10,000 Object names per request. To retrieve subsequent Object names, another request must be made with a ‘marker’ parameter. The marker indicates where the last list left off and the system will return Object names greater than this marker, up to 10,000 again. Note that the ‘marker’ value should be URL encoded prior to sending the HTTP request.

If 10,000 is larger than desired, a ‘limit’ parameter may be given.

If the number of Object names returned equals the limit given (or 10,000 if no limit is given), it can be assumed there are more Object names to be listed. If the container name list is exactly divisible by the limit, the last request will simply have no content.

For an example, let’s use a listing of five Object names:

```
apples
bananas
kiwis
oranges
pears
```

We’ll use a limit of 2 to show how things work:

```
GET /<api version>/<account>/<container>?limit=2
Host: storage.clouddrive.com
X-Auth-Token: eaaafd18-0fed-4b3a-81b4-663c99ec1cbb
```

```
apples
bananas
```

Since we received 2 items back, we can assume there are more Object names to list; so we make another request with a marker of the last item returned:

```
GET /<api version>/<account>/<container>?limit=2&marker=bananas
Host: storage.clouddrive.com
X-Auth-Token: eaaafd18-0fed-4b3a-81b4-663c99ec1cbb
```



```
kiwis
oranges
```

Again we have 2 items returned, there may be more:

```
GET /<api version>/<account>/<container>?limit=2&marker=oranges
Host: storage.clouddrive.com
X-Auth-Token: eaaafd18-0fed-4b3a-81b4-663c99ec1cbb

pears
```

Now we received less than the limit number of container names; so we have the complete list.

Pseudo hierarchical folders/directories

Users will be able to simulate a hierarchical structure in Cloud Files by following a few guidelines. Object names must contain the forward slash character ‘/’ as a path element separator and also create “directory marker” Objects, then they will be able to traverse this nested structure with the new “path” query parameter. This can best be illustrated by example:

Note: For the purposes of this example, the Container where the Objects reside is called “backups”. All Objects in this example start with a prefix of “photos” and should NOT be confused with the Container name. In the example, the full URI of the “me.jpg” file would be https://storage.clouddrive.com/v1/CF_xer7_343/backups/photos/me.jpg

In the example, the following “real” Objects are uploaded to the storage system with names representing their full filesystem path.:

```
photos/animals/dogs/poodle.jpg
photos/animals/dogs/terrier.jpg
photos/animals/cats/persian.jpg
photos/animals/cats/siamese.jpg
photos/plants/fern.jpg
photos/plants/rose.jpg
photos/me.jpg
```

To take advantage of this feature, the *directory marker* Objects must also be created to represent the appropriate directories. The following additional Objects need to be created. A good convention would be to create these as zero or one byte files with a Content-Type of *application/directory*.:

```
photos/animals/dogs
photos/animals/cats
photos/animals
photos/plants
photos
```

Now issuing a GET request against the Container name coupled with the “path” query parameter of the directory to list can traverse these “directories”. Only the request line and results are depicted below excluding other request/response headers.:

```
GET /v1/AccountString/backups?path=photos HTTP/1.1
Host: storage.clouddrive.com
X-Auth-Token: eaaafd18-0fed-4b3a-81b4-663c99ec1cbb

photos/animals
```

```
photos/cats
photos/me.jpg
```

To traverse down into the *animals* directory, specify that path.:

```
GET /v1/AccountString/backups?path=photos/animals
Host: storage.clouddrive.com
X-Auth-Token: eaaafd18-0fed-4b3a-81b4-663c99ec1cbb
```

```
photos/animals/dogs
photos/animals/cats
```

By combining this “path” query parameter with the “format” query parameter, users will be able to easily distinguish between virtual folders/directories by Content-Type and build interfaces that allow traversal of the pseudo-nested structure.

PUT

PUT operations against a storage Container are used to create that Container.

Request

Containers are “storage compartments” for your data. The URL encoded name must be less than 256 bytes and cannot contain a forward slash ‘/’ character.

Sample request:

```
PUT /<api version>/<account>/<container> HTTP/1.1
Host: storage.clouddrive.com
X-Auth-Token: eaaafd18-0fed-4b3a-81b4-663c99ec1cbb
```

Response

No content is returned. A status code of 201 (Created) indicates that the Container was created as requested. Container PUT requests are idempotent and a code of 202 (Accepted) is returned when the Container already existed.

Sample response:

```
HTTP/1.1 201 Created
Date: Thu, 07 Jun 2007 18:50:19 GMT
Server: Apache
Content-Type: text/plain; charset=UTF-8
```

DELETE

DELETE operations against a storage Container are used to permanently remove that Container. The Container must be empty before it can be deleted.

Request

The Container must be empty before it can be deleted. A HEAD request against the Container can be used to determine if it contains any Objects.

Sample request:

```
DELETE /<api version>/<account>/<container> HTTP/1.1
Host: storage.clouddrive.com
X-Auth-Token: eaaafd18-0fed-4b3a-81b4-663c99ec1cbb
```

Response

No content is returned. A status code of 204 (No Content) indicates success, 404 (Not Found) is returned if the requested Container was not found, and a 409 (Conflict) if the Container is not empty (no response body will be generated).

Sample response:

```
HTTP/1.1 204 No Content
Date: Thu, 07 Jun 2007 18:57:07 GMT
Server: Apache
Content-Length: 0
Content-Type: text/plain; charset=UTF-8
```

5.2.3 Storage Object Services

An Object represents the data and any extra metadata for the files stored in the system. Through the ReST interface, metadata for an Object can be included by adding custom HTTP headers to the request and the data payload as the request body. Objects cannot exceed 5GB and must have names that do not exceed 1024 bytes after URL encoding.

HEAD

HEAD operations on an Object are used to retrieve Object metadata and other standard HTTP headers.

Request

The only required header to be sent in the request is the authorization token.

Sample request:

```
HEAD /<api version>/<account>/<container>/<object> HTTP/1.1
Host: storage.clouddrive.com
X-Auth-Token: eaaafd18-0fed-4b3a-81b4-663c99ec1cbb
```

Response

No response body is returned. Metadata is returned as HTTP headers. A status code of 204 (No Content) indicates success, status 404 (Not Found) is returned when the Object does not exist.

Sample response:

```
HTTP/1.1 204 No Content
Date: Thu, 07 Jun 2007 20:59:39 GMT
Server: Apache
Last-Modified: Fri, 12 Jun 2007 13:40:18 GMT
ETag: 8a964ee2a5e88be344f36c22562a6486
Content-Length: 512000
Content-Type: text/plain; charset=UTF-8
X-Object-Meta-Meat: Bacon
X-Object-Meta-Fruit: Bacon
X-Object-Meta-Veggie: Bacon
X-Object-Meta-Dairy: Bacon
```

GET

GET operations against an Object are used to retrieve the Object's data.

Request

Note that you can perform *conditional GET* requests by using certain HTTP headers as documented in [RFC 2616](#). Cloud Files supports the following headers:

- If-Match
- If-None-Match
- If-Modified-Since
- If-Unmodified-Since

It is also possible to fetch a portion of data using the HTTP *Range* header. At this time, Cloud Files does not support the full specification for *Range* but basic support is provided. Cloud Files only allows a single range that includes *OFFSET* and/or *LENGTH*. We support a sub-set of *Range* and do not adhere to the full RFC-2616 specification. We support specifying *OFFSET-LENGTH* where either *OFFSET* or *LENGTH* can be optional (not both at the same time). The following are supported forms of the header:

- Range: bytes=-5 - first five bytes of the Object
- Range: bytes=10-15 - the five bytes after a 10 byte offset
- Range: bytes=32- - all data after the first 32 bytes of the Object

Sample request:

```
GET /<api version>/<account>/<container>/<object> HTTP/1.1
Host: storage.clouddrive.com
X-Auth-Token: eaaaafd18-0fed-4b3a-81b4-663c99ec1cbb
```

Response

The Object's data is returned in the response body. Object metadata is returned as HTTP headers. A status of 200 (Ok) indicates success, and status 404 (Not Found) if no such Object exists.

Sample response:

```
HTTP/1.1 200 Ok
Date: Wed, 11 Jul 2007 19:37:41 GMT
Server: Apache
Last-Modified: Fri, 12 Jun 2007 13:40:18 GMT
ETag: b0dffe8254d152d8fd28f3c5e0404a10
Content-type: text/html
Content-Length: 512000
```

[...]

PUT

PUT operations are used to write, or overwrite, an Object's metadata and content.

You can ensure end-to-end data integrity by including an MD5 checksum of your Object's data in the ETag header. You are not required to include the ETag header, but it is recommended to ensure that the storage system successfully stored your Object's content.

The HTTP response will include the MD5 checksum of the data written to the storage system. If you do not send the ETag in the request, you should compare the value returned with your content's MD5 locally to perform the end-to-end data validation on the client side.

Objects can be assigned custom metadata by including additional HTTP headers on the PUT request.

Request

The Object can be created with custom metadata via HTTP headers identified with the X-Object-Meta- prefix.

Sample request:

```
PUT /<api version>/<account>/<container>/<object> HTTP/1.1
Host: storage.clouddrive.com
X-Auth-Token: eaaafd18-0fed-4b3a-81b4-663c99ec1cbb
ETag: 8a964ee2a5e88be344f36c22562a6486
Content-Length: 512000
X-Object-Meta-PIN: 1234
```

[...]

Response

No response body is returned. A status code of 201 (Created) indicates a successful write, status 412 (Length Required) denotes a missing Content-Length or Content-Type header in the request. If the MD5 checksum of the data written to the storage system does NOT match the (optionally) supplied ETag value, a 422 (Unprocessable Entity) response is returned.

Sample response:

```
HTTP/1.1 201 Created
Date: Thu, 07 Jun 2007 18:57:07 GMT
Server: Apache
ETag: d9f5eb4bba4e2f2f046e54611bc8196b
Content-Length: 0
Content-Type: text/plain; charset=UTF-8
```

Chunked PUT

Users can upload data without needing to know in advance the amount of data to be uploaded. Users can do this by specifying an HTTP header of `Transfer-Encoding: chunked` and not using a `Content-Length` header. A good use of this feature would be doing a DB dump, piping the output through `gzip`, then piping the data directly into Cloud Files without having to buffer the data to disk to compute the file size. If users attempt to upload more than 5GB with this method, the server will close the TCP/IP connection after 5GB and purge the customer data from the system. Users must take responsibility to ensure the data they transfer will be less than 5GB or to split it into 5GB chunks each in its own storage Object.

Sample chunked request:

```
PUT /<api version>/<account>/<container>/<object> HTTP/1.1
Host: storage.clouddrive.com
X-Auth-Token: eaaafd18-0fed-4b3a-81b4-663c99ec1cbb
Transfer-Encoding: chunked
X-Object-Meta-PIN: 1234
```

```
19
A bunch of data broken up
D
  into chunks.
0
```

POST

POST operations against an Object name are used to set and overwrite arbitrary key/value metadata. You cannot use the POST operation to change any of the Object's other headers such as `Content-Type`, `ETag`, etc. It is not used to upload storage Objects (see PUT).

Request

Key names must be prefixed with `X-Object-Meta-`. A POST request will delete all existing metadata added with a previous PUT/POST.

Sample request:

```
POST /<api version>/<account>/<container>/<object> HTTP/1.1
Host: storage.clouddrive.com
X-Auth-Token: eaaafd18-0fed-4b3a-81b4-663c99ec1cbb
X-Object-Meta-Fruit: Apple
X-Object-Meta-Veggie: Carrot
```

Response

No response body is returned. A status code of 202 (Accepted) indicates success, status 404 (Not Found) is returned when the requested Object does not exist.

Sample response:

```
HTTP/1.1 202 Accepted
Date: Thu, 07 Jun 2007 20:59:39 GMT
Server: Apache
Content-Length: 0
Content-Type: text/plain; charset=UTF-8
```

DELETE

DELETE operations on an Object are used to permanently remove that Object from the storage system (metadata and data).

Request

Deleting an Object is processed immediately at the time of the request. Any subsequent GET, HEAD, POST, or DELETE operations will return a 404 (Not Found) error.

Sample request:

```
DELETE /<api version>/<account>/<container>/<object> HTTP/1.1
Host: storage.clouddrive.com
X-Auth-Token: eaaafd18-0fed-4b3a-81b4-663c99ec1cbb
```

Response

No response body is returned. A status code of 204 (No Content) indicates success, status 404 (Not Found) is returned when the Object does not exist.

Sample response:

```
HTTP/1.1 204 No Content
Date: Thu, 07 Jun 2007 20:59:39 GMT
Server: Apache
Content-Type: text/plain; charset=UTF-8
```

5.3 CDN Services

The following is a list of API's that can be used for CDN Account and container operations. All of the ReST method described below must be issued against the CDN Management service as defined in the X-CDN-Management-Url returned by a successful authentication.

5.3.1 CDN Account Operations

The following section describes the methods allowed against the account portion URI and conform to the following format:

```
METHOD /v1/<account> HTTP\1.1
```

GET

GET operations against the `X-CDN-Management-Url` for an account are performed to retrieve a list of existing CDN-enabled Containers. Like the storage system's GET Container, the CDN management service allows the following query parameters:

- **limit** — For an integer value N, limits the number of results to at most N values.
- **marker** — Given a string value X, return Object names greater in value than the specified marker.
- **format** — Specify either “json” or “xml” to return the respective serialized response.
- **enabled_only** – Set to “true” to return only the CDN-enabled Containers.

Like the storage system, it is possible to request the output in a serialized format in either JSON or XML with the “format” query parameter.

Also like the storage system, using “limit” and “marker” provides a mechanism to iterate through the entire list of Containers. Keep in mind that the value for marker will need to be URL encoded before issuing the request.

There is also support for filtering the list to only return the list of Containers that are currently CDN-enabled. Passing in a query parameter of `?enabled_only=true` will suppress any “private” Containers from appearing in the list.

Request

The list of CDN-enabled Containers is returned in the response body, one Container name per line.

Sample request:

```
GET /<api version>/<account> HTTP/1.1
Host: cdn.clouddrive.com
X-Auth-Token: eaaafd18-0fed-4b3a-81b4-663c99ec1cbb
```

Response

A list of containers is returned in the response body, one container per line. A 204 (No Content) HTTP return code will be passed back if the account has no containers.

Sample response:

```
HTTP/1.1 200 Ok
Date: Thu, 07 Jun 2007 18:57:07 GMT
Server: Apache
Content-Type: text/plain; charset=UTF-8
Content-Length: 13
```

```
images
movies
```


Serialized List Output

If a `format=xml` or `format=json` argument is appended to the CDN management URL, the service will serve extended container information serialized in the chosen format. Other than the `?format=xml|json` param, it will return the same status/errors codes. The sample responses below are formatted for readability.

Sample JSON format request:

```
GET /v1/<account>?format=json HTTP/1.1
Host: cdn.clouddrive.com
X-Auth-Token: a6e3359b-3749-440a-9292-0bdcb0e33617
```

Sample JSON response:

```
HTTP/1.1 200 OK
Date: Mon, 09 Mar 2009 20:07:47 GMT
Server: Apache
Content-Length: 127
Content-Type: application/json; charset=utf-8

[
  { "name": "test_container",
    "cdn_enabled": "true",
    "ttl": 28800,
    "log_retention": "true",
    "cdn_uri": "http://c0010171.cdn.cloudfiles.rackspacecloud.com/" },
]
```

Sample XML format request:

```
GET /v1/<account>?format=xml HTTP/1.1
Host: cdn.clouddrive.com
X-Auth-Token: a6e3359b-3749-440a-9292-0bdcb0e33617
```

Sample XML response:

```
HTTP/1.1 200 OK
Date: Mon, 09 Mar 2009 20:11:27 GMT
Server: Apache
Content-Length: 267
Content-Type: application/xml; charset=utf-8

<?xml version="1.0" encoding="UTF-8"?>
<account name="WidgetsRNotUs.invalid">
  <container>
    <name>images</name>
    <cdn_enabled>True</cdn_enabled>
    <ttl>86400</ttl>
    <log_retention>True</log_retention>
    <cdn_url>http://c0010171.cdn.cloudfiles.rackspacecloud.com/</cdn_url>
  </container>
</account>
```

5.3.2 CDN Container Services

This section documents the ReST operations against the CDN management service that can be performed on Containers. All operations are valid HTTP request methods and will resemble this format:

```
METHOD /v1/<account>/<container> HTTP/1.1
```

Containers tracked in the CDN management service are completely separate and distinct from the Containers defined in the storage service. It is possible for a Container to be CDN-enabled even if it doesn't exist in the storage system. Users may want the ability to pre-generate CDN URL's before actually uploading content and this separation gives them that ability.

However, for the content to be served from the CDN, the Container names **MUST** match in both the CDN management service and the storage service. For example, you could CDN-enable a Container called *images* and be assigned the CDN URL, but you also need to create a Container called *images* in the storage service and populate it with the content you want to serve over the CDN.

HEAD

HEAD operations against a CDN-enabled Container are used to determine the CDN attributes of the Container.

Request

If the Container is (or has ever been) CDN-enabled, the URI, TTL, and enabled-status are returned in the response headers. Its CDN URI can be combined with any Object name within the Container to form the publicly accessible URL for that Object for distribution over Limelight Networks' system. The TTL is how many seconds that Object will be cached in the CDN system before re-fetching the Object. The enabled-status indicates if the Container is currently marked to allow public serving of Objects via CDN. The log_retention setting specifies if the CDN access logs should be collected and stored in the Cloud Files storage system.

Sample request:

```
HEAD /<api version>/<account>/<container> HTTP/1.1
Host: cdn.clouddrive.com
X-Auth-Token: eaaafd18-0fed-4b3a-81b4-663c99ec1cbb
```

Response

The HTTP return code will be 204 (No Content) if the Container exists, and 404 (Not Found) if it does not. The CDN attributes are returned in HTTP headers.

Sample response:

```
HTTP/1.1 204 No Content
Date: Wed, 11 Jul 2007 19:37:41 GMT
Content-type: text/html
X-CDN-Enabled: True
X-CDN-URI: http://c0010171.cdn.cloudfiles.rackspacecloud.com/
X-TTL: 86400
X-Log-Retention: True
```

PUT

PUT operations against a Container are used to initially CDN-enable that Container and set its attributes.

Request

When a Container is CDN-enabled, any Objects stored in that Container will be publicly accessible over Limelight Networks' CDN by combining the Container's CDN URI with the Object name. Any Objects accessed will be cached within the CDN for TTL seconds (the default is one day). On the next access after the TTL expiration, the CDN will re-fetch the Object and cache it again for another TTL seconds. The minimum TTL that can be set is 1 hour and 3 days (3600-259200 seconds).

To specify the TTL, include an HTTP header of `X-TTL: integer_seconds`. Setting the TTL translates to setting the HTTP `Expires` and `Cache-Control` headers for the cached Object.

Sample request:

```
PUT /<api version>/<account>/<container> HTTP/1.1
Host: cdn.clouddrive.com
X-Auth-Token: eaaafd18-0fed-4b3a-81b4-663c99ec1cbb
X-TTL: 2592000
X-Log-Retention: True
```

Response

No content is returned. A status code of 201 (Created) indicates that the Container was CDN-enabled as requested. The response will contain an HTTP header to indicate the URL that can be combined with Object names to serve Objects through the CDN. If the Container is already CDN-enabled, a 202 (Accepted) response is returned and the TTL is adjusted.

Sample response:

```
HTTP/1.1 201 Created
Date: Thu, 07 Jun 2007 18:50:19 GMT
Server: Apache
Content-Type: text/plain; charset=UTF-8
X-CDN-URI: http://c0010171.cdn.cloudfiles.rackspacecloud.com/
```

POST

POST operations against a CDN-enabled Container are used to adjust CDN attributes.

Request

The POST operation can be used to set a new TTL cache expiration or to enable/disable public sharing over the CDN. Keep in mind that if you have content currently cached in the CDN, setting your Container back to private will NOT purge the CDN cache; you will have to wait for the TTL to expire.

Sample request:

```
POST /<api version>/<account>/<container> HTTP/1.1
Host: cdn.clouddrive.com
X-Auth-Token: eaaafd18-0fed-4b3a-81b4-663c99ec1cbb
X-TTL: 86400
X-CDN-Enabled: True
X-Log-Retention: True
```

Response

No content is returned. A status code of 202 (Accepted) indicates success, 404 (Not Found) is returned if the requested Container was not found. The CDN URI is returned in the HTTP header, X-CDN-URI.

Sample response:

```
HTTP/1.1 204 No Content
Date: Thu, 07 Jun 2007 18:57:07 GMT
Server: Apache
Content-Length: 0
Content-Type: text/plain; charset=UTF-8
X-CDN-URI: http://c0010171.cdn.cloudfiles.rackspacecloud.com/
```

TROUBLESHOOTING

This section introduces you to a command-line utility and demonstrates interacting with the ReST interfaces.

6.1 Using cURL

cURL is a command-line tool available on most UNIX®-like environments and Mac OS X® and can even be downloaded for Windows®. For more information on cURL, visit <http://curl.haxx.se/>.

cURL allows you to transmit and receive HTTP requests and responses from the command-line or from within a shell script. This makes it possible to work with the ReST API directly without using one of the client API's.

The following cURL command-line options will be used:

```
-X METHOD .... specify the HTTP method to request (HEAD, GET, etc)
-D - ..... dump HTTP response headers to stdout
-H HEADER .... specify an HTTP header in the request
```

6.1.1 Authentication

In order to use the ReST API, you will first need to obtain a authorization token, which will need to be passed in for each request using the X-Auth-Token header. The following example demonstrates how to use cURL to obtain the authorization token and the URL of the storage system.

cURL command:

```
curl -D - \
  -H "X-Auth-Key: a86850deb2742ec3cb41518e26aa2d89" \
  -H "X-Auth-User: jdoe" \
  https://auth.api.rackspacecloud.com/v1.0
```

cURL output:

```
HTTP/1.1 204 No Content
Date: Thu, 09 Jul 2009 15:31:39 GMT
Server: Apache/2.2.3
X-Storage-Url: https://storage.clouddrive.com/v1/CF_xer7_343
X-CDN-Management-Url: https://cdn.clouddrive.com/v1/CF_xer7_343
X-Auth-Token: fc81aaa6-98a1-9ab0-94ba-aba9a89aa9ae
Content-Length: 0
```

```
Connection: close
Content-Type: application/octet-stream
```

The storage URL, CDN management URL, and authentication token, are returned in the headers of the response. You can now use cURL to perform HEAD, GET, DELETE, POST and PUT requests on the storage and CDN services.

6.1.2 How much storage space are you using?

A HEAD request can be sent to the storage service to determine how much data you have stored in the system and the number of Containers. Use the `-X` switch to specify the correct HTTP method and the `-D` to dump the HTTP response headers to terminal output (stdout).

cURL command:

```
curl -X HEAD -D - \
  -H "X-Auth-Token: fc81aaa6-98a1-9ab0-94ba-aba9a89aa9ae" \
  https://storage.clouddrive.com/v1/CF_xer7_343
```

cURL output:

```
HTTP/1.1 204 No Content
Date: Thu, 09 Jul 2009 15:38:14 GMT
Server: Apache
X-Account-Container-Count: 22
X-Account-Bytes-Used: 9891628380
Content-Type: text/plain
```

The HTTP request must include a header to specify the authentication token. The HTTP headers in the response indicate the number of Containers in this storage account and the total bytes stored for the entire account.

6.1.3 Creating a storage Container

The first thing you'll need to do before uploading any data to Cloud Files is create a storage Container. You do this with a PUT request and cURL can be used for that too.

cURL command:

```
curl -X PUT -D - \
  -H "X-Auth-Token: fc81aaa6-98a1-9ab0-94ba-aba9a89aa9ae" \
  https://storage.clouddrive.com/v1/CF_xer7_343/images
```

cURL output:

```
HTTP/1.1 201 Created
Date: Thu, 09 Jul 2009 17:03:36 GMT
Server: Apache
Content-Length: 0
Content-Type: text/plain
```

As you can see, an HTTP status code of 201 (Created) was returned which indicates that the Container was successfully created.

6.1.4 Uploading a storage Object

Now you can upload a local file. For this example, let's upload a screenshot image. The `-T` switch specifies the full path to the local file to upload. Please note that if you intend to distribute this Object via the CDN you **MUST** make sure that the Object's `Content-Type` is set correctly. This is the mechanism by which a user's web browser knows how to display the file or launch a helper application to view the file.

cURL command:

```
curl -X PUT -T screenies/wow1.jpg -D - \
  -H "ETag: 805120ec285a7ed28f74024422fe3594" \
  -H "Content-Type: image/jpeg" \
  -H "X-Auth-Token: fc81aaa6-98a1-9ab0-94ba-aba9a89aa9ae" \
  -H "X-Object-Meta-Screenie: Mel visits Outland" \
  https://storage.clouddrive.com/v1/CF_xer7_343/images/wow1.jpg
```

cURL output:

```
HTTP/1.1 201 Created
Date: Thu, 09 Jul 2009 17:03:36 GMT
Server: Apache
Content-Length: 0
ETag: 805120ec285a7ed28f74024422fe3594
Content-Type: text/plain
```

6.1.5 CDN-enabling the Container

Now you'd like to share this file out with your friends. Since the data in Cloud Files is all private, you can share your screenshot via the CDN. To CDN-enable a Container, issue a `PUT` request against the CDN management service. The default TTL is 24 hours and supports a minimum of 1 hour (3600 seconds) and a maximum of 3 days (259200 seconds). Note the target URL specifies the CDN system.

cURL command:

```
curl -X PUT -D - \
  -H "X-Auth-Token: fc81aaa6-98a1-9ab0-94ba-aba9a89aa9ae" \
  -H "X-CDN-Enabled: True" \
  -H "X-TTL: 259200" \
  https://cdn.clouddrive.com/v1/CF_xer7_343/images
```

cURL output:

```
HTTP/1.1 202 Accepted
Date: Thu, 06 Aug 2009 01:34:13 GMT
Server: Apache
X-CDN-URI: http://c0010171.cdn.cloudfiles.rackspacecloud.com
Content-Length: 0
Connection: close
Content-Type: text/plain; charset=UTF-8
```

When the Container is CDN-enabled, the service returns its public URI in the `X-CDN-URI` header of the response. Now you can combine this URI along with the Object name to access the file via the CDN.

You can verify the CDN's cache settings that you specified with your TTL value by sending a `GET` request to the Object's CDN URL and viewing the response headers. The TTL value you specify translates to the `Expires` and `Cache-Control` headers of the CDN's cached Object.

The `cURL` command below issues a `GET` request which downloads the entire file but writes it to `/dev/null`, a data sink that won't actually save the content to your local drive (only valid on UNIX-like systems).

`cURL` command:

```
curl -s -D - \
http://c0010171.cdn.cloudfiles.rackspacecloud.com/wow1.jpg \
-O /dev/null
```

`cURL` output:

```
HTTP/1.1 200 OK
Date: Thu, 06 Aug 2009 01:40:12 GMT
Server: Apache
Expires: Fri, 07 Aug 2009 01:40:12 GMT
Last-Modified: Thu, 09 Jul 2009 17:14:46 GMT
Cache-Control: max-age=86400, public
ETag: b20237bff6828976d2eb348e1ca8adae
Content-Length: 1255764
Content-Type: image/jpeg
Connection: keep-alive
```

6.1.6 Other `cURL` commands

As you can see, `cURL` is a great utility for interacting directly with Cloud Files. Hopefully this is enough of a primer to get you started with issuing any of the `ReST` methods defined in this document with the `cURL` utility. You can use `cURL` to send `POST` and `DELETE` requests too even though we haven't provided specific examples.

It should be noted that generally each time `curl` is invoked to perform an operation, a separate `TCP/IP` and `SSL` connection is created and thrown away. The language API's however are designed to re-use these connections between operations and therefore provide much better performance. It is recommended that you use one of the supported language API's in your production applications and limit `curl` to quick-and-easy testing/troubleshooting.

GLOSSARY

API Application programming interface.

CDN Content Distribution Network.

ETag An ETag is a HTTP header that defines an Object's MD5 checksum. When a user uploads a new Object, if they included an ETag header it's value will be compared to the computed MD5 checksum as it is written to the storage system. If the two do not match an error response is returned. In all cases, an ETag header is returned in the response to the user on a PUT, GET, or HEAD request of a storage Object.

HTTP Hypertext Transfer Protocol as defined in RFC 2616.

Java Java is an object oriented programming language.

Limelight Networks Premier, world-class CDN provider.

MD5 Message-Digest algorithm 5 is a cryptographic hash function with a 128-bit hash value.

.NET The Microsoft® .NET Framework

PHP Hypertext Preprocessor is a computer scripting language, mainly used in web applications.

Python A high-level, object-oriented programming language.

Rackspace Rackspace is a recognized leader in the managed hosting market.

ReST A web service architecture which utilizes the HTTP protocol.

Ruby A high-level, object-oriented programming language.

URI Uniform Resource Identifier.