

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Unlock the System</title>
```

```
<style>
body {
    margin:0;
    background:white;
    font-family: "Helvetica Neue", sans-serif;
    text-align:center;
}
```

```
/* INTRO */
#intro {
    position:fixed;
    top:20%;
    left:50%;
    transform:translateX(-50%);
    background:#ff4fa3;
    color:#ffe86b;
    padding:20px;
    border-radius:14px;
    width:80%;
    max-width:320px;
    box-shadow:0 10px 30px rgba(0,0,0,0.1);
}
```

```
/* BUTTON */
```

```
button {  
    margin-top:10px;  
    padding:8px 14px;  
    border:none;  
    background:black;  
    color:white;  
    cursor:pointer;  
}
```

```
/* LOCK WRAPPER */
```

```
.lock-container {  
    margin-top:80px;  
    display:inline-block;  
    cursor:pointer;  
}
```

```
/* WOBBLE */
```

```
@keyframes wobble {  
    0%{transform:rotate(0deg);}  
    25%{transform:rotate(2deg);}  
    50%{transform:rotate(0deg);}  
    75%{transform:rotate(-2deg);}  
    100%{transform:rotate(0deg);}  
}
```

```
.lock-container {  
    animation:wobble 3s infinite;  
}
```

```
/* LOCK SVG */
```

```
.lock svg {
```

```
    width:160px;
}

/* DIALS */
.dials {
    margin-top:20px;
    display:none;
}

.dial {
    display:inline-block;
    font-size:30px;
    padding:10px;
    margin:5px;
    border:2px solid black;
    cursor:pointer;
}

/* CLUES */
#clues {
    margin-top:20px;
    display:none;
}

/* RESULT */
#result {
    margin-top:10px;
}

/* HINT */
#hintBox {
    position:fixed;
```

```
    bottom:10px;
    right:10px;
    font-size:14px;
    text-align:right;
}
</style>
</head>

<body>

<div id="intro">
<b>HOW TO PLAY</b><br><br>
Click the lock.<br>
Use clues.<br>
Spin numbers.<br>
3 tries only.<br>
<br>
<button onclick="start()">got this</button>
</div>

<div class="lock-container" onclick="activate()">
<div class="lock">
<svg viewBox="0 0 100 120">
<rect x="20" y="40" width="60" height="60" rx="8"
fill="url(#gold)"/>
<path d="M30 40 V25 a20 20 0 0 1 40 0 V40"
stroke="url(#gold)" stroke-width="6" fill="none"/>
<defs>
<linearGradient id="gold">
<stop offset="0%" stop-color="#bfa046"/>
<stop offset="50%" stop-color="#ffd700"/>
<stop offset="100%" stop-color="#bfa046"/>
```

</linearGradient>

</defs>

</svg>

</div>

</div>

<div id="clues"></div>

<div class="dials" id="dials">

<div class="dial" onclick="spin(0)">0</div>

<div class="dial" onclick="spin(1)">0</div>

<div class="dial" onclick="spin(2)">0</div>

<button onclick="check()">unlock</button>

</div>

<div id="result"></div>

<div id="hintBox"></div>

<script>

let puzzles = [

{

code:[0,4,2],

clues:[

"682 → one digit right and in place",

"614 → one digit right but wrong place",

"206 → two digits right but wrong place",

"738 → nothing correct",

"380 → one digit right but wrong place"

]

},

{

```
code:[5,1,7],  
clues:[  
  "123 → one digit correct wrong place",  
  "567 → one digit correct & correct place",  
  "891 → nothing correct",  
  "517 → two digits correct wrong place",  
  "745 → one digit correct wrong place"  
]  
}  
];
```

```
let current, attempts=3;
```

```
let values=[0,0,0];
```

```
function start(){  
  document.getElementById("intro").style.display="none";  
}
```

```
function activate(){  
  current = puzzles[Math.floor(Math.random()*puzzles.length)];  
  attempts=3;  
  values=[0,0,0];
```

```
  document.getElementById("clues").style.display="block";  
  document.getElementById("dials").style.display="block";
```

```
  let html="";  
  current.clues.forEach(c=>html+="<div>"+c+"</div>");  
  document.getElementById("clues").innerHTML=html;
```

```
  updateDials();  
  document.getElementById("result").innerText="";
```

```
document.getElementById("hintBox").innerText="";  
}
```

```
function spin(i){  
  values[i] = (values[i]+1)%10;  
  updateDials();  
}
```

```
function updateDials(){  
  let d=document.getElementsByClassName("dial");  
  for(let i=0;i<3;i++){  
    d[i].innerText=values[i];  
  }  
}
```

```
function check(){  
  if(JSON.stringify(values)===JSON.stringify(current.code)){  
    document.getElementById("result").innerText="unlocked.";  
    document.getElementById("hintBox").innerText="system approved.";  
    return;  
  }
```

```
  attempts--;
```

```
  if(attempts>0){  
    document.getElementById("result").innerText="try again (" +attempts+)";  
  }else{  
    document.getElementById("result").innerText="denied.";  
    document.getElementById("hintBox").innerHTML=  
    "hint: placement matters<br>code: "+current.code.join("");  
  }  
}
```

</script>

</body>

</html>