

# GET ja PUT-pyyntö opiskelija-taululle:



# POST- ja delete-pyynnöt opiskelija-taululle:



```
},
{
    "idOpiskelija": 6,
    "Etunimi": "Hessu",
    "Sukunimi": "Hopo",
    "Luokkatunnus": "TVT24SPL",
    "Osoite": "Ankkalinnankatu 8"
}
```

```
DELETE V localhost3000/opiskelija/6

Params Authorization Headers (7) Body Pre-request Script Tests Settings

Query Params

Key


Rey

Body Cookies Headers (7) Test Results

Pretty Raw Preview JSON V 


"fieldCount": 0,
"affectedRows": 1,
"insertId": 0,
"info": "",
6 "serverStatus": 2,
"warningStatus": 0,
8 "changedRows": 0
```

## GET- ja PUT-pyynnöt opintojakso-taululle:



```
{
    "idOpintojakso": 5,
    "Koodi": "TVT20016",
    "Nimi": "Tietokannat",
    "Laajuus": 5
}
```

# POST- ja delete-pyynnöt opintojakso-taululle:



```
"idOpintojakso": 6,
    "Koodi": "TVT20020",
    "Nimi": "Olio-ohjelmointi",
    "Laajuus": 5
}
```

```
DELETE V localhost:3000/opintojakso/6

Params Authorization Headers (9) Body Pre-request Script Tests Settings

Query Params

Key


Rey


Body Cookies Headers (7) Test Results

Pretty Raw Preview JSON V 


"fieldCount": 0,
    "affectedRows": 1,
    "insertIo": 0,
    "info": "",
    "serverStatus": 2,
    "warningStatus": 0,
    "changedRows": 0
    "changedRows": 0
```

## GET ja PUT-pyyntö arviointi-taululle:





## POST- ja delete-pyynnöt arviointi-taululle:



```
{
    "idOpiskelija": 1,
    "idOpintojakso": 2,
    "Arvosana": 3,
    "Päivämäärä": "2025-02-14T22:00:00.000Z"
}
```

