

□ □ □ □ □

File: DIB_EEF

□

File: DAC_Vre

11

File: Power_p

--	--

File: Bias_po

--	--

File: Post-r

□ □ □ □ □

File: Rsense_

□



File: CC_CV_0

 KK6
M3X8/D7985B

KK8
SP400-0.007-00-104

© KK10
B3/BN2842

 KK9
M3X8/D7985B



<https://www.envox.eu>

Power module with SMPS pre-regulator, remote sense & programming
Licensed under the TAPR Open Hardware License (www.tapr.org/OHL)

Envox d.o.o.

Sheet: /

File: EEZ DIB DCP405plus.kicad_sch

Title: EEZ DIB DCP405+ power module


Size: A4	Date: 2026-05-10
----------	------------------

Rev: r4B5


KiCad E.D.A. 10.0.1

Id: 1/8


16-bit DAC (set voltage and current)




Voltage reference




SPI 22-bit I/O Expander




Output enable (OE)




Down-programmer



OE Indicator



SPI Temperature sensor



<https://www.envox.eu>

Power module with SMPS pre-regulator, remote sense & programming
Licensed under the TAPR Open Hardware License (www.tapr.org/OHL)

Envox d.o.o.

Sheet: /DAC, OE, Vref, IOEXP, Temp/

File: DAC_Vref_IOEXP_Temp.kicad_sch





Title: EEZ DIB DCP405+ power module

Size: A4 Date: 2026-05-10


KiCad E.D.A. 10.0.1


Rev: r4B5

Id: 3/8



Id: 3/8







<https://www.envox.eu>
 Power module with SMPS pre-regulator, remote sense & programming
 Licensed under the TAPR Open Hardware License (www.tapr.org/OHL)
Envox d.o.o.
 Sheet: /Post-regulator/
 File: Post-regulator.kicad_sch

Title: EEZ DIB DCP405+ power module		
Size: A4	Date: 2026-05-10	Rev: r4B5
KiCad E.D.A. 10.0.1	Id: 5/8	


Remote sense reverse polarity detection



Power output section




Output coupling connector (via Backplane PCB)




20-pin DIB 2.0 power socket

OUTC+ 1	2 OUTC+
OUTC+ 3	4 OUTC+
OUTC+ 5	6 POST_OUT+
POST_OUT+ 7	8 POST_OUT+
POST_OUT+ 9	10 POST_OUT+
POST_OUT+ 11	12 POST_OUT-
POST_OUT- 13	14 POST_OUT-
POST_OUT- 15	16 OUTC-
OUTC- 17	18 OUTC-
SENSE- 19	20 SENSE+

Remote programming (Voltage / Current)



Remote sense selection



Front panel 3-pin connector

RProg+ 1	2 RProg+
RProg- 2	3 RProg-
PE 3	4 PE

<https://www.envox.eu>

Power module with SMPS pre-regulator, remote sense & programming
Licensed under the TAPR Open Hardware License (www.tapr.org/OHL)

Envox d.o.o.

Sheet: /Rsense protection, power output, Rprog/

File: Rsense_protection_power_output.kicad_sch

Title: EEZ DIB DCP405+ power module


Size: A4 Date: 2026-05-10

KiCad E.D.A. 10.0.1


Rev: r4B5

Id: 6/8

Constant Voltage (CV) and Constant Current (CC) mode detection and indication



Over-voltage protection (OVP)



<https://www.envox.eu>

Power module with SMPS pre-regulator, remote sense & programming
Licensed under the TAPR Open Hardware License (www.tapr.org/OHL)

Envox d.o.o.

Sheet: /Mode detection, OVP/

File: CC_CV_OVP.kicad_sch

Title: EEZ DIB DCP405+ power module

Size: A4 Date: 2026-05-10

KiCad E.D.A. 10.0.1

Rev: r4B5

Id: 7/8