




# 16-bit DAC (set voltage and current)




# Voltage reference




# SPI 22-bit I/O Expander




# Output enable (OE)




# Down-programmer



# OE Indicator



# SPI Temperature sensor



<https://www.envox.eu>

Power module with SMPS pre-regulator, remote sense & programming  
Licensed under the TAPR Open Hardware License ([www.tapr.org/OHL](http://www.tapr.org/OHL))

**Envox d.o.o.**

Sheet: /DAC, OE, Vref, IOEXP, Temp/

File: DAC\_Vref\_IOEXP\_Temp.kicad\_sch

**Title: EEZ DIB DCP405+ power module**

Size: A4


Date: 2026-06-30

Rev: r4B5


KiCad E.D.A. 10.0.4

Id: 3/8


# Bias power supply




## +5V LDO



## -5V LDO



## +3V3 LDO



<https://www.envox.eu>

Power module with SMPS pre-regulator, remote sense & programming  
Licensed under the TAPR Open Hardware License ([www.tapr.org/OHL](http://www.tapr.org/OHL))

**Envox d.o.o.**

Sheet: /Bias power/

File: Bias\_power.kicad\_sch

**Title: EEZ DIB DCP405+ power module**


Size: A4


Date: 2026-06-30

Rev: r4B5


KiCad E.D.A. 10.0.4

Id: 3/8






## Remote sense reverse polarity detection



## Power output section




Output coupling connector (via Backplane PCB)


20-pin DIB 2.0 power socket

|              |              |
|--------------|--------------|
| OUTC+ 1      | 2 OUTC+      |
| OUTC+ 3      | 4 OUTC+      |
| OUTC+ 5      | 6 POST_OUT+  |
| POST_OUT+ 7  | 8 POST_OUT+  |
| POST_OUT+ 9  | 10 POST_OUT+ |
| POST_OUT+ 11 | 12 POST_OUT- |
| POST_OUT- 13 | 14 POST_OUT- |
| OUTC- 15     | 16 OUTC-     |
| OUTC- 17     | 18 OUTC-     |
| SENSE- 19    | 20 SENSE+    |

## Remote programming (Voltage / Current)



## Remote sense selection



## Front panel 3-pin connector

|          |   |
|----------|---|
| RProg+ 1 | 2 |
| RProg- 2 | 3 |
| PE 3     | 4 |

<https://www.envox.eu>

Power module with SMPS pre-regulator, remote sense & programming  
Licensed under the TAPR Open Hardware License ([www.tapr.org/OHL](http://www.tapr.org/OHL))

Envox d.o.o.

Sheet: /Rsense protection, power output, Rprog/

File: Rsense\_protection\_power\_output.kicad\_sch

**Title: EEZ DIB DCP405+ power module**


Size: A4 Date: 2026-06-30

KiCad E.D.A. 10.0.4

Rev: r4B5

Id: 6/8

### Over-voltage protection (OVP)



Id: 7/8