





4-ch 24-bit ADC

+2.5 V voltage reference (optional)

AFE connector

26-pin AFE connector






<https://www.envox.eu>
 4-channel Isolated AFE for MIO168+
 Licensed under the TAPR Open Hardware License (www.tapr.org/OHL)
Envox d.o.o.
 Sheet: /ADC, IOexp, LDOs/
 File: ADC.kicad_sch
Title: EEZ DIB AFE3+
 Size: A4 Date: 2026-07-20
 KiCad E.D.A. 10.0.4 Rev: r1B1
 Id: 2/5


Isolated Voltage and Current amplifier

8-pin isolated two channels connector

CH#2 CS- 1
CH#2 CS+ 2
CH#2 Vin- 3
CH#2 Vin+ 4
CH#1 CS- 5
CH#1 CS+ 6
CH#1 Vin- 7
CH#1 Vin+ 8



Relay driver



<https://www.envox.eu>

4-channel Isolated AFE for MIO168+

Licensed under the TAPR Open Hardware License (www.tapr.org/OHL)

Envox d.o.o.

Sheet: /Isolated Ch#1, Ch#2/

File: Isolated_Ch#1_Ch#2.kicad_sch

Title: EEZ DIB AFE3+


Size: A4

Date: 2026-07-20

KiCad E.D.A. 10.0.4

Rev: r1B1

Id: 3/5



<https://www.envox.eu>

4-channel Isolated AFE for MIO168+

Licensed under the TAPR Open Hardware License (www.tapr.org/OHL)

Envox d.o.o.

Sheet: /AFE Ch#3 (hi-voltage)/

File: AFE_Ch#3_(hi-voltage).kicad_sch

Title: EEZ DIB AFE3+

Size: A4

Date: 2026-07-20

Rev: r1B1

KiCad E.D.A. 10.0.4

Id: 4/5

