





4-ch 24-bit ADC


+2.5 V voltage reference (optional)

AFE connector


26-pin AFE connector



GND 1	2 GND
AFE_ID0 3	4 AFE_ID1
ISO_AFE_EXT_CLK 5	6 ISO_RESET
+3V3 7	8 +3V3
+5V 9	10 -5V
+15V 11	12 -15V
GND 13	14 GND
RELAY_CS 15	16 ADC_CS
SPI_SCK 17	18 AFE_CLK
SPI_MOSI 19	20 AFE_MOSI
SPI_MISO 21	22 AFE_MISO
AFE_IOEXP_CS 23	24 AFE_IOEXP_INT
GND 25	26 ISO_AFE_DRDY



+/-2.5 V LDOs



<https://www.envox.eu>
 4-channel Isolated AFE for MIO168+
 Licensed under the TAPR Open Hardware License (www.tapr.org/OHL)
Envox d.o.o.
 Sheet: /ADC, IOexp, LDOs/
 File: ADC.kicad_sch

Title: EEZ DIB AFE3+


Size: A4 Date: 2026-09-02
 KiCad E.D.A. 10.0.6

Rev: r1B1
 Id: 2/5



Isolated Voltage and Current amplifier

8-pin isolated two channels connector

CH#2 CS- 1
CH#2 CS+ 2
CH#2 Vin- 3
CH#2 Vin+ 4
CH#1 CS- 5
CH#1 CS+ 6
CH#1 Vin- 7
CH#1 Vin+ 8



Relay driver



<https://www.envox.eu>

4-channel Isolated AFE for MIO168+

Licensed under the TAPR Open Hardware License (www.tapr.org/OHL)

Envox d.o.o.

Sheet: /Isolated Ch#1, Ch#2/

File: Isolated_Ch#1,_Ch#2.kicad_sch

Title: EEZ DIB AFE3+





Size: A4

Date: 2026-09-02


KiCad E.D.A. 10.0.6

Rev: r1B1

Id: 3/5



Size: A4	Date: 2026-09-02	Rev: r1B1
KiCad E.D.A. 10.0.6		Id: 4/5



	ISEL_LOW	ISEL_MID	ISEL10A	ISEL
Current 10A	L	H	L	L
Current 1A	L	H	H	H
Current 24mA	H	L	H	H

<https://www.envox.eu>
 4-channel Isolated AFE for MIO168+
 Licensed under the TAPR Open Hardware License (www.tapr.org/OHL)
Envox d.o.o.

Sheet: /AFE Ch#4 (Hi-current)/
 File: AFE_Ch#4_(Hi-current).kicad_sch

Title: EEZ DIB AFE3+

Size: A4 Date: 2026-09-02
 KiCad E.D.A. 10.0.6

Rev: r1B1
 Id: 5/5