CM5 socket

File: cm5_socket_mcu.kicad_sch

STM32H7 MCU


File: STM32H7_MCU.kicad_sch

Ethernet PHY, PSRAM, SDcard

File: eth_psram_emmc.kicad_sch

DVID converter, NOR Flash

File: Ethernet_flash.kicad_sch



https://www.envox.eu

32-bit STM32 MCU module

Licensed under the TAPR Open Hardware License (www.tapr.org/OHL)

Envox d.o.o.


Sheet: /

File: BB3plus CM5 STM32H7 module.kicad_sch


Title: EEZ BB3+ STM32H7 CM5 module

Size: A4	Date: 2026-09-17	**Rev: r1B5**
KiCad E.D.A. 10.0.6		Id: 1/5


32-bit dual core MCU



LED Active buffer



JTAG PCB connector




https://www.envox.eu
32-bit STM32 MCU module
Licensed under the TAPR Open Hardware License (www.tapr.org/OHL)
Envox d.o.o.

Sheet: /STM32H7 MCU/
File: STM32H7_MCU.kicad_sch

Title: EEZ BB3+ STM32H7 CM5 module

Size: A4	Date: 2026-09-17	**Rev: r1B5**
KiCad E.D.A. 10.0.6		Id: 2/5



https://www.envox.eu
32-bit STM32 MCU module
Licensed under the TAPR Open Hardware License (www.tapr.org/OHL)
Envox d.o.o.

Sheet: /Ethernet PHY, PSRAM, SDcard/
File: eth_psram_emmc.kicad_sch

Title: EEZ BB3+ STM32H7 CM5 module

Size: A4	Date: 2026-09-17	**Rev: r1B5**
KiCad E.D.A. 10.0.6		Id: 3/5

RGB-to-DVID converter

Video MUX 1:2

NOR flash memory 256 Mbit (32 MB x 8, 200 MHz)




Table 8-1. Functional Table


EN	SEL1	SEL2	FUNCTION
L	X	X	Switch disabled. All channels are Hi-Z.
H	L	L	Channel D0+/D0- to D0+A/D0-A is ON. All the other channels (D1+/D1-, D2+/D2-, D3+/D3-, SCL, SDA, HPD, CEC) are Hi-Z.
H	L	H	Channel D0+/D0- to D0+B/D0-B is ON. All the other channels (D1+/D1-, D2+/D2-, D3+/D3-, SCL, SDA, HPD, CEC) are Hi-Z.
H	H	L	All A channels are enabled. All B channels are Hi-Z.
H	H	H	All B channels are enabled. All A channels are Hi-Z.

https://www.envox.eu
32-bit STM32 MCU module
Licensed under the TAPR Open Hardware License (www.tapr.org/OHL)
Envox d.o.o.

Sheet: /DVID converter, NOR Flash/
File: Ethernet_flash.kicad_sch

Title: EEZ BB3+ STM32H7 CM5 module

Size: A4	Date: 2026-09-17	**Rev: r1B5**
KiCad E.D.A. 10.0.6		Id: 4/5


X1
DF40C-100DP-0.4V(51)
X2
DF40C-100DP-0.4V(51)
IC3
PI3USB102ZLEX
S=Low: M input
S=High: D input
+3V3 LDO (max 1A)
IC1
AZ1117CH2-3.3TRG1
+1V8 LDO (max 1A)
IC2
AZ1117CH-1.8TRG1
https://www.envox.eu
32-bit STM32 MCU module
Licensed under the TAPR Open Hardware License (www.tapr.org/OHL)
Envox d.o.o.
Sheet: /CM5 socket/
File: cm5_socket_mcu.kicad_sch
Title: EEZ BB3+ STM32H7 CM5 module
Size: A4
Date: 2026-09-17
Rev: r1B5
KiCad E.D.A. 10.0.6
Id: 5/5