

XILICA®

Professional AV COLLABORATION SOLUTIONS

SOLARO SERIES

Scalable room processing built for the network.



SOLARO FR1



₱127,600

DSP core with 16 user-configured card slots, Lua scripting engine, optional software-licensed HearClear AEC.

SOLARO FR1 - D



₱182,700

DSP core with 64×64 Dante on a dual NIC, 16 user-configured card slots, Lua scripting engine, optional software-licensed HearClear AEC.

SOLARO QR1



₱85,550


Micro-format DSP core with onboard 4×4 Dante™ audio networking, eight (8) I/O card slots, PoE power, Lua scripting engine, optional software-licensed HearClear AEC. Includes surface-mount bracket.

SOLARO QR1-UC



₱121,800

Solaro QR1 with onboard 4×4 Dante audio networking, eight (8) I/O card slots, PoE power, Lua scripting engine, pre-installed HearClear AEC and 2×2 USB I/O. Includes surface-mount bracket.



XC-SML

Solaro XC-SML is a two-channel analog audio input card for Solaro Series processors



₱6,960

Solaro Series I/O card with dual-channel microphone or line level input, switchable 48V Phantom power, software-controlled functionality.

XC-SLO



₱5,220

Solaro Series I/O card with dual-channel line level output, software-controlled functionality.

XC-SUB



₱10,150

Solaro Series I/O card with 2×2 USB 2.0 input/output, HID command-capable for UC status syn


XC-SGP




₱4,650

Solaro Series I/O card with four channel GPIO, software-controlled functionality.





into single-gang Decora® cut-out (not included).



GIOUSB



₱46,400

USB 2.0 to Dante network endpoint, PoE-powered with single CatX cable and suitable for mounting under the table or behind a display, with UC mute sync.

GIOBT1



₱55,100

Bluetooth 5.0 to Dante module, PoE-powered with single Cat5/6. Mounts into single-gang Decora® cut-out (not included), gloss white.

GIOBT2



₱55,100

Bluetooth 5.0 to Dante module, PoE-powered with single Cat5/6. Mounts into single-gang EU/UK wall-box, includes white coated aluminium faceplate.

GIOXLR



₱58,000

Neutrik XLR 2×2 to Dante in-wall module, suitable for single-gang EU/UK installation or dual-gang US electrical boxes. Single CatX for power and data.





Integrated mounting for Sonia Amp to rear of back-can.

SONIA AMP



₱63,800

Four channel PoE amplifier with integrated Dante networking, capable of powering 4 x Sonia C5 in-ceiling loudspeakers. Includes additional network port for support of Dante ceiling microphone. Mounts to rear of Sonia C5





