

dm3

Decentralized, Secure and Open Messaging Protocol

Heiko Burkhardt

Lead developer, corpus.ventures

What is dm3?

dm3 is a **simple** protocol enabling **decentralized**, **open**, and **secure**


messaging using established web3 services.

- Censorship Resistance
- No single point of failure



- Users are in control of their data
- Everyone can write an own implementation


Architecture





```
bob.eth
     eth.dm3.profile
"publicEncryptionKey":
    "nyDsCsG+pK...D=",
"publicSigningKey":
    "MBpqhsSk9r...c=",
"deliveryService":
    ["example-ds.eth"],-
```

```
example-ds.eth
  eth.dm3.deliveryService
"publicEncryptionKey":
    "nyDssG+pK...D=",
"publicSigningKey":
    "MBpqhxe9r...c=",
"url":
    "https://ex-ds.xyz"
```





```
bob.eth
     eth.dm3.profile
"publicEncryptionKey":
    "nyDsCsG+pK...D=",
"publicSigningKey":
    "MBpqhsSk9r...c=",
"deliveryService":
    ["example-ds.eth"],
```

```
example-ds.eth
  eth.dm3.deliveryService
"publicEncryptionKey":
    "nyDssG+pK...D=",
"publicSigningKey":
    "MBpqhxe9r...c=",
"url":
    "https://ex-ds.xyz"
```

```
alice.dm3.eth
      CCIP (EIP-3668)
       eth.dm3.profile
{ . . . }
     Off-Chain or L2
```



```
bob.eth
     eth.dm3.profile
"publicEncryptionKey":
    "nyDsCsG+pK...D=",
"publicSigningKey":
    "MBpqhsSk9r...c=",
"deliveryService":
    ["example-ds.eth"],-
```

```
example-ds.eth
  eth.dm3.deliveryService
"publicEncryptionKey":
    "nyDssG+pK...D=",
"publicSigningKey":
    "MBpqhxe9r...c=",
"url":
    "https://ex-ds.xyz"
```

```
alice.dm3.eth
      CCIP (EIP-3668)
       eth.dm3.profile
{ . . . }
     Off-Chain or L2
```



```
bob.eth
     eth.dm3.profile
"publicEncryptionKey":
    "nyDsCsG+pK...D=",
"publicSigningKey":
    "MBpqhsSk9r...c=",
"deliveryService":
    ["example-ds.eth"],-
```

```
example-ds.eth


eth.dm3.deliveryService


{
    "publicEncryptionKey":
        "nyDssG+pK...D=",


    "publicSigningKey":
        "MBpqhxe9r...c=",


    "url":
        "https://ex-ds.xyz"
}
```


```
alice.dm3.eth
      CCIP (EIP-3668)
       eth.dm3.profile
{ . . . }
     Off-Chain or L2
```























Reference Implementation Packages

dm3-web: dm3 web app

dm3-react: ui component library

dm3-backend: delivery and storage service

dm3-lib: basic protocol functions

All of it is open source.

Live at: https://app.dm3.chat/



corpus-ventures/dm3

Possible Protocol Extensions

- Message Access Specification
 Specifies how received messages on a delivery service can be accessed.
- Message Storage Specification
 Specifies how messages are persisted after they are delivered.
- Public Message Feed Specification
 Specifies how a public message feed is created and accessed.
- Group Messaging Specification
 Specifies a protocol extension to enable group messaging.
- Privacy Onion Routing Specification
 Specifies a protocol extension to enable privacy preserving onion routing.
- Spam Protection Specification
 Specifies additional methods, based on web3 technology, the prevent spam on the receiver's side.

Here's the roadmap.

Protocol Draft and Reference Implementation

Finalize Protocol

Q4 2022

Adoption

Q1 2023



Reference implementation

published

Q3 2022

Specification version 0.2 Discussion with other protocols/apps and revision

- Finalization (version 1.0) and proposal for ENS-RFP
- Update reference implementation

Interoperability

Integration in other apps

Join the specification discussion

Let us know if you want to integrate dm3



Thank you!

Heiko Burkhardt

Lead developer, corpus.ventures heiko@corpus.ventures

