

The Private Exchange

Building a privacy-focused dapp

Takamichi Tsutsumi

Software Engineer - PSE, Ethereum Foundation

I WANT TO SHOW YOU A

Privacy preserving decentralized exchange




Why do we need privacy?

Why do we need privacy?

Censorship resistance

Anti-MEV and front-running

Human rights




No one shall be subjected to arbitrary interference with his privacy, family, home or correspondence, nor to attacks upon his honour and reputation. Everyone has the right to the protection of the law against such interference or attacks.


-The Universal Declaration of Human Rights. Article 12




What is Private Exchange?




What exchanges do




Automated Market Maker (AMM)













Orderbook



Orderbook





Our toolkit




Blind-find



Socialist Millionaire
Problem (SMP)




ZKOPRU (zk optimistic rollup)



Blind-find

Find peers in a network without revealing that you are searching for Alice.





Socialist Millionaire Problem (SMP)

Check equality of two values without revealing the actual values

	Alice	Multiparty	Bob
1	$\begin{array}{c} \text{Message } x \\ \text{Random } a, \alpha, r \end{array}$	Public p,h	Message y Random b, β, s
2		Secure $g=\langle h a,b angle$	
3		Secure $\gamma = \langle h lpha, eta angle$	
4	Test $h^b eq 1$, $h^eta eq 1$		Test $h^a eq 1$, $h^lpha eq 1$
5	$P_a = \gamma^r \ Q_a = h^r g^x$		$P_b = \gamma^s \ Q_b = h^s g^y$
6		Insecure exchange P_a,Q_a,P_b,Q_b	
7		Secure $c = \left\langle Q_a Q_b^{-1} \middle lpha, eta ight angle$	
8	Test $P_a eq P_b$, $Q_a eq Q_b$		Test $P_a eq P_b$, $Q_a eq Q_b$
9	Test $c=P_aP_b^{-1}$		Test $c=P_aP_b^{\;-1}$



<h|a,b> : Diffie-Hellman key exchange

Socialist Millionaire Problem (SMP)

Check equality of two values without revealing the actual values







Socialist Millionaire Problem (SMP)

SMP process

- 1. Alice creates an ad
- 2. Bob find it
- 3. Bob reaches out to Alice in P2P network (Blind-find)
- They execute order matching (SMP)
- 5. If price matches, they do swap transaction






ZKOPRU

Secret transfer with cheap gas







ZKOPRU


Secret Atomic Swap











ZKOPRU

Ad is partially private (price)

Price matching is done privately

Peer finding is done privately

Tx content is private



- 1. What does the application do?
- 2. Which part should be private?
- 3. How to make them private?

Designing Privacy Application

Doesn't reveal transactions content (zkopru)

Doesn't reveal price of orders to public (smp)

Doesn't reveal p2p routing in network (blind-find)

Private Exchange protects privacy SMP can only check the equality of exact values

Advertiser have to stay online

Users need to join blind-find before starting the process

Challenges/ UX Compromisation

Privacy and Scaling Explorations



Links

[ZKOPRU] https://docs.zkopru.network

[SMP] https://en.wikipedia.org/wiki/Socialist_millionaire_problem

[Blind-find] https://github.com/zkopru-network/blind-find

[Private Exchange] https://github.com/zkopru-network/private-exchange

[PSE homepage] https://appliedzkp.org/