

Wilcoxon işaretli sıra sayıları testi için d değerleri

$$P(T^+ \leq d) = p$$

n	d	p	n	d	p	n	d	p
3	0	0.1250	10	3	0.0049	14	12	0.0043
	1	0.2500		4	0.0068		13	0.0054
4	0	0.0625		5	0.0098		15	0.0083
	1	0.1250		6	0.0137		16	0.0101
	2	0.1875		8	0.0244		21	0.0247
5	0	0.0313		9	0.0322		22	0.0290
	1	0.0625		10	0.0420		25	0.0453
	2	0.0938		11	0.0527		26	0.0520
	3	0.1563		14	0.0967		31	0.0969
				15	0.1162		32	0.1083
6	0	0.0156	11	5	0.0049	15	15	0.0042
	1	0.0313		6	0.0068		16	0.0051
	2	0.0469		7	0.0093		19	0.0090
	3	0.0781		8	0.0122		20	0.0108
	4	0.1091		10	0.0210		25	0.0240
7	0	0.0078		11	0.0269		26	0.0277
	1	0.0156		13	0.0415		30	0.0473
	2	0.0234		14	0.0508		31	0.0535
	3	0.0391		17	0.0874		36	0.0938
	4	0.0547		18	0.1030		37	0.1039
	5	0.0781						
	6	0.1094						
8	0	0.0039	12	7	0.0046	16	19	0.0046
	1	0.0078		8	0.0061		20	0.0055
	2	0.0117		9	0.0081		23	0.0091
	3	0.0195		10	0.0105		24	0.0107
	4	0.0273		13	0.0212		29	0.0222
	5	0.0391		14	0.0261		30	0.0253
	6	0.0547		17	0.0461		35	0.0467
	7	0.0742		18	0.0549		36	0.0523
	8	0.0977		21	0.0881		42	0.0964
	9	0.1250		22	0.1018		43	0.1057
9	1	0.0039	13	9	0.0040	17	23	0.0047
	2	0.0059		10	0.0052		24	0.0055
	3	0.0098		12	0.0085		27	0.0087
	4	0.0137		13	0.0107		28	0.0101
	5	0.0195		17	0.0239		34	0.0224
	6	0.0273		18	0.0287		35	0.0253
	8	0.0488		21	0.0471		41	0.0492
	9	0.0645		22	0.0549		42	0.0511
	10	0.0820		26	0.0955		48	0.0950
	11	0.1016		27	0.1082		49	0.1034

Wilcoxon işaretli sıra sayıları testi için d değerleri (devam)

n	d	p	n	d	p	n	d	p
18	27	0.0045	22	48	0.0046	26	75	0.0047
	28	0.0052		49	0.0052		76	0.0051
	32	0.0091		55	0.0095		84	0.0095
	33	0.0104		56	0.0104		85	0.0102
	40	0.0211		65	0.0231		98	0.0247
	41	0.0269		66	0.0250		99	0.0263
	47	0.0491		75	0.0492		110	0.0497
	48	0.0542		76	0.0527		111	0.0524
	55	0.0982		86	0.0991		124	0.0994
	56	0.1061		87	0.1057		125	0.1039
19	32	0.0047	23	54	0.0046	27	83	0.0048
	33	0.0054		55	0.0051		84	0.0052
	37	0.0090		62	0.0098		92	0.0093
	38	0.0102		63	0.0107		93	0.0100
	46	0.0247		73	0.0242		107	0.0246
	47	0.0273		74	0.0261		108	0.0260
	53	0.0478		83	0.0490		119	0.0477
	54	0.0521		84	0.0523		120	0.0502
	62	0.0978		94	0.0948		134	0.0968
	63	0.1051		95	0.1001		135	0.1010
20	37	0.0047	24	61	0.0048	28	91	0.0046
	38	0.0053		62	0.0053		92	0.0051
	43	0.0096		69	0.0097		101	0.0096
	44	0.0107		70	0.0107		102	0.0102
	52	0.0242		81	0.0245		116	0.0239
	53	0.0266		82	0.0263		117	0.0252
	60	0.0487		91	0.0475		130	0.0496
	61	0.0527		92	0.0537		131	0.0521
	69	0.0947		104	0.0987		145	0.0968
	70	0.1012		105	0.1038		146	0.1008
21	42	0.0045	25	68	0.0048	29	100	0.0049
	43	0.0051		69	0.0053		101	0.0051
	49	0.0097		76	0.0094		110	0.0095
	50	0.0108		77	0.0101		111	0.0101
	58	0.0230		89	0.0241		126	0.0240
	59	0.0251		90	0.0258		127	0.0253
	67	0.0479		100	0.0479		140	0.0482
	68	0.0516		101	0.0507		141	0.0504
	77	0.0953		113	0.0954		157	0.0988
	78	0.1015		114	0.1001		158	0.1027

Mann-Whitney test statistic

n_1	p	$n_2 = 2$	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
2	.001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	.005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	.01	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	2	2
	.025	0	0	0	0	0	0	1	1	1	1	2	2	2	2	2	3	3	3	3
	.05	0	0	0	1	1	1	2	2	2	2	3	3	4	4	4	4	5	5	5
3	.10	0	1	1	2	2	2	3	3	4	4	5	5	5	6	6	7	7	8	8
	.001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1
	.005	0	0	0	0	0	0	0	1	1	1	2	2	2	3	3	3	4	4	4
	.01	0	0	0	0	0	1	1	2	2	2	3	3	3	4	4	5	5	5	6
	.025	0	0	0	1	2	2	3	3	4	4	5	5	6	6	7	7	8	8	9
4	.05	0	1	1	2	3	3	4	5	5	6	6	7	8	8	9	10	10	11	12
	.10	1	2	2	3	4	5	6	6	7	8	9	10	11	11	12	13	14	15	16
	.001	0	0	0	0	0	0	0	1	1	1	2	2	2	2	3	3	4	4	4
	.005	0	0	0	0	1	1	2	2	3	3	4	4	5	6	6	7	7	8	9
	.01	0	0	0	1	2	2	3	4	4	5	6	6	7	8	9	9	10	10	11
5	.025	0	0	1	2	3	4	5	5	6	7	8	9	10	11	12	12	13	14	15
	.05	0	1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19
	.10	1	2	4	5	6	7	8	10	11	12	13	14	16	17	18	19	21	22	23
	.001	0	0	0	0	0	0	1	2	2	3	3	4	4	5	6	6	7	8	8
	.005	0	0	0	1	2	2	3	4	5	6	7	8	9	9	10	11	12	13	14
6	.01	0	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
	.025	0	1	2	3	4	6	7	8	9	10	12	13	14	15	16	18	19	20	21
	.05	1	2	3	5	6	7	9	10	12	13	14	16	17	19	20	21	23	24	26
	.10	2	3	5	6	8	9	11	13	14	16	18	19	21	23	24	26	28	29	31
	.001	0	0	0	0	0	0	2	3	4	5	6	7	8	9	10	11	12	13	14
7	.005	0	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	17	18
	.01	0	0	2	3	4	5	7	8	9	10	12	13	14	16	17	19	20	21	23
	.025	0	2	3	4	6	7	9	11	12	14	15	17	18	20	22	23	25	26	28
	.05	1	3	4	6	8	9	11	13	15	17	18	20	22	24	26	27	29	31	33
	.10	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	35	37	39
8	.001	0	0	0	1	2	3	4	6	7	8	9	10	11	12	14	15	16	17	19
	.005	0	0	1	2	4	5	7	8	10	11	13	14	16	17	19	20	22	23	25
	.01	0	1	2	4	5	7	8	10	12	13	15	17	18	20	22	24	25	27	29
	.025	0	2	4	6	7	9	11	13	15	17	19	21	23	25	27	29	31	33	35
	.05	1	3	5	7	9	12	14	16	18	20	22	25	27	29	31	34	36	38	40
9	.10	2	5	7	9	12	14	17	19	22	24	27	29	32	34	37	39	42	44	47
	.001	0	0	0	1	2	3	5	6	7	9	10	12	13	15	16	18	19	21	22
	.005	0	0	2	3	5	7	8	10	12	14	16	18	19	21	23	25	27	29	31
	.01	0	1	3	5	7	8	10	12	14	16	18	21	23	25	27	29	31	33	35
	.025	1	3	5	7	9	11	14	16	18	20	23	25	27	30	32	35	37	39	42
10	.05	2	4	6	9	11	14	16	19	21	24	27	29	32	34	37	40	42	45	48
	.10	3	6	8	11	14	17	20	23	25	28	31	34	37	40	43	46	49	52	55
	.001	0	0	0	2	3	4	6	8	9	11	13	15	16	18	20	22	24	26	27
	.005	0	1	2	4	6	8	10	12	14	17	19	21	23	25	28	30	32	34	37
	.01	0	2	4	6	8	10	12	15	17	19	22	24	27	29	32	34	37	39	41
11	.025	1	3	5	8	11	13	16	18	21	24	27	29	32	35	38	40	43	46	49
	.05	2	5	7	10	13	16	19	22	25	28	31	34	37	40	43	46	49	52	55
	.10	3	6	10	13	16	19	23	26	29	32	36	39	42	46	49	53	56	59	63
	.001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	.005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
12	.01	0	0	0	0	0	0	1	1	1	2	2	2	2	3	3	3	4	4	4
	.025	0	0	0	1	2	2	3	3	4	4	5	5	6	6	7	7	8	8	9
	.05	0	1	1	2	3	3	4	5	5	6	6	7	8	8	9	10	10	11	12
	.10	1	2	2	3	4	5	6	6	7	8	9	10	11	11	12	13	14	15	16
	.001	0	0	0	0	0	0	0	1	1	1	2	2	2	2	3	3	4	4	4
13	.005	0	0	0	0	0	0	0	1	1	2	2	2	2	3	3	4	4	4	4
	.01	0	0	0	0	0	1	1	2	2	2	3	3	3	4	4	5	5	5	6
	.025	0	0	1	2	2	3	3	4	4	5	5	6	6	7	7	8	8	9	9
	.05	0	1	1	2	3	3	4	5	5	6	6	7	8	8	9	10	10	11	12
	.10	1	2	2	3	4	5	6	6	7	8	9	10	11	11	12	13	14	15	16
14	.001	0	0	0	0	0	0	0	1	1	1	2	2	2	2	3	3	4	4	4
	.005	0	0	0	0	1	1	2	2	3	3	4	4	5	6	6	7	7	8	9
	.01	0	0	1	2	2	3	4	4	5	6	6	7	8	9	9	10	10	11	12
	.025	0	0	1	2	3	4	5	5	6	7	8	9	10	11	12	12	13	14	15
	.05	0	1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19
15	.10	1	2	4	5	6	7	8	10	11	12	13	14	16	17	18	19	21	22	23
	.001	0	0	0	0	0	0	1	2	2	3	3	4	4	5	6	6	7	8	8
	.005	0	0	0	0	1	1	2	2	3	3	4	4	5	6	6	7	7	8	9
	.01	0	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
	.025	0	0	1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18
16	.05	0	1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19
	.10	1	2	4	5	6	7	8	10	11	12	13	14	16	17	18	19	21	22	23
	.001	0	0	0	0	0	0	1	2	2	3	3	4	4	5	6	6	7	8	8
	.005	0	0	0	0	1	1	2	2	3	3	4	4	5	6	6	7	7	8	9
	.01	0	0	0	1	2	2	3	4	5	6	7	8	9	10	11	12	13	14	15
17	.025	0	0	1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18
	.05	0	1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19
	.10	1	2	4	5	6	7	8	10	11	12	13	14	16	17	18	19	21	22	23
	.001	0	0	0	0	0	0	1	2	2	3	3	4	4	5	6	6	7	8	8
	.005	0	0	0	0	1	1	2	2	3	3	4	4	5	6	6	7	7	8	9
18	.01	0	0	0	1	2	2	3	4	5	6	7	8	9	10	11	12	13	14	15
	.025	0	0	1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18
	.05	0	1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19
	.10	1	2	4	5	6	7	8	10	11	12	13	14	16	17	18	19	21	22	23
	.001	0	0	0	0	0	0	1	2	2	3	3	4	4	5	6	6	7	8	8
19	.005	0	0	0	0	1	1	2	2	3	3	4	4	5	6	6	7	7	8	9
	.01	0	0	0	0	1	1	2	2	3	3	4	4	5	6	6	7	7	8	9
	.025	0	0	0	1	2	2	3	3	4	4</									

$n_1 = n_2$ iken iki bağımsız örnek Kolmogorov-Smirnov testine ilişkin D_k değerleri

Tek-yanlı test İki-yanlı test	0.90 0.80	0.95 0.90	0.975 0.95	0.99 0.98	0.995 0.99
3	2/3	2/3			
4	3/4	3/4	3/4		
5	3/5	3/5	4/5	4/5	4/5
6	3/6	4/6	4/6	5/6	5/6
7	4/7	4/7	5/7	5/7	5/7
8	4/8	4/8	5/8	5/8	6/8
9	4/9	5/9	5/9	6/9	6/9
10	4/10	5/10	6/10	6/10	7/10
11	5/11	5/11	6/11	7/11	7/11
12	5/12	5/12	6/12	7/12	7/12
13	5/13	6/13	6/13	7/13	8/13
14	5/14	6/14	7/14	7/14	8/14
15	5/15	6/15	7/15	8/15	8/15
16	6/16	6/16	7/16	8/16	9/16
17	6/17	7/17	7/17	8/17	9/17
18	6/18	7/18	8/18	9/18	9/18
19	6/19	7/19	8/19	9/19	9/19
20	6/20	7/20	8/20	9/20	10/20
21	6/21	7/21	8/21	9/21	10/21
22	7/22	8/22	8/22	10/22	10/22
23	7/23	8/23	9/23	10/23	10/23
24	7/24	8/24	9/24	10/24	11/24
25	7/25	8/25	9/25	10/25	11/25
26	7/26	8/26	9/26	10/26	11/26
27	7/27	8/27	9/27	11/27	11/27
28	8/28	9/28	10/28	11/28	12/28
29	8/29	9/29	10/29	11/29	12/29
30	8/30	9/30	10/30	11/30	12/30
31	8/31	9/31	10/31	11/31	12/31
32	8/32	9/32	10/32	12/32	12/32
33	8/33	9/33	11/33	12/33	13/33
34	8/34	10/34	11/34	12/34	13/34
35	8/35	10/35	11/35	12/35	13/35
36	9/36	10/36	11/36	12/36	13/36
37	9/37	10/37	11/37	13/37	13/37
38	9/38	10/38	11/38	13/38	14/38
39	9/39	10/39	11/39	13/39	14/39
40	9/40	10/40	12/40	13/40	14/40
$n > 40$ iken yaklaşık değer	$\frac{1.52}{\sqrt{n}}$	$\frac{1.73}{\sqrt{n}}$	$\frac{1.92}{\sqrt{n}}$	$\frac{2.15}{\sqrt{n}}$	$\frac{2.30}{\sqrt{n}}$

$n_1 \neq n_2$ iken iki bağımsız örnek Kolmogorov-Smirnov testine ilişkin D_k değerleri

Tek-yanlı test İki-yanlı test		0.90 0.80	0.95 0.90	0.975 0.95	0.99 0.98	0.995 0.99
$n_1 = 1$	$n_2 = 9$	17/18				
	10	9/10				
$n_1 = 2$	$n_2 = 3$	5/6				
	4	3/4				
	5	4/5	4/5			
	6	5/6	5/6			
	7	5/7	6/7			
	8	3/4	7/8	7/8		
	9	7/9	8/9	8/9		
	10	7/10	4/5	9/10		
$n_1 = 3$	$n_2 = 4$	3/4	3/4			
	5	2/3	4/5	4/5		
	6	2/3	2/3	5/6		
	7	2/3	5/7	6/7	6/7	
	8	5/8	3/4	3/4	7/8	
	9	2/3	2/3	7/9	8/9	8/9
	10	3/5	7/10	4/5	9/10	9/10
	12	7/12	2/3	3/4	5/6	11/12
$n_1 = 4$	$n_2 = 5$	3/5	3/4	4/5	4/5	
	6	7/12	2/3	3/4	5/6	5/6
	7	17/28	5/7	3/4	6/7	6/7
	8	5/8	5/8	3/4	7/8	7/8
	9	5/9	2/3	3/4	7/9	8/9
	10	11/20	13/20	7/10	4/5	4/5
	12	7/12	2/3	2/3	3/4	5/6
	16	9/16	5/8	11/16	3/4	13/16
$n_1 = 5$	$n_2 = 6$	3/5	2/3	2/3	5/6	5/6
	7	4/7	23/35	5/7	29/35	6/7
	8	11/20	5/8	27/40	4/5	4/5
	9	5/9	3/5	31/45	7/9	4/5
	10	1/2	3/5	7/10	7/10	4/5
	15	8/15	3/5	2/3	11/15	11/15
$n_1 = 6$	$n_2 = 7$	1/2	11/20	3/5	7/10	3/4
	8	23/42	4/7	29/42	5/7	5/6
	9	1/2	7/12	2/3	3/4	3/4
	10	1/2	5/9	2/3	13/18	7/9
	12	1/2	17/30	19/30	7/10	11/15
	18	1/2	7/12	7/12	2/3	3/4
	24	4/9	5/9	11/18	2/3	13/18
	24	11/24	1/2	7/12	5/8	2/3

$n_1 \neq n_2$ iken iki bağımsız örnek Kolmogorov-Smirnov testine ilişkin D_k değerleri (devam)

Tek-yanlı test İki-yanlı test		0.90 0.80	0.95 0.90	0.975 0.95	0.99 0.98	0.995 0.99
$n_1 = 7$	$n_2 = 8$	27/56	33/56	5/8	41/56	3/4
	9	31/63	5/9	40/63	5/7	47/63
	10	33/70	39/70	43/70	7/10	5/7
	14	3/7	1/2	4/7	9/14	5/7
	28	3/7	13/28	15/28	17/28	9/14
$n_1 = 8$	$n_2 = 9$	4/9	13/24	5/8	2/3	3/4
	10	19/40	21/40	23/40	27/40	7/10
	12	11/24	1/2	7/12	5/8	2/3
	16	7/16	1/2	9/16	5/8	5/8
	32	13/32	7/16	1/2	9/16	19/32
$n_1 = 9$	$n_2 = 10$	7/15	1/2	26/45	2/3	31/45
	12	4/9	1/2	5/9	11/18	2/3
	15	19/45	22/45	8/15	3/5	29/45
	18	7/18	4/9	1/2	5/9	11/18
	36	13/36	5/12	17/36	19/36	5/9
$n_1 = 10$	$n_2 = 15$	2/5	7/15	1/2	17/30	19/30
	20	2/5	9/20	1/2	11/20	3/5
	40	7/20	2/5	9/20	1/2	
$n_1 = 12$	$n_2 = 15$	23/60	9/20	1/2	11/20	7/12
	16	3/8	7/16	23/48	13/24	7/12
	18	13/36	5/12	17/36	19/36	5/9
	20	11/30	5/12	7/15	31/60	17/30
$n_1 = 15$	$n_2 = 20$	7/20	2/5	13/30	29/60	31/60
$n_1 = 16$	$n_2 = 20$	27/80	31/80	17/40	19/40	41/80

Kruskal-Wallis'in H testi için c değerleri

$$P = P(H \geq c); (n_1, n_2, n_3)$$

(1, 1, 4)		(1, 5, 5)		(2, 5, 5)		(3, 5, 5)		(4, 5, 5)	
c	P	c	P	c	P	c	P	c	P
3.571	0.200	4.036	0.105	4.508	0.100	3.807	0.147	3.883	0.148
(1, 1, 5)		4.909	0.053	5.246	0.051	4.536	0.102	3.891	0.144
c	P	6.836	0.011	7.269	0.010	4.545	0.100	4.500	0.105
3.857	0.143	(2, 2, 2)		(3, 3, 3)		4.571	0.098	4.520	0.101
(1, 2, 2)		c	P	c	P	5.574	0.053	4.523	0.099
c	P	4.571	0.067	4.622	0.100	5.600	0.051	5.620	0.051
3.600	0.200	(2, 2, 3)		5.600	0.050	5.706	0.046	5.643	0.050
(1, 2, 3)		c	P	6.489	0.011	7.437	0.011	5.666	0.049
c	P	4.464	0.105	(3, 3, 4)		7.543	0.010	7.860	0.010
3.857	0.133	4.714	0.048	c	P	7.622	0.009	(5, 5, 5)	
4.286	0.100	(2, 2, 4)		4.700	0.101	9.398	0.001	c	P
(1, 2, 4)		c	P	5.727	0.050	(4, 4, 4)		3.860	0.150
c	P	4.458	0.100	6.746	0.010	c	P	3.920	0.145
3.750	0.133	5.125	0.052	(3, 3, 5)		3.962	0.145	4.500	0.102
4.821	0.057	5.000	0.014	c	P	4.500	0.104	4.560	0.100
(1, 2, 5)		(2, 2, 5)		4.412	0.109	4.654	0.097	4.580	0.096
c	P	c	P	5.515	0.051	5.538	0.057	5.660	0.051
3.783	0.131	4.373	0.090	6.982	0.011	5.654	0.055	5.780	0.049
4.200	0.095	5.040	0.056	(3, 4, 4)		5.692	0.049	7.940	0.011
5.000	0.048	6.133	0.013	c	P	7.423	0.013	7.980	0.011
(1, 3, 3)		(2, 3, 3)		3.848	0.150	7.538	0.011	8.000	0.009
c	P	c	P	4.477	0.102	7.654	0.008	8.180	0.008
4.571	0.100	4.556	0.100	4.546	0.099	(4, 4, 5)			
5.143	0.043	5.139	0.061	5.576	0.051	c	P		
(1, 3, 4)		6.250	0.011	5.598	0.049	3.910	0.146		
c	P	(2, 3, 4)		6.394	0.025	3.986	0.143		
4.056	0.093	c	P	7.136	0.011	4.553	0.102		
5.208	0.050	4.444	0.102	7.144	0.010	4.619	0.100		
(1, 3, 5)		5.400	0.051	7.212	0.009	4.668	0.098		
c	P	6.300	0.011	7.477	0.006	5.571	0.051		
4.018	0.095	(2, 3, 5)		8.326	0.001	5.618	0.050		
4.871	0.052	c	P	(3, 4, 5)		5.657	0.049		
6.400	0.012	4.494	0.101	c	P	7.744	0.011		
(1, 4, 4)		5.251	0.049	3.831	0.150	7.760	0.009		
c	P	(2, 4, 4)		4.523	0.103	7.833	0.008		
4.067	0.102	c	P	4.549	0.099				
4.967	0.048	4.446	0.103	5.619	0.051				
6.667	0.010	5.236	0.052	5.631	0.050				
(1, 4, 5)		6.873	0.011	5.656	0.049				
c	P	(2, 4, 5)		7.395	0.011				
3.960	0.102	c	P	7.445	0.010				
4.860	0.056	4.518	0.101	7.477	0.009				
6.840	0.011	5.268	0.051						
		7.118	0.010						

Friedman'ın S testi için a değerleri

$$P = P(S \geq a)$$

$c = 3$ a	$n = 2$ P	$c = 3$ a	$n = 8$ P	$c = 3$ a	$n = 13$ P	$c = 4$ a	$n = 4$ P
3.00	0.500	4.75	0.120	4.77	0.098	6.00	0.105
4.00	0.167	6.25	0.047	6.00	0.050	7.50	0.052
$c = 3$ a	$n = 3$ P	9.00	0.010	8.77	0.012	9.30	0.012
4.66	0.194	$c = 3$ a	$n = 9$ P	$c = 3$ a	$n = 14$ P	$c = 4$ a	$n = 5$ P
6.00	0.028	4.66	0.107	4.43	0.117	6.12	0.102
$c = 3$ a	$n = 4$ P	6.00	0.057	6.14	0.049	7.80	0.049
4.50	0.125	8.67	0.010	8.71	0.011	9.72	0.011
6.50	0.042	$c = 3$ a	$n = 10$ P	$c = 3$ a	$n = 15$ P	$c = 4$ a	$n = 6$ P
$c = 3$ a	$n = 5$ P	5.00	0.092	4.80	0.106	6.20	0.109
5.20	0.093	6.20	0.046	6.40	0.047	7.40	0.058
6.40	0.039	8.60	0.012	8.93	0.010	10.20	0.010
$c = 3$ a	$n = 6$ P	$c = 3$ a	$n = 11$ P	$c = 4$ a	$n = 2$ P	$c = 4$ a	$n = 7$ P
4.33	0.142	4.91	0.100	5.40	0.167	6.26	0.101
6.33	0.052	5.63	0.062	6.00	0.042	7.63	0.051
$c = 3$ a	$n = 7$ P	8.91	0.011			10.37	0.009
4.57	0.112	$c = 3$ a	$n = 12$ P	$c = 4$ a	$n = 3$ P	$c = 4$ a	$n = 8$ P
6.00	0.051	4.66	0.108	5.80	0.148	6.15	0.106
		6.16	0.050	7.00	0.054	7.50	0.052
		8.66	0.011	8.20	0.017	10.35	0.010