Lineto Type Foundry
Technical Documentation
EF Circular TT Book

Font Family — EF Circular TT
Style — Book
Font Format — Opentype TrueType (Opentype TTF)
Designer — Laurenz Brunner (2018)

Glyph Map

			!	"	#	$	%	&	'	(	)	*	+	,	-	.	/	0	1	2	3	4
5	6	7	8	9	:	;	<	=	>	?	@	A	B	C	D	E	F	G	H	I	J	K	L
M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	[	\	]	^	_	`	a	b	c	d
e	f	g	h	i	j	k	l	m	n	o	p	q	r	s	t	u	v	w	x	y	z	{	|
}	~		¡	¢	£	¤	¥	¦	§	¨	©	ª	«	¬	-	®	¯	°	±	²	³	´	µ
¶	·	¸	¹	º	»	¼	½	¾	¿	À	Á	Â	Ã	Ä	Å	Æ	Ç	È	É	Ê	Ë	Ì	Í
Î	Ï	Ð	Ñ	Ò	Ó	Ô	Õ	Ö	×	Ø	Ù	Ú	Û	Ü	Ý	Þ	ß	à	á	â	ã	ä	å
æ	ç	è	é	ê	ë	ì	í	î	ï	ð	ñ	ò	ó	ô	õ	ö	÷	ø	ù	ú	û	ü	ý
þ	ÿ	Ā	ā	Ă	ă	Ą	ą	Ć	ć	Ĉ	ĉ	Ċ	ċ	Č	č	Ď	ď	Đ	đ	Ē	ē	Ĕ	ĕ
Ė	ė	Ę	ę	Ě	ě	Ĝ	ĝ	Ğ	ğ	Ġ	ġ	Ģ	ģ	Ĥ	ĥ	Ħ	ħ	Ĩ	ĩ	Ī	ī	Ĭ	ĭ
Į	į	İ	ı	Ĳ	ĳ	Ĵ	ĵ	Ķ	ķ	ĸ	Ĺ	ĺ	Ļ	ļ	Ľ	ľ	Ŀ	ŀ	Ł	ł	Ń	ń	Ņ
ņ	Ň	ň	ŉ	Ŋ	ŋ	Ō	ō	Ŏ	ŏ	Ő	ő	Œ	œ	Ŕ	ŕ	Ŗ	ŗ	Ř	ř	Ś	ś	Ŝ	ŝ
Ş	ş	Š	š	Ţ	ţ	Ť	ť	Ŧ	ŧ	Ũ	ũ	Ū	ū	Ŭ	ŭ	Ů	ů	Ű	ű	Ų	ų	Ŵ	ŵ
Ŷ	ŷ	Ÿ	Ź	ź	Ż	ż	Ž	ž	Ə		Ƶ	ƶ	DŽ	Dž	dž	DZ	Dz	dz	Ǻ	ǻ	Ǽ	ǽ	Ǿ
ǿ	Ș	ș	Ț	ț	ȷ	ə	'	'	^	ˇ	ˉ	˘	·	˚		˛	~	˝	Δ	Ω	µ	π	È	Ë
Ђ	Ѓ	Є	Ѕ	І	Ї	Ј	Љ	Њ	Ћ	Ќ	Ѝ	Ў	Џ	А	Б	В	Г	Д	Е	Ж	З	И	Й
К	Л	М	Н	О	П	Р	С	Т	У	Ф	Х	Ц	Ч	Ш	Щ	Ъ	Ы	Ь	Э	Ю	Я	а	б
в	г	д	е	ж	з	и	й	к	л	м	н	о	п	р	с	т	у	ф	х	ц	ч	ш	щ
ъ	ы	ь	э	ю	я	ѐ	ё	ђ	ѓ	є	ѕ	і	ї	ј	љ	њ	ћ	ќ	ѝ	ў	џ	Ѣ	ѣ
Ѳ	ѳ	Ѵ	ѵ	Ґ	ґ	Ғ	ғ	Қ	қ	Ң	ң	Ү	ү	Ұ	ұ	Х	х	һ	һ	Ә	ә	Ө	ө
Ẁ	ẁ	Ẃ	ẃ	Ẅ	ẅ	Ẋ	ẋ	Ỳ	ỳ					–	—	'	'	,	"	"	„	†		●
…	‰	‹	›	**	/	**	0	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9
€	₴	₸	₽	₺	№	™	Ω	Ⅰ	Ⅱ	Ⅲ	Ⅳ	Ⅴ	Ⅵ	Ⅶ	Ⅷ	Ⅸ	Ⅹ	Ⅼ	Ⅽ	Ⅾ	Ⅿ	←	↑
→	↓	↘	↗	↙	↖	↵	↰	↱	↲	↳	↴	↻	⇄	∂	Δ	Π	Σ	−	/	·	√	∞	∫
≈	≠	≤	≥	·	℗	■	□	▯	▲	△	◇	○	●	☮	✓	✗	①	②	③	④	⑤	⑥	⑦
⑧	⑨	⌐	↻	◌	ò	ff	fi	fl	ffi	ffl			і	Ŀ	Ⱡ	Д	Ж	К	Л	Б	В	Г	г
д	ж	з	и	й	к	л	н	п	ᴨ	т	ц	ч	ш	щ	ъ	ь	ю	0	1	2	3	4
5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	a	b	c	d	e	f	g	h
i	j	k	l	m	n	o	p	q	r	s	t	u	v	w	x	y	z	#	$	%	+	,
.	0	1	2	3	4	5	6	7	8	9	:	;	<	=	>	¢	£	¤	¥	§	¬	±	×

Font Family — EF Circular TT
Style — Book
Font Format — Opentype TrueType (Opentype TTF)
Designer — Laurenz Brunner (2018)

÷	ƒ			‰	€	₴	₸	₽	№	–	≈	≠	≤	≥	(	)	-	[	]	{	}	¡	«
-	»	¿	–	—	‹	›	G	Ĝ	Ğ	Ġ	Ģ	ɑ	à	á	â	ã	ä	å	ā	ă	ɋ	ấ	ɾ
ŕ	ŗ	ř	&	1	®	"	#	$	%	'	+	0	1	2	3	4	5	6	7	8	9	<	=
>	¢	£	¤	¥	ª	¬	º	±	°	¼	½	¾	×	÷	‰	⁄	€	₴	₸	₽	ℓ	№	Ⅰ
Ⅱ	Ⅲ	Ⅳ	Ⅴ	Ⅵ	Ⅶ	Ⅷ	Ⅸ	Ⅹ	Ⅼ	Ⅽ	Ⅾ	Ⅿ	–	∞	≈	≠	≤	≥	0	1	2	3	4
5	6	7	8	9	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	r	s
t	u	v	w	x	y	z	#	$	%	+	0	1	2	3	4	5	6	7	8	9	<	=	>
¢	£	¤	¥	¬	±	×	÷	‰	€	₴	₸	₽	№	–	≈	≠	≤	≥	1	ƒ	‡	'	ff
ffi	ffl	fi	fl	¨	˙˙	`	˙˙	ˉ	´	ˆ	ˇ	˘	·	˚	˜	˝	'	,					

Font Family — EF Circular TT
Style — Book
Font Format — Opentype TrueType (Opentype TTF)
Designer — Laurenz Brunner (2018)

Encoded Characters

All encoded characters should be accessible with every unicode capable application.
For details about Unicode Blocks visist the Unicode Website.

Basic Latin

Block from 0000 to 007F

0020	0021	0022	0023	0024	0025	0026	0027	0028	0029	002A	002B	002C	002D	002E	002F	0030	0031	0032	0033	0034	0035	0036	0037
	!	"	#	$	%	&	'	(	)	*	+	,	-	.	/	0	1	2	3	4	5	6	7
0038	0039	003A	003B	003C	003D	003E	003F	0040	0041	0042	0043	0044	0045	0046	0047	0048	0049	004A	004B	004C	004D	004E	004F
8	9	:	;	<	=	>	?	@	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
0050	0051	0052	0053	0054	0055	0056	0057	0058	0059	005A	005B	005C	005D	005E	005F	0060	0061	0062	0063	0064	0065	0066	0067
P	Q	R	S	T	U	V	W	X	Y	Z	[	\	]	^	_	`	a	b	c	d	e	f	g
0068	0069	006A	006B	006C	006D	006E	006F	0070	0071	0072	0073	0074	0075	0076	0077	0078	0079	007A	007B	007C	007D	007E	
h	i	j	k	l	m	n	o	p	q	r	s	t	u	v	w	x	y	z	{	|	}	~	

Latin-1 Supplement

Block from 0080 to 00FF

00A0	00A1	00A2	00A3	00A4	00A5	00A6	00A7	00A8	00A9	00AA	00AB	00AC	00AD	00AE	00AF	00B0	00B1	00B2	00B3	00B4	00B5	00B6	00B7
	¡	¢	£	¤	¥	¦	§	¨	©	ª	«	¬		®	¯	°	±	²	³	´	µ	¶	·
00B8	00B9	00BA	00BB	00BC	00BD	00BE	00BF	00C0	00C1	00C2	00C3	00C4	00C5	00C6	00C7	00C8	00C9	00CA	00CB	00CC	00CD	00CE	00CF
¸	¹	º	»	¼	½	¾	¿	À	Á	Â	Ã	Ä	Å	Æ	Ç	È	É	Ê	Ë	Ì	Í	Î	Ï
00D0	00D1	00D2	00D3	00D4	00D5	00D6	00D7	00D8	00D9	00DA	00DB	00DC	00DD	00DE	00DF	00E0	00E1	00E2	00E3	00E4	00E5	00E6	00E7
Ð	Ñ	Ò	Ó	Ô	Õ	Ö	×	Ø	Ù	Ú	Û	Ü	Ý	Þ	ß	à	á	â	ã	ä	å	æ	ç
00E8	00E9	00EA	00EB	00EC	00ED	00EE	00EF	00F0	00F1	00F2	00F3	00F4	00F5	00F6	00F7	00F8	00F9	00FA	00FB	00FC	00FD	00FE	00FF
è	é	ê	ë	ì	í	î	ï	ð	ñ	ò	ó	ô	õ	ö	÷	ø	ù	ú	û	ü	ý	þ	ÿ

Latin Extended-A

Block from 0100 to 017F

0100	0101	0102	0103	0104	0105	0106	0107	0108	0109	010A	010B	010C	010D	010E	010F	0110	0111	0112	0113	0114	0115	0116	0117
Ā	ā	Ă	ă	Ą	ą	Ć	ć	Ĉ	ĉ	Ċ	ċ	Č	č	Ď	ď	Đ	đ	Ē	ē	Ĕ	ĕ	Ė	ė
0118	0119	011A	011B	011C	011D	011E	011F	0120	0121	0122	0123	0124	0125	0126	0127	0128	0129	012A	012B	012C	012D	012E	012F
Ę	ę	Ě	ě	Ĝ	ĝ	Ğ	ğ	Ġ	ġ	Ģ	ģ	Ĥ	ĥ	Ħ	ħ	Ĩ	ĩ	Ī	ī	Ĭ	ĭ	Į	į
0130	0131	0132	0133	0134	0135	0136	0137	0138	0139	013A	013B	013C	013D	013E	013F	0140	0141	0142	0143	0144	0145	0146	0147
İ	ı	Ĳ	ĳ	Ĵ	ĵ	Ķ	ķ	ĸ	Ĺ	ĺ	Ļ	ļ	Ľ	ľ	Ŀ	ŀ	Ł	ł	Ń	ń	Ņ	ņ	Ň
0148	0149	014A	014B	014C	014D	014E	014F	0150	0151	0152	0153	0154	0155	0156	0157	0158	0159	015A	015B	015C	015D	015E	015F
ň	ŉ	Ŋ	ŋ	Ō	ō	Ŏ	ŏ	Ő	ő	Œ	œ	Ŕ	ŕ	Ŗ	ŗ	Ř	ř	Ś	ś	Ŝ	ŝ	Ş	ş

Font Family — EF Circular TT
Style — Book
Font Format — Opentype TrueType (Opentype TTF)
Designer — Laurenz Brunner (2018)

0160	0161	0162	0163	0164	0165	0166	0167	0168	0169	016A	016B	016C	016D	016E	016F	0170	0171	0172	0173	0174	0175	0176	0177
Š	š	Ţ	ţ	Ť	ť	Ŧ	ŧ	Ũ	ũ	Ū	ū	Ŭ	ŭ	Ů	ů	Ű	ű	Ų	ų	Ŵ	ŵ	Ŷ	ŷ

0178	0179	017A	017B	017C	017D	017E
Ÿ	Ź	ź	Ż	ż	Ž	ž

Latin Extended-B

Block from 0180 to 024F

018F	0192	01B5	01B6	01C4	01C5	01C6	01F1	01F2	01F3	01FA	01FB	01FC	01FD	01FE	01FF	0218	0219	021A	021B	0237
Ə	ℰℱ	Ƶ	ƶ	DŽ	Dž	dž	DZ	Dz	dz	Ǻ	ǻ	Ǽ	ǽ	Ǿ	ǿ	Ş	ş	Ţ	ţ	ȷ

IPA Extensions

Block from 0250 to 02AF

0259
ə

Spacing Modifier Letters

Block from 02B0 to 02FF

02BB	02BC	02C6	02C7	02C9	02D8	02D9	02DA	02DB	02DC	02DD
'	'	^	ˇ	¯	˘	˙	˚	˛	˜	˝

Greek and Coptic

Block from 0370 to 03FF

0394	03A9	03BC	03C0
Δ	Ω	μ	π

Cyrillic

Block from 0400 to 04FF

0400	0401	0402	0403	0404	0405	0406	0407	0408	0409	040A	040B	040C	040D	040E	040F	0410	0411	0412	0413	0414	0415	0416	0417
È	Ё	Ђ	Ѓ	Є	Ѕ	І	Ї	Ј	Љ	Њ	Ћ	Ќ	Ѝ	Ў	Џ	А	Б	В	Г	Д	Е	Ж	З

0418	0419	041A	041B	041C	041D	041E	041F	0420	0421	0422	0423	0424	0425	0426	0427	0428	0429	042A	042B	042C	042D	042E	042F
И	Й	К	Л	М	Н	О	П	Р	С	Т	У	Ф	Х	Ц	Ч	Ш	Щ	Ъ	Ы	Ь	Э	Ю	Я

0430	0431	0432	0433	0434	0435	0436	0437	0438	0439	043A	043B	043C	043D	043E	043F	0440	0441	0442	0443	0444	0445	0446	0447
а	б	в	г	д	е	ж	з	и	й	к	л	м	н	о	п	р	с	т	у	ф	х	ц	ч

0448	0449	044A	044B	044C	044D	044E	044F	0450	0451	0452	0453	0454	0455	0456	0457	0458	0459	045A	045B	045C	045D	045E	045F
ш	щ	ъ	ы	ь	э	ю	я	è	ё	ђ	ѓ	є	ѕ	і	ї	ј	љ	њ	ћ	ќ	ѝ	ў	џ

0462	0463	0472	0473	0474	0475	0490	0491	0492	0493	049A	049B	04A2	04A3	04AE	04AF	04B0	04B1	04B2	04B3	04BA	04BB	04D8	04D9
Ѣ	ѣ	Ѳ	ѳ	Ѵ	ѵ	Ґ	ґ	Ғ	ғ	Қ	қ	Ң	ң	Ү	ү	Ұ	ұ	Х	х	Һ	һ	Ә	ә

Font Family — EF Circular TT
Style — Book
Font Format — Opentype TrueType (Opentype TTF)
Designer — Laurenz Brunner (2018)

04E8	04E9
Θ	ө

Latin Extended Additional

Block from 1E00 to 1EFF

1E80	1E81	1E82	1E83	1E84	1E85	1E8A	1E8B	1EF2	1EF3
Ẁ	ẁ	Ẃ	ẃ	Ẅ	ẅ	Ẋ	ẋ	Ỳ	ỳ

General Punctuation

Block from 2000 to 206F

2007	2008	200B	2013	2014	2018	2019	201A	201C	201D	201E	2020	2021	2022	2026	2030	2039	203A	2042	2044	2051
			–	—	'	'	,	"	"	„	†	ℰℱ	●	…	‰	‹	›	⁂	/	⁑

Superscripts and Subscripts

Block from 2070 to 209F

2070	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089
0	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9

Currency Symbols

Block from 20A0 to 20CF

20AC	20B4	20B8	20BD
€	₴	₸	₽

Letterlike Symbols

Block from 2100 to 214F

2113	2116	2122	2126
ℓ	№	™	Ω

Number Forms

Block from 2150 to 218F

2160	2161	2162	2163	2164	2165	2166	2167	2168	2169	216C	216D	216E	216F
I	II	III	IV	V	VI	VII	VIII	IX	X	L	C	D	M

Font Family — EF Circular TT
Style — Book
Font Format — Opentype TrueType (Opentype TTF)
Designer — Laurenz Brunner (2018)

Arrows

Block from 2190 to 21FF

2190	2191	2192	2193	2196	2197	2198	2199	21A9	21B0	21B1	21B2	21B3	21B4	21B5	21C6
←	↑	→	↓	↖	↗	↘	↙	↩	↰	↱	↲	↳	↴	↵	⇆

Mathematical Operators

Block from 2200 to 22FF

2202	2206	220F	2211	2212	2215	2219	221A	221E	222B	2248	2260	2264	2265	22C5
∂	Δ	∏	Σ	−	∕	∙	√	∞	∫	≈	≠	≤	≥	⋅

Enclosed Alphanumerics

Block from 2460 to 24FF

24C5
Ⓟ

Geometric Shapes

Block from 25A0 to 25FF

25A0	25A1	25AF	25B2	25B3	25CA	25CB	25CF
■	□	▯	▲	△	◊	○	●

Miscellaneous Symbols

Block from 2600 to 26FF

262E
☮

Dingbats

Block from 2700 to 27BF

2713	2715	2780	2781	2782	2783	2784	2785	2786	2787	2788
✓	✕	①	②	③	④	⑤	⑥	⑦	⑧	⑨

Private Use Area

Block from E000 to F8FF

E000	E002	F4D2	F4D3
⌐	↻	Ò	ò

Font Family — EF Circular TT
Style — Book
Font Format — Opentype TrueType (Opentype TTF)
Designer — Laurenz Brunner (2018)

Alphabetic Presentation Forms

Block from FB00 to FB4F

FB00	FB01	FB02	FB03	FB04
ff	fi	fl	ffi	ffl

Arabic Presentation Forms-B

Block from FE70 to FEFF

FEFF

Font Family — EF Circular TT
Style — Book
Font Format — Opentype TrueType (Opentype TTF)
Designer — Laurenz Brunner (2018)

Unencoded Glyphs

All unencoded glyphs are accessible with OpenType layout feature capable applications.
For a complete list of supported OpenType layout features see the next section.

Case-Sensitive Forms

·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
(	)	-	[	]	{	}	¡	«	-	»	¿	–	—	‹	›

Denominators, Fractions

·	·	·	·	·	·	·	·	·	·
0	1	2	3	4	5	6	7	8	9

Fractions

·
-

Fractions, Numerators

·	·	·	·	·	·	·	·	·	·
0	1	2	3	4	5	6	7	8	9

Justification Alternatives

·	·
¨	¨

Standard Ligatures

·	·	·	·	·
ff	ffi	ffl	fi	fl

Localized Forms

·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
į	Ŀ	Ŀ	Д	Ж	К	Л	б	в	г	г	д	д	ж	з	и	й	к	л	н	п	п	т

·	·	·	·	·	·	·
ц	ч	ш	щ	ъ	ь	ю

Ordinals

a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	r	s	t	u	v	w	x

y	z

Stylistic Alternates, Stylistic Set 1

G	Ĝ	Ğ	Ġ	Ģ

Stylistic Set 2

ɑ	à	á	â	ã	ä	å	ā	ă	ą	ắ

Stylistic Set 3

ɾ	ŕ	ṛ	ř

Stylistic Set 4

&

Stylistic Set 5

1

Stylistic Set 6

®

Stylistic Set 8

"	#	$	%	'	+	0	1	2	3	4	5	6	7	8	9	<	=	>	¢	£	¤	¥	ª
¬	°	±	º	¼	½	¾	×	÷	‰	/	€	₴	₸	₽	₤	№	I	II	III	IV	V	VI	VII

Font Family — EF Circular TT
Style — Book
Font Format — Opentype TrueType (Opentype TTF)
Designer — Laurenz Brunner (2018)

Ⅷ	Ⅸ	Ⅹ	Ⅼ	Ⅽ	Ⅾ	Ⅿ	–	∞	≈	≠	≤	≥	0	1	2	3	4	5	6	7	8	9	a
b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	r	s	t	u	v	w	x	y
z	#	$	%	+	0	1	2	3	4	5	6	7	8	9	<	=	>	¢	£	¤	¥	¬	±
×	÷	‰	€	₴	₸	₽	№	–	≈	≠	≤	≥	1										

Stylistic Set 9

| ƒ | ‡ |

Tabular Figures

| | # | $ | % | + | , | . | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | : | ; | < | = | > | ¢ | £ |
| ¤ | ¥ | § | ¬ | ± | × | ÷ | ƒ | | | ‰ | € | ₴ | ₸ | ₽ | № | – | ≈ | ≠ | ≤ | ≥ | | | |

Other

| ⯑ | | | ' | ` | ¨ | ¯ | ´ | ^ | ˇ | ˘ | · | ° | ~ | ˝ | ' | | , |

Font Family — EF Circular TT
Style — Book
Font Format — Opentype TrueType (Opentype TTF)
Designer — Laurenz Brunner (2018)

OpenType Layout Features

For details about OpenType Layout Features see the OpenType Layout tag registry.

Substitution Features

Access All Alternates
This feature makes all variations of a selected character accessible.

Contextual Alternates
In specified situations, replaces default glyphs with alternate forms which provide better joining behavior.

Standard Ligatures
Replaces a sequence of glyphs with a single glyph which is preferred for typographic purposes. This feature covers the ligatures which the designer/manufacturer judges should be used in normal conditions.

Tabular Figures
Replaces figure glyphs set on proportional widths with corresponding glyphs set on uniform (tabular) widths.

Numerators
Replaces selected figures which precede a slash with numerator figures, and replaces the typographic slash with the fraction slash.

Denominators
Replaces selected figures which follow a slash with denominator figures.

Fractions
Replaces figures separated by a slash with 'common' (diagonal) fractions.

Superscript
Replaces lining or oldstyle figures with superior figures (primarily for footnote indication), and may replace lowercase letters with superior letters (primarily for abbreviated French titles).

Subscript
The "subs" feature may replace a default glyph with a subscript glypht.

Scientific Inferiors
Replaces lining or oldstyle figures with inferior figures (smaller glyphs which sit lower than the standard baseline, primarily for chemical or mathematical notation). May also replace lowercase characters with alphabetic inferiors.

Ordinals
Replaces default alphabetic glyphs with the corresponding ordinal forms for use after figures.

Font Family — EF Circular TT
Style — Book
Font Format — Opentype TrueType (Opentype TTF)
Designer — Laurenz Brunner (2018)

(G}   Case-Sensitive Forms
Shifts various punctuation marks up to a position that works better with all-capital sequences or sets of lining figures; also changes oldstyle figures to lining figures.

Ş'Ş   Localized Forms
This feature enables localized forms of glyphs to be substituted for default forms.

g'g   Stylistic Alternates
Many fonts contain alternate glyph designs for a purely esthetic effect; these don't always fit into a clear category like swash or historical. This feature replaces the default forms with the stylistic alternates.

[1]   Stylistic Set 1
Glyphs in stylistic sets may be designed to harmonise visually, interract in particular ways, or otherwise work together.

[2]   Stylistic Set 2

[3]   Stylistic Set 3

[4]   Stylistic Set 4

[5]   Stylistic Set 5

[6]   Stylistic Set 6

[7]   Stylistic Set 7

[8]   Stylistic Set 8

[9]   Stylistic Set 9

?   Justification Alternatives
Improves justification of text by replacing glyphs with alternate forms specifically designed for this purpose (they would have less or more advance width as need may be).

?   Alternate Annotation Forms
Replaces default glyphs with various notational forms (e.g. glyphs placed in open or solid circles, squares, parentheses, diamonds or rounded boxes).

Font Family — EF Circular TT
Style — Book
Font Format — Opentype TrueType (Opentype TTF)
Designer — Laurenz Brunner (2018)

Positioning Features

N≠E Capital Spacing
Globally adjusts inter-glyph spacing for all-capital text. Most typefaces contain capitals and lowercase characters, and the capitals are positioned to work with the lowercase. When capitals are used for words, they need more space between them for legibility and esthetics.

T÷o Kerning
Adjusts amount of space between glyphs, generally to provide optically consistent spacing between glyphs.

Font Family — EF Circular TT
Style — Book
Font Format — Opentype TrueType (Opentype TTF)
Designer — Laurenz Brunner (2018)

Codepages

MacOS

MacOS Central Europe
MacOS Croatian
MacOS Cyrillic
MacOS Icelandic

MacOS Roman
MacOS Romanian
MacOS Turkish
MacOS Welsh

MS Windows

MS Windows 1250 Central European
MS Windows 1251 Cyrillic
MS Windows 1252 Western (ANSI)

MS Windows 1254 Turkish
MS Windows 1257 Baltic

ISO

ISO 8859- 1 Latin 1 (Western)
ISO 8859- 2 Latin 2 (Central Europe)
ISO 8859- 3 Latin 3 (Tu, Malt, Gal, Esp)
ISO 8859- 4 Latin 4 (Baltic)
ISO 8859- 5 Cyrillic

ISO 8859- 9 Latin 5 (Turkish)
ISO 8859-13 Latin 7 (Baltic 2)
ISO 8859-15 Latin 9
ISO 8859-16 Latin 10

IBM

IBM 37 United States - EBCDIC (IBM-28709)
IBM 273 Germany - EBCDIC
IBM 277 Denmark, Norway - EBCDIC
IBM 278 Finland, Sweden - EBCDIC
IBM 280 Italy - EBCDIC
IBM 284 Spain, Latin America - EBCDIC
IBM 285 United Kingdom - EBCDIC
IBM 297 France - EBCDIC

IBM 500 International - EBCDIC
IBM 871 Iceland - EBCDIC
IBM 921 Baltic
IBM 1025 Cyrillic - EBCDIC
IBM 1047 Open Systems - EBCDIC
IBM 1112 Baltic - EBCDIC
IBM 1123 Cyrillic Ukraine EBCDIC

Font Family — EF Circular TT
Style — Book
Font Format — Opentype TrueType (Opentype TTF)
Designer — Laurenz Brunner (2018)

Languages

Information about languages is mainly based on the Unicode Common Locale Data Repository. For details visit the Unicode CLDR Project.

Latin

Afar
Afrikaans
Albanian
Asu
Azerbaijani
Basque
Bemba
Bena
Bosnian
Breton
Catalan
Chiga
Cornish
Crimean Tatar
Croatian
Czech
Danish
Dutch
Embu
English
Esperanto
Estonian
Faroese
Filipino
Finnish
French
Frisian West
Friulian
Ga

Galician
Ganda
German
German, Low
German, Swiss
Gusii
Hawaiian
Hungarian
Icelandic
Indonesian
Interlingua
Irish
Italian
Jju
Kabuverdianu
Kalaallisut
Kalenjin
Kamba
Kikuyu
Kinyarwanda
Koro
Kurdish
Latvian
Lithuanian
Luo
Luyia
Machame
Makonde
Malagasy

Malay
Maltese
Manx
Maori
Meru
Moldavian
Morisyen
Ndebele, North
Ndebele, South
Norwegian Bokmål
Norwegian Nynorsk
Nyanja
Nyankole
Occitan
Oromo
Polish
Portuguese
Romanian
Romansh
Rombo
Rwa
Saho
Samburu
Sami Northern
Sango
Sena
Serbian
Shambala
Shona

Sidamo
Slovak
Slovenian
Soga
Somali
Sorbian, Lower
Sorbian, Upper
Sotho, Northern
Sotho, Southern
Spanish
Swahili
Swati
Swedish
Taita
Taroko
Teso
Tonga
Tsonga
Tswana
Turkish
Tyap
Vunjo
Welsh
Wolof
Xhosa
Zulu

Cyrillic

Belarusian
Bulgarian
Buriat

Kazakh
Macedonian
Mongolian

Russian
Serbian
Ukrainian

Uzbek

Lineto GmbH
Lutherstrasse 32
CH-8004 Zürich / Switzerland
General inquiries — service@lineto.com
Technical inquiries — support@lineto.com
Sales & licensing inquiries — sales@lineto.com