




REPUBLIC OF THE PHILIPPINES

POLYTECHNIC UNIVERSITY OF THE PHILIPPINES


1016 Anonas, Santa Mesa, Maynila, Kalakhang Maynila

COLLEGE OF COMPUTER AND INFORMATION SCIENCE

BlockNotes User Manual

version 1

June 24, 2026





CONTENT

INTRODUCTION	1
Overview	1
Organization of the Manual	1
HOW TO USE THIS MANUAL	2
RELATED INFORMATION	3
The Knapsack Problem	3
GETTING STARTED	4
Hardware & Software Requirements	4
Download & Installation	6
User Access & Scope	7
First -Time User Experience	7
APPLICATION ORGANIZATION & NAVIGATION	8
Meeting Organizer	8
Meeting Archive	12
Follow-Up Announcements	13
Navigation Flow	13
Exiting the System	14
USING THE SYSTEM	15
Live Parsing & Categorization	16
Typo Correction	19
Fit-For-Chat (Announcements)	20
Follow-Up Queue	24
Saving & Archiving Meetings	26
Archive Search	28
Name Autocomplete	29
Settings & Customizations	31
General Notes	33
TROUBLESHOOTING & SUPPORT	34
Error Messages & Recovery	34



Special Considerations	35
Special Considerations	36
APPENDICES	37
Appendix A: Record of Changes	37
Appendix B: Glossary	41
Appendix C: Referenced Documents	42



INTRODUCTION

Overview

Note:

BlockNotes is designed as a focused, "no-fuss" live notes organizer. To keep your experience as simple as possible, the system does not use accounts, passwords, or login screens. Instead of sending your information to a central server, everything you type is saved directly in your web browser's local memory. This approach ensures that your data remains private and stays on your device.

Block meetings generate a lot of talk and very little structure. Updates get mixed in with assigned tasks, assigned tasks get buried under announcements, and by the time someone needs to share a recap with the rest of the block, they're left scrolling through pages of raw notes trying to figure out what actually matters.

BlockNotes was built to remove that friction. It is a real-time meeting notes organizer designed around how block secretaries actually take notes — typing freely, in the moment, without stopping to format anything. As notes are typed on one side of the screen, BlockNotes automatically reads, sorts, and organizes them on the other side, turning a loose stream of text into clearly separated academic updates, block affairs, and action items, with no extra effort from the person typing.

Organization of the Manual

This manual is organized into four parts. **Getting Started** covers requirements, installation, and first launch. **Application Organization & Navigation** introduces the three main workspaces (Meeting Organizer, Meeting Archive, Follow-Up Announcements) before diving into individual features. **Using the System** is the core of the manual. Each feature gets its own subsection with a consistent format: what it does, how to use it, supporting notes, and an FAQ. Concepts are sometimes restated across subsections since features build on each other, and not everyone reads in order. **Troubleshooting & Support** and the **Appendices** close out the manual.

Definitions of key terms appear in the left-hand margin near where they're first used. Tables and screenshots are used only where they genuinely clarify something faster than text — explanations are written to stand on their own either way.



HOW TO USE THIS MANUAL

You don't need to read this cover to cover, jump straight to the section you need.

New to BlockNotes? Start with *Getting Started* and *Application Organization & Navigation*.

Need help with one feature? Go directly to that feature's subsection under *Using the System* — each one is self-contained, ending with an FAQ for common points of confusion.

Something not working? Check that feature's FAQ first — many "bugs" are expected behavior with a simple explanation. Still stuck? See *Troubleshooting & Support*.

Unfamiliar term? Check the margin definition near where it appears, or the Glossary in Appendix B.

One convention to note: this manual uses "**Tap**" instead of "click," since BlockNotes is a touchscreen mobile application.



RELATED INFORMATION

The Knapsack Problem

In particular, the **0/1 Knapsack Problem** is a classic computer science challenge focused on making the most of a limited space. According to Liu, et al. (2025), it involves selecting specific items—each with its own size and importance—to fit into a container with a fixed capacity. Because finding a perfect solution for large amounts of data can be slow, systems often use a **greedy approach**, which quickly prioritizes the most valuable items to achieve the best possible result in real-time.

Beyond sharing, the literature on record-keeping identifies the lack of structured tools as a major reason why information gets lost in student organizations. Mella & Peña (2019) found that manual documentation often makes it difficult to find specific decisions without scanning through every old file. To address this, computer scientists use **rule-based parsing**, which is a technique where a system looks for specific patterns or "tags" to automatically sort information into categories.

BlockNotes applies this method directly to its **Fit-for-Chat** feature to help secretaries share minutes through messaging apps. The app treats your messaging platform's character limit as the "capacity," while each line of text represents an item with a specific length and importance score.

The system automatically ranks your notes by their "importance-per-word" and fills the message starting with the most critical updates, such as urgent deadlines or tasks. This ensures that even if your meeting is long, the most vital information is always prioritized for the summary you send to your group.



GETTING STARTED

This section provides the information necessary to begin using the system effectively. It outlines the hardware and software requirements, user access considerations, and the steps for accessing the application. Including installations and what to expect in opening the application for the first time.

Hardware & Software Requirements

To ensure the best performance of **BlockNotes**, please verify that your device meets the following basic requirements:

- **Hardware:** You may use any standard computer or mobile device that can run a modern web browser.
- **Web Browser:** The application is compatible with updated versions of major browsers such as Chrome, Firefox, Safari, or Edge.
- **JavaScript:** Your browser must have **JavaScript enabled**. This is necessary for the system to automatically organize your notes and handle features like auto-complete while you type.
- **Internet Access:** You only need an internet connection for the first time you open the application. Because it is a "zero-dependency" system, it runs entirely on your own device and does not require the internet to save or organize your notes after that.
- **Storage Space:** Your browser must have "local storage" enabled. The application uses this space to privately save your meeting archives, rosters, and custom settings directly on your device rather than on a central server



In particular, the following are the **minimum hardware requirements** for this application

Note:

Saved information is tied to the specific browser in which it was created and is not synchronized across devices or browsers. Clearing browser data may remove stored records. Once loaded, the system can operate without an internet connection because all processing and storage are performed locally.

Metric	Minimum Requirement
Device Type	Android smartphone or tablet
Processor	Quad-core processor
Memory or RAM	At least 2GB
Internal Storage	At least 50MB of free space
Display	5-inch touchscreen or larger

In particular, the following are the **minimum software requirements** for this application

Metric	Minimum Requirement
Operating System	At least on Android 7.0
Web Browser	Current version of chromium-based browsers
Storage	localStorage enabled



Download & Installation

Note:


In installing BlockNotes, you may encounter security warnings about unsafe installations. This is a standard automatic warning built into Android for any application downloaded outside the official sources like playstore. The BlockNotes package is safe to install.

Because BlockNotes is an independent project distributed outside of the Google Play Store, it is provided as a standalone **APK (Android Package)** file.

1. Navigate to the **official GitHub build folder**

[BlockNotes Build Directory](#)

2. Locate and tap on the **BlockNotes.apk** file in the directory list, then tap the **Download** icon (or the **Raw** button) to download it.



3. Wait for the download to finish. The file will be saved directly to your device's designated **Downloads Folder**.
4. Once downloaded, locate your file to begin installing
5. Tap on the **apk file** (BlockNotes.apk) and choose an appropriate installer
6. If not already, **configure your device's permissions to allow installations from unknown sources**. On some devices, if scanning is prompted you can **either continue with scanning, or skip scanning altogether**.
7. After installation, decide whether to Open BlockNotes immediately or return to previous screen

Congratulations, you have successfully installed BlockNotes on your device




User Access & Scope

BlockNotes is a **single-user, browser-based application** that stores all data locally using the browser's *localStorage*. No accounts, sign-in procedures, or external servers are required; meeting archives, follow-up tasks, rosters, and settings are stored only on the device and browser being used.

As a result, data does not automatically synchronize across devices. While this allows the system to function offline, users should be aware that clearing browser data may permanently remove stored records and settings.

First -Time User Experience

BlockNotes requires minimal configuration before use. Upon first launch, users may begin creating notes immediately without registering an account or connecting to an external service.



APPLICATION ORGANIZATION & NAVIGATION

BlockNotes is organized into three primary workspaces that can be accessed through the navigation controls located at the top of the interface: the **Meeting Organizer**, **Meeting Archive**, and **Follow-Up Announcements** views.



Meeting Organizer

Note:

Changes made within the Meeting Organizer are reflected in the Structured View in real time. Users do not need to manually refresh, sort, or reorganize their notes for categorized content to appear in the appropriate sections.

In the Meeting Organizer tab, you will be able to see the following

- The **navigation bar** at the very top, which contains essential buttons:




What It Is	What It Looks Like	What It Does
Meeting Organizer button		Switch to Meeting Organizer tab
Meeting Archive button		Switch to Meeting Archive tab
Follow-Up button		Switch to Follow-Up Announcements tab
New button		Treat current note as a new file
Save button		Save current note
Clear button		Clear notes pane
Theme button		Switch between dark and light theme



- Below the navigation bar are a mix of the details of the note, including title, and time, as well as miscellaneous which has the layout button and the tags:

What It Is	What It Looks Like	What It Does
Meeting Title		Gives the current notes a title
Meeting Date		Determines the date when the current notes were made
Layout button		Change orientation of edit and live organizer panes
Tags		Non-functional, displays the 3 tags of this application + syntax for mentioning a person from the class roster

- At the very bottom of the screen are buttons and fields that **support other important uses** of the application besides the organizer:

What It Is	What It Looks Like	What It Does
Line count		Tells the total note count
Character Limit		Set character limit for the fit-for-chat function
Run fit-for-chat button		Activate <i>fit-for-chat</i> function
Urgency Score Reference button		Lets you see the corresponding score for each for urgency word
Class Roster button		Lets you see the names of the people in your class (which you can mention with @)

The Meeting Organizer serves as the primary note-taking environment and uses a split-pane layout to support real-time organization of meeting content.


- The **Raw Input** panel on the left functions as the editor area where users enter meeting notes, announcements, reminders, and tasks.
- The **Structured View** panel on the right displays automatically organized content generated from the text entered in the Raw Input panel.



As users type, BlockNotes continuously analyzes each line and routes it to the appropriate category based on the tags detected.

Meeting Archive

The Meeting Archive workspace provides access to previously saved meetings. Users may browse archived meeting records or locate specific meetings using the keyword search function. Saved meetings remain available until removed by the user or until application data is cleared.




//empty at first

Below is what it looks like when a meeting is saved or when the meeting tab is populated:

Follow-Up Announcements

The Follow-Up Announcements workspace contains action items and announcements that require further attention. This view displays follow-up entries extracted from meeting records and presents them in a consolidated location, allowing users to review pending tasks and important reminders separately from the main meeting notes.



//empty at first

Navigation Flow

The typical workflow within BlockNotes begins in the Meeting Organizer, where notes are entered and organized in real time. Completed meetings may then be saved to the Meeting Archive for future reference. Follow-up tasks generated from those meetings can subsequently be reviewed through the Follow-Up Announcements workspace, providing a structured progression from note capture to task tracking.

CREATE MINUTES LIVE → SAVE THE MINUTES → CHECK FOR FOLLOW-UP
ANNOUNCEMENTS

Above is a common user navigation flow



Exiting the System

Note:

Closing the application does not automatically create a meeting archive entry. Users must explicitly save a meeting for it to become part of the permanent archive.

To exit BlockNotes, users may close the application using the device's recent applications menu, home button, or back navigation controls.

Before exiting, users should consider the following:

- Ensure that completed meeting notes have been saved using the **Save** button if they are intended to be retained in the Meeting Archive.
- Unsaved work in the Meeting Organizer may remain available when the application is reopened; however, only saved meetings are added to the archive and become searchable through the Meeting Archive view.
- Verify that important follow-up items and announcements have been reviewed before closing the application.
- If a meeting is still in progress, users may continue editing upon returning to the application, provided the application's local data has not been cleared.
- Some results are only available by tapping specific buttons (e.g. "run" button for fit-for-chat) and may be lost after exiting.



USING THE SYSTEM

This section explains the **core features and workflows** of BlockNotes, including note organization, categorization, follow-up management, meeting archiving, and search functions. It also describes the automated processes that assist users in managing and retrieving meeting information efficiently.

First let us define some nonfunctional terminologies:

Note

A single line of text entered into the editor pane. Notes are the basic unit of input in BlockNotes — each one is evaluated independently as it is typed, tagged or untagged, and categorized accordingly. A note exists only as part of an in-progress draft until it is saved. We use the words “Note” and “Line” interchangeably depending on the action and context

Draft

The complete, current contents of the editor pane at any given moment — effectively the full set of notes typed so far for a session that has not yet been saved. Drafts are retained automatically (including across page reloads) as a safeguard against accidental loss, but they are not searchable and do not appear in the Archive until formally saved.

Meeting

A saved, permanent record created when a draft is committed to the Archive. Saving a meeting is a deliberate action taken by the user — typically once notetaking for a session is complete — and is what distinguishes a meeting from an ordinary draft. Once saved, a meeting becomes part of the searchable Archive and is no longer dependent on the editor pane to persist.



Live Parsing & Categorization

Definition:

Tag — A short keyword placed at the beginning of a line to indicate its category.

As you type into the editor pane, BlockNotes reads your notes *line by line* and **automatically sorts each line** into one of four categories, depending on the **tag** at the start of the line, shown live in the output pane on the **right**:

Category	Tag
Academics	#acad
Block Affairs	#org
Action Items	[A]

Definition:

Category / Bucket —

One of four classifications a line of text may fall under:

Academics, Block Affairs, Action Items, or Untagged.

Only three (3) tags are available for the users to utilize, they can't invent their own categories. As a result, untagged lines get grouped in the untagged category. After groupings, all categories and their respective contents are displayed on the right side of the split-screen

Categorization occurs automatically as notes are entered, based on the tag present (or absent) at the start of each line.


How to use it:

- 1) Open BlockNotes. The editor pane is on the left, the categorized output is on the right.
- 2) **Start** the first line **with one of the following**:
 - #acad — for academic updates (e.g. "#acad Finals moved to Monday")
 - #org — for block affairs / announcements (e.g. "#org Need a theme for the block party")
 - [A] — for action items, followed by "Name: task" (e.g. "[A] Maria: Submit payment by the 15th")

Definition:

Action Item — A task assigned to a specific individual, written in the format [A] Name: task. Unlike the other tags, an action item identifies both a responsible person and a deliverable, making it distinct from general academic or organizational notes.

- 3) Press **Enter to start a new line**. Each line is evaluated independently. There's no need to retype a tag if you're continuing to type across multiple lines, but **each new line created by pressing the enter key that is not explicitly re-tagged will be evaluated on its own content**.
- 4) Watch the right pane update in real time as you type — there is no "submit" step for parsing itself; it happens continuously.



The screenshot displays the BlockNotes application interface. At the top, a header bar shows the meeting title "Techdoc Meeting", the date "06/23/2026", and tags for "#acad", "#org", "[A] name: task", and "@name". Below the header, the interface is split into two main panes.

The left pane, titled "RAW INPUT" with the subtitle "Type freely — tags auto-organize", contains a list of notes from a meeting transcript. These notes include various tags like #acad, #org, and [A] followed by names and tasks. For example:

- #acad Final exam tomorrow morning URGENT bring bluebooks
- #org We need to pick a party theme this week Friday meeting
- [A] Maria Santos: Collect 150 pesos from everyone by today
- #acd Professor said quiz on Monday next week
- #org Shirt order deadline is TODAY we need sizes
- #org Decoration supplies budget is still unconfirmed
- [A] Juan dela Cruz: Reserve the venue by Wednesday afternoon
- #acad Submit assignment by 15th absolutely deadline
- #org We should vote on the theme at next meeting
- Bring yellow paper for tomorrow lab
- #org Intramurals sign-up form is live now
- #acad Study group meets Tuesday night if interested
- [A] Ana Reyes: Make the poster for the party
- #org Catering for the event costs 500 pesos total
- #acd Exam is Friday morning first period

The right pane, titled "STRUCTURED VIEW" with the subtitle "Live-organized output", shows the application's real-time processing of the input. It organizes the notes into three distinct sections:

- ACADEMICS** (tagged #acad, 5 items): This section lists academic tasks such as "Final exam tomorrow morning URGENT bring bluebooks", "Professor said quiz on Monday next week" (marked as fixed), "Submit assignment by 15th absolutely deadline", "Study group meets Tuesday night if interested", and "Exam is Friday morning first period" (marked as fixed).
- BLOCK AFFAIRS** (tagged #org, 6 items): This section lists organizational tasks such as "We need to pick a party theme this week Friday meeting", "Shirt order deadline is TODAY we need sizes", "Decoration supplies budget is still unconfirmed", "We should vote on the theme at next meeting", "Intramurals sign-up form is live now", and "Catering for the event costs 500 pesos total".
- ACTION ITEMS / DELIVERABLES** (tagged [A], 3 items): This section lists specific tasks assigned to individuals, such as "Maria Santos: Collect 150 pesos from everyone by today", "Juan dela Cruz: Reserve the venue by Wednesday afternoon", and "Ana Reyes: Make the poster for the party".

At the bottom of the right pane, there is a section labeled "UNTAGGED" with a sub-header "Loaded: Techdoc Meeting". It contains one item: "Bring yellow paper for tomorrow lab".



- Tags are case-insensitive (#ACAD and #acad behave the same).
- The live parsing only results in categorization, **nothing you type is ever discarded.**
- The "[A]" check is evaluated before tag-matching, so an action item line does not also need a "#" tag.
- **Categorization re-runs on every keystroke;** for very long notes this is still instant, since the underlying matching is designed to run cheaply on every keystroke.

FAQ:

Q: I typed "#acad" but the line is staying in "Untagged" — why?

A: Make sure there's nothing before the tag on the line (leading spaces are fine, but other characters before the "#" will prevent it from being recognized) and that the tag is the very first token on the line.

Q: Can I use my own tags instead of #acad / #org?

A: Not currently — the three core tags (#acad, #org, [A]) are fixed. Custom keywords can be added for urgency scoring (see *Settings & Customization* section) but they don't create new categories.

Q: What happens to blank lines?

A: They're skipped during parsing and don't appear in the categorized output.



Typo Correction


Definition:

Typo — An unintentional, keystroke-level slip while typing (like hitting an adjacent key) — not a misspelling, where the user simply didn't know the correct spelling. A typo means you knew the right tag, your fingers just missed.

If you **mistype a tag** — for example typing "#acd" instead of "#acad" — BlockNotes will often catch the mistake automatically, correct it to the nearest valid tag, and mark the line with a small "fixed" badge so you know a correction was made.

How to use it:

- 1) Just type naturally. If you make a typo in a tag, keep typing — there's nothing to trigger manually.
- 2) In the case a typo does happen, look for a small **"fixed"** badge next to a line in the output pane. This means the tag you typed was auto corrected to the nearest valid tag.



- Correction is based on how close your **typo** is to a real tag — **in terms of the layout of letters on a keyboard**. Very short or very different typos may not get auto corrected, since the system only corrects when it's reasonably confident about your intent.
- If a typo isn't auto-corrected, the line simply falls into "Untagged" — it's not flagged as an error, and you can manually retype the tag to fix it.

FAQ:

Q: Why didn't my typo get corrected?

A: The system only corrects typos it's confident about. If your typo is too different from any valid tag, it won't guess — it will leave the line as Untagged instead of risking a wrong correction.

Q: Can I turn typo correction off?

A: Not currently — it runs automatically in the background. If a tag is typed correctly, no correction logic is triggered, so it generally won't get in the way.

Q: Is there a list of "known" common typos?

A: Yes — a small set of very common ones are recognized directly. Beyond that, BlockNotes falls back to the keyboard-distance-based correction described above.

Fit-For-Chat (Announcements)

This is BlockNotes' **export feature** for sharing meeting recaps in group chats. Instead of dumping every note into a message, you set a character limit, and BlockNotes automatically picks the most important lines to include — fitting as much value as possible into the space you give it.


How to use it:

- 1) After taking your notes, locate the **character budget selector** (this sets the maximum size of your exported recap).

Definition:

Character Budget —

A user-defined limit on the length of an exported recap, expressed in *characters*. This value determines how much content can be included when generating a Fit-for-Chat export.



Definition:

Importance / Priority—

A relative measure of how significant a line is, determined by factors such as urgency-related language, deadlines, exam references, dates, applicable tags, and any custom keywords the user has configured. This value is used internally to determine which lines are included when exporting under a character budget, but is not displayed numerically to the user.

- 2) **Set** your desired character budget — try a generous number first (e.g. 120–150 characters) to see how much gets included.

Fit for Chat: **300** chars

- 3) **Tap "Run"** (or the equivalent Fit-for-Chat button).


 **Run**

- 4) The output pane switches into **"fit mode"** showing which lines were selected. Selected lines are marked, often with a small priority indicator showing their calculated importance.

Definition:

Fit Mode —

The display state entered after running a Fit-for-Chat export. In Fit Mode, lines are visually distinguished between those selected for export and those set aside, allowing the user to review the selection before copying or deferring content.



How much characters were used compared to the limit

Included

Excluded

Line character count

Line score

Copy all included items into format

1 Line

Fit for Chat: 500 chars

Run

Copy Selected

Same notes — using cached result.

Characters used: 477 / 500

Make the poster for the party

Final exam tomorrow morning URGENT bring bluebooks

Professor said quiz on Monday next week

Submit assignment by 15th absolutely deadline

Study group meets Tuesday night if interested

Exam is Friday morning first period

We need to pick a party theme this week Friday meeting

Shirt order deadline is TODAY we need sizes

Decoration supplies budget is still unconfirmed

We should vote on the theme at next meeting

Intramurals sign-up form is live now

Catering for the event costs 500 pesos total

Collect 150 pesos from everyone by today

Reserve the venue by Wednesday afternoon

Make the poster for the party


Bring yellow paper for tomorrow lab

Definition:

Cached Result —

The system's retained record of a previous Fit-for-Chat export. If no relevant changes have been made to the notes or character budget, BlockNotes will reuse this cached result instead of recalculating, improving responsiveness.

- 5) Lines that didn't make the cut are not crossed out—you can review them and choose to defer them to your Follow-Up Queue (see *Follow-up Queue* section) instead of losing them entirely.
 - 6) Tap "**Copy Selected**" to copy the generated recap (formatted for chat apps) to your clipboard, ready to paste into Discord, Messenger, etc.
 - 7) To go back and adjust the budget, simply change the number and run again — BlockNotes will only fully reprocess if something actually changed since the last run.
- Lines are chosen based on an internal "importance score," which favors, and in order:
 - a. Action items
 - b. Lines mentioning urgent timeframes (today, tonight, now, tomorrow)
 - c. Deadlines (due, submit, urgent, asap)
 - d. Exams/quizzes/tests
 - e. Specific day names or numeric dates
 - f. Academic and block-affairs tags (in that priority order)
 - g. Any *custom keywords* you've added (see *Settings & Cust.* section)



Urgency Scoring Reference	
1 / 3	
Built-in Urgency Signal Words	
These are fixed and cannot be edited.	
Words	Points
today, tonight, now	+5
tomorrow	+4
deadline, due, submit, urgent, asap	+4
exam, quiz, test, finals, prelim	+3
monday, tuesday, wednesday, thursday, friday, saturday, sunday	+3
date number (e.g. 15th, 3rd, June 3)	+2

// see more in-app



Note:

Every fit-for-chat run is given a *fingerprint* in order to tell if BlockNotes should recompute or not.

- **Shorter, high-importance lines are favored over longer ones**, since the goal is maximizing value within a strict character limit — not just picking the "most important" lines regardless of length.
- **This is a fast approximation, not a perfect optimizer** — in rare edge cases, a marginally better combination of lines might exist that the system didn't pick, in exchange for being instant rather than slow.
- Re-running with the exact same notes and the exact same budget will not recompute from scratch — BlockNotes recognizes nothing has changed and reuses the previous result instantly.
- Adding a custom urgency keyword (Settings) will force a fresh recalculation the next time you run Fit-for-Chat, even if your notes haven't otherwise changed.

FAQ:

Q: Why was a long, important-sounding line left out?

A: Long lines cost more of your character budget. If a shorter line covers similar urgency at a lower cost, it may be prioritized instead. Try raising the character budget if you want more long-form lines included.

Q: Why was a low-priority line included even though more "important" lines were excluded?

A: If there's leftover space in the budget after enough higher-priority lines are placed, low-value lines may still be added to use up the remaining room — nothing is wasted if it still fits.

Q: I changed a line's wording slightly — why did my whole selection change?

A: Any edit to your notes invalidates the previous result, since the system can't be sure your edit didn't change what matters. It will recompute fresh the next time you run it.

Q: Can I manually force a line in or out of the export regardless of score?

A: Yes — after running Fit-for-Chat, you can review the selection and adjust which lines are included before copying, via the checkbox icons.

Follow-Up Queue


Definition:

Follow-Up Queue —
A holding area for notes you didn't export but don't want to lose.


Keeps track of notes that didn't make it into a fit-for-chat chat export run but still need attention later — so nothing brought up in a meeting quietly disappears just because it didn't fit in the recap.

How to use it:

- 1) Run *Fit-for-Chat* (previous section) as normal.
- 2) **Review** the **lines** that **were excluded** from the selection.
- 3) Instead of discarding them, **leave them as unchecked** then tap “Copy Selected” as normal — they'll be **deferred/staged** for the Follow-Up Queue.




- 4) **Save the meeting** (see *Save & Archive Meeting* next section). This is the step that actually commits/**transfers** the deferred lines into your Follow-Up Queue — staging them alone is not enough; the queue only updates once you save.



- 5) Open the Follow-Up Announcements tab to see your full queue, automatically **ordered with the most urgent items at the top**.



- The queue is kept **sorted by urgency value at all times**. Every time a new item is added, it's inserted directly into its correct position rather than the whole list being re-sorted from scratch.
- Because of this, you'll always see your most pressing follow-ups first, even as you keep adding more from future meetings.
- Items only enter the queue at save time — if you close the tab or **navigate away after exporting but before saving**, deferred lines from that session **will not be added to the queue**.
- You may always choose **which follow-up note to format and export out of the follow-up queue**, as a way to resolve and remove them, by **tapping on the checkbox** for the notes you want to include, and then **tapping “Copy & Post Selected”** to then get a formatted copy on your clipboard.



FAQ:

Q: I deferred some lines and copied my export, but my Follow-Up Queue wasn't updated — why?

A: The queue only updates when the meeting is saved. Make sure to save the meeting after copying your export if you want deferred lines to actually be added to the queue.

Q: Can I remove something from the Follow-Up Queue once it's resolved?

A: Yes — completed or no-longer-relevant items can be removed from the queue once you've dealt with them.

Q: Does the queue carry over between meetings?

A: Yes — it's a single running list that accumulates across all your saved meetings, not reset per-meeting.

Saving & Archiving Meetings


Saving a meeting permanently stores it (in your browser) so it can be revisited, searched, or referenced later — and is also the trigger point for committing any deferred lines into your Follow-Up Queue.

How to use it:


- 1) **Give your meeting a title** (or leave it blank — a default title will be used automatically).

Note:



The image to the right is what should be seen right after clicking the *New button* (see *Meeting Organizer* section)




- 2) If you're re-editing a **previous loaded meeting** (from the last time you opened the application), then you may **decide to treat the current draft as a "New" file or just save it again to the same file.**



- 3) Click **"Save"** button on the navigation bar.
- 4) Your **meeting is added to the Archive**, and if you had **any deferred lines staged** from a Fit-for-Chat export, they are now **added to your Follow-Up Queue** as part of the same save action.

With Deferred	Without Deferred
 Saved! 5 deferred lines added to Follow-Up. • Bring yellow paper for tomorrow lab	 Meeting saved! for tomorrow lab

- 5) Saved meetings appear in the **Meeting Archive tab**, most recent first, and can be reopened at any time.



- Saving the same meeting again (after reopening and editing it) updates the existing record rather than creating a duplicate entry.
- All saved data lives in your browser's local storage — it is not synced to any server or account (see *Troubleshooting & Support* section for what this means for backups and switching devices).
- **Clearing the editor without saving will discard any deferred lines** that hadn't yet been committed to the Follow-Up Queue.



FAQ:

Q: If I change the meeting title from a loaded save, will it automatically save as a new meeting?

A: No — saving it is still treated as the same meeting and updates it in place rather than creating a new one.

Q: Can I get the *fit-for-chat* of all my saved meetings again?

A: Yes, just re-do the necessary steps (see *Fit-For-Chat* section)

Q: Can I delete a saved meeting?

A: Yes — saved meetings can be removed from the Archive if you no longer need them.

Archive Search


Definition:

Keyword (Search Term) — A single, whole word used to search the Archive — not a phrase. It must be at least 4 characters long, and will show up even as part of a bigger word

Lets you search across every meeting you've ever saved, instantly finding which past meetings mentioned a particular word or topic — and highlighting exactly were.

How to use it:

- 1) Open the Archive view.
- 2) **Type** a search term or more precisely: **a keyword**, into the search box
- 3) Matching **meetings appear as results**, each showing a short preview with your search term/**keyword highlighted in context**.



- 4) Navigate using a result to open its respective meeting.



- Search results are pulled from a freshly rebuilt index each time you search, so newly saved meetings are always immediately searchable — there's no "refresh index" step required.
- Up to 3 matching preview lines are shown per meeting result, even if a meeting contains more than 3 matches for your search term.

FAQ:

Q: Can I tap the result to go directly on the meeting it was sourced?

A: Not at the moment, only meeting titles and their dates are shown so you may navigate manually to that meeting

Q: I searched for a 2-letter word and got nothing — why?

A: Very short search terms (under 4 characters) aren't indexed, since they'd match far too many unrelated lines to be useful. Try a longer, more specific term.

Q: Does search work across all my meetings, or just the current one?


A: Across all saved meetings in your Archive — it's a global search, not limited to whatever meeting you currently have open.

Name Autocomplete

Speeds up writing action items by suggesting names from your block roster as you type, so you don't have to type a full name (or worry about spelling it correctly) every time you assign a task.

How to use it:

- 1) While typing in the editor, type "@" followed by the first few letters of a name (e.g. "@Mar").





Definition :

Roster — A list of names associated with the user's block that BlockNotes refers to.

- 2) A small suggestion list appears showing roster names that start with what you've typed (up to 6 suggestions).
 - 3) Tap a suggested name (or use your keyboard to select it) to insert it automatically.
 - 4) The suggestion list disappears once a name is selected or once you continue typing past what matches anyone in the roster.
- Matching is based on the start of the name only — typing "@aria" will not match "Maria," since the match must begin at the start of the name, not anywhere within it.
 - The **roster** is checked from the very beginning every time, in the order names are stored — so very large rosters may show suggestions in a consistent but not alphabetically obvious order.
 - This feature is independent of tag categorization — you can use @name autocomplete inside any line, tagged or untagged.

FAQ:

Q: I typed "@" but nothing happened — why?

A: Make sure "@" is followed directly by letters with no space, and that at least one roster name starts with what you've typed so far.

Q: Can I add new people to the roster myself?

A: Yes — your block roster can be edited, navigate towards the *class roster button* at the bottom right corner of the screen. So autocomplete suggestions stay accurate as your block's membership changes.

Q: Why does the suggestion list only show 6 names even though more match?

A: This is an intentional limit to keep the suggestion list short and easy to scan — narrowing your typed letters further will filter the list down to what you're looking for.

Settings & Customizations

A collection of separate functional features. Let's you personalize a few aspects of how BlockNotes behaves — most notably, adding your own custom urgency keywords so Fit-for-Chat prioritizes things that matter specifically to your block, beyond the built-in keyword list. Also includes display preferences like theme and layout.

What our application offers:

- 1) Open the Settings panel.
- 2) To add a **custom urgency signal**: type in a keyword or phrase that's important to your block (e.g. a club-specific event name or a recurring deadline term), assign it a point value, and save it.



- 3) **Custom signals are immediately considered** the next time you run Fit-for-Chat — even if your notes haven't otherwise changed, the addition of a new custom signal forces a fresh recalculation, so it's reflected right away.



With Custom Signal	Without Custom Signal
Characters used: ■ 16 / 500 ☒ test-bukas ▲10 16c	Characters used: ■ 16 / 500 ☒ test-bukas ▲5 16c

4) **Other available settings include:**

- Light/Dark theme toggle
- Layout toggle (horizontal vs. vertical split-pane view)

Dark Mode

Dark Mode + Vertical Layout



FAQ:

Q: I added a custom signal but my last export didn't change to reflect it.

A: Re-run Fit-for-Chat after adding the signal — adding a new signal doesn't retroactively re-score an export you already generated; it takes effect on the next run.

Q: Can a custom signal use the same word as a built-in one?

A: Technically yes, but it's not recommended — it would just add extra points on top of the built-in score for that word rather than replacing or overriding it.

Q: Will switching themes or layout affect my saved notes or meetings?

A: No — these are purely visual preferences and have no effect on your notes, archive, or follow-up queue.



General Notes

- All data is stored locally in your browser only — **clearing your browser's site data** for BlockNotes will **permanently erase your saved meetings**, Follow-Up Queue, roster, and settings.
- **Clearing the editor** will ask for **confirmation first**, since it cannot be undone afterward.
- The subsections in this section build on one another in order — notes are categorized (*Live Parsing & Categorization*) before being exported (*Fit-For-Chat*), exported before deferred, and deferred items only become permanent once saved (*Saving & Archiving Meetings + Follow-Up Queue*).

FAQ

Q: What's the difference between my notes being auto-retained and actually saving a meeting?

A: Your in-progress draft is kept automatically so you don't lose it on a reload — but it isn't searchable and doesn't appear in the Archive. Saving a meeting is the deliberate step that files it away as a permanent, searchable record.



TROUBLESHOOTING & SUPPORT

Error Messages & Recovery

BlockNotes is designed to run quietly in the background, but a few situations can interrupt normal saving, exporting, or copying. This section explains what you'll see when something goes wrong and what to do about it.

Note:

Your browser sets a limit on how much data a site like BlockNotes can store locally. If you've accumulated a very large number of saved meetings over time, you may eventually approach this limit.

Storage is full or unavailable

- If storage is full, attempting to save a meeting will fail, and you'll see an error indicating the save could not be completed.
- Your most recent unsaved draft is not lost immediately — it remains in the editor — but it will not be committed to the Archive until space is available.
- If your browser has storage disabled entirely (uncommon, but possible in private/incognito modes or under strict privacy settings), saving, archiving, and the Follow-Up Queue will not function for that session at all, since none of these features have anywhere to write to.
- **What to do:** Delete older or unneeded meetings from the Archive to free up space, then try saving again.

Note:

The "Copy" action in Fit-for-Chat relies on your browser's clipboard permissions.

Clipboard copy fails

- If your browser blocks clipboard access (often due to permission settings or running BlockNotes outside a secure context), the copy action may silently fail to place text on your clipboard.
- If this happens, the generated recap is still visible in the output pane — you can manually select and copy the text yourself as a fallback.
- **What to do:** If "Copy" doesn't seem to work, check that you've granted clipboard permission to the page, or copy the displayed text manually.



Data appears to be missing

- If a previously saved meeting, your roster, or your Follow-Up Queue suddenly appears empty, this is almost always related to local storage being cleared rather than a bug in BlockNotes itself. See below for why this happens and how to prevent it going forward.

Special Considerations

No export or backup feature

BlockNotes currently has no way to export or back up your data outside of the Fit-for-Chat copy-to-clipboard export. This is a known limitation, not a bug — keep this in mind if you're relying on BlockNotes for anything long-term.

Again, clearing your browser will erase everything

If you ever clear your browser's site data, cookies, or cache for BlockNotes — whether intentionally or as part of a routine browser cleanup — the following will be permanently deleted with no way to recover them:

- All saved meetings in your Archive
- Your entire Follow-Up Queue
- Your roster
- Your custom urgency signals and other settings
- This is the single most important thing to be aware of when using BlockNotes for anything you'd be upset to lose.

Recommended practice

Until a backup or export feature is introduced, the safest habit is to use the Fit-for-Chat copy-to-clipboard export (see *Fit-For-Chat* section) regularly as a lightweight, manual way to preserve a readable record of your notes outside of BlockNotes itself.



Special Considerations

If you run into an issue not covered here, or have feedback on BlockNotes:

Contact Method	Handle/Address
Email	seanvilleza40@gmail.com jamaicacastillo00@gmail.com xyzriel.bober@gmail.com kentescorel@gmail.com clarkianborja@gmail.com
Institute	Polytechnic University of the Philippines – Sta. Mesa
Course and Section	Computer Science 2-5
Github	effytamine cas-tle tienbilog khieon705 cianborja
Github Repository	BlockNotes Repository

When reporting an issue, include what you were trying to do, what you expected, and what happened instead.



APPENDICES

Appendix A: Record of Changes

Based on the development discussion log, a structured changelog focused only on actual application/feature/scope changes

Date	Change	Type	Description
May 27, 2026	Save behavior fix	Bug Fix	Resolved duplicate note entries appearing when a saved meeting was updated again.
May 27, 2026	Delete confirmation added	Feature Addition	Added a confirmation prompt ("Are you sure you want to delete [note name]?") before deleting a note, to prevent accidental data loss.
May 27, 2026	Tagging scope decision	Scope Decision	Considered expanding tags to cover full Minutes-of-Meeting fields (purpose, attendees, time, agenda). Repositioned BlockNotes as a general-purpose note categorizer rather than a dedicated MoM tool.



Date	Change	Type	Description
May 27, 2026	Task Assignment Optimizer	Feature Proposed → Dropped	A proposed feature to auto-suggest task assignees based on workload history and keyword matching was discussed, compared against existing features for overlap, and ultimately not pursued — determined to need more substance and to fall outside the app's core purpose.
May 28, 2026	Follow-Up Queue duplication fix	Bug Fix	Fixed duplicate Follow-Up entries appearing when the same meeting was saved more than once.
May 28, 2026	Save-by-title behavior	Feature Change	Changed save logic so meetings are matched by unique title — saving under the same title updates the existing record instead of creating a duplicate.
May 28, 2026	Layout change	UI Change	Switched to a vertical split-pane layout (from a previous non-vertical version).



Date	Change	Type	Description
May 28, 2026	Theme system	Feature Addition	Added Dark/Light Mode toggle with persistent theme preference across sessions; redesigned category block styling for both modes.
May 28, 2026	UI/UX bug fixes	Bug Fix (batch)	Fixed multiple visual issues: Follow-Up card selection contrast, Archive list scroll spacing, delete-button styling, Archive search visibility in Dark Mode, selection counter contrast, checkbox alignment, hover-state theming, and Roster modal icon visibility.
May 29, 2026	Packaging	Build Change	Packaged the application as a distributable APK.
June 5–7, 2026	Algorithm substitution: Knapsack	Algorithm Change	Replaced backtracking-based 0/1 knapsack with a greedy heuristic approximation, per course feedback.



Date	Change	Type	Description
June 12, 2026	Algorithm substitution: Typo Correction	Algorithm Change	Replaced Levenshtein distance with a closest-pair brute-force approach for typo correction, since Levenshtein had not been covered in the course curriculum.
June 12–13, 2026	Documentation scope adjustment	Scope Decision	Diagrams simplified to abstract away internal implementation details, per guidance to keep documentation defensible under instructor questioning.
June 14, 2026	Codebase reorganization	Refactor	JavaScript reorganized from a single file into multiple modular files for clarity.
June 14, 2026	Scope depth decision	Scope Decision	DecisionOf six total features, only four were identified as implementing core textbook DAA algorithms; typo correction, archive search are referenced by name only and discussed briefly.



Appendix B: Glossary

Since the words are defined in with the document to ease readers, we will only list their respective pages here.

Word	Page
Tag	16
Category / Bucket	16
Action Item	17
Typo	19
Character Budget	20
Importance / Priority	21
Fit Mode	21
Cached Result	22
Follow-Up Queue	24
Keyword (Search Term)	28
Roster	29



Appendix C: Referenced Documents

Document	Link
User Manual Template (CMS-style)	Link unavailable
Project Source Repository	Link
Course Reference	Link not for sharing
Project Proposal Document	Link