		la	i	
#	Column/ Variable name	Shapefile name	Units	Description
-	SID	SID	Jinto	Storm Identifier.
	SEASON	(same)	year	Otom ruonanci.
	OL/10014	(Same)	your	The cardinal number of the system for that season.
3	NUMBER	(same)		The count includes all basins, so this will not be continuous for basin files.
				Basins include: NA - North Atlantic EP - Eastern North Pacific WP - Western North Pacific NI - North Indian SI - South Indian SP - Southern Pacific SA - South Atlantic
4	BASIN	(same)		MM - Missing - should not appear in final IBTrACS product
5	SUBBASIN	(same)		Subbasins include: MM - missing - no sub basin for this basin (no subbasins provided for WP, SI) CS - Caribbean Sea GM - Gulf of Mexico CP - Central Pacific BB - Bay of Bengal AS - Arabian Sea WA - Western Australia EA - Eastern Australia
				Name provided by the agency.
6	NAME	(same)		IBTrACS ignores most names that include digits or abbreviations.
7	ISO_TIME	(same)	UTC	ISO Time provided in Universal Time Coordinates (UTC). Format is YYYY-MM-DD HH:mm:ss Most points are provided at 6 hour intervals. Some agencies provided 3 hour points (e.g., New Delhi) or times at important observations (e.g., landfall times in the North Atlantic, etc.).
8	NATURE	(same)		Combined storm type. This is assigned based on all available storm types. They include: DS - Disturbance TS - Tropical ET - Extratropical SS - Subtropical NR - Not reported MX - Mixture (contradicting nature reports from different agencies)
			deg	
	LAT	(same)	north	
10	LON	(same)	deg_east	
11	WMO_WIND	(same)	knots	Maximum sustained wind speed from the WMO agency for the current location. NO adjustment is made for differences in wind speed averaging periods. hurdat/atcf = North Atlantic - U.S. Miami (NOAA NHC) - 1-minute winds tokyo = RSMC Tokyo (JMA) - 10-minute newdelhi = RSMC New Delhi (IMD) - 3-minute reunion = RSMC La Reunion (MFLR) - 10 minute bom = Australian TCWCs (TCWC Perth, Darwin, Brisbane) - 10-minute nadi = RSMC Nadi (FMS) - 10 minute wellington = TCWC Wellington (NZMS) - 10-minute
_	WMO_PRES	(same)	mb	
	WMO_AGENCY	(same)		This is the reporting agency responsible for the basin as currently listed. It should be noted that many of the agencies did not accept official WMO responsibility until relatively recently, e.g., La Reunion in 1993 or IMD in 1990. Therefore the WMO agency is used loosely to describe the currently reponsible agency.

		Shapefile		
#	Column/ Variable name	name	Units	Description
				Track type Tropical storms can interact. This identifies :
				MAIN - primary track associated with a storm system. This is a track that has had some reanalysis and is higher quality than provisional data.
				spur - usually short lived tracks associated with a main track and often represents alternate positions at the beginning of a system. Can also represent actual system interactions (e.g., Fujiwhara interactions).
				PROVISIONAL - Real time data used to populate the position and other parameters of this system. This is a provisional track that will be replaced when reanalysis of the storm is performed. (Usually within 2 years of the storm's occurrence)
				PROVISIONAL_spur - Real time data (see provisional description above) but due to differences in positions between various inputs, algorithm can not identify accurate position. When counting storms, these should not likely be counted. These should be rare for PROVISIONAL data.
				US-PROVISIONAL - Real time data used to populate the position and other parameters of this system for USA variables, best track data used for other centers. The USA provisional track and any combined storm values assigned by the IBTrACS algorithm will be replaced when reanalysis of the storm is performed. (Usually within 2 years of the storm's occurence)
				US-PROVISIONAL_spur - Real time USA data and other center best track(see us-provisional description above) but due to differences in positions between various inputs, algorithm can not identify accurate position. When counting storms, these should not likely be counted. These should be rare for US-PROVISIONAL data.
14	TRACK_TYPE	(same)		
15	DIST2LAND	(same)	km	Distance to land from the current position. The land dataset includes all continents and any islands larger than 1400 km^2. The distance is the nearest at the present time in any direction.
		,		Nearest location to land within next 6 hours.
				This can be thought of a landfall flag: =0 Landfall within 6 hours.
				>0 No landfall within next 6 hours.
16	LANDFALL	(same)	km	Calculations are based on storm center (columns 9,10). Values less than 60 nmile likely are impacted by the system even though the center of the system is not over land. The uses the same land mask as DIST2LAND.
				Interpolation Flag A 15 character flag string which denotes the source of each agency's report:
				Interpolation Flags include: _ == missing reports. No information provided.
				O == original report as provided by the agency. P == position was interpolated (all variables were interpolated/filled, including intensity)
				I == Position was provided, but Intensity variables (and likely other variables) were
				interpolated/filled V = Position and intensity variables are original but some variables were interpolated/filled.
				The order of the 15 characters refers to the following 15 datasets:
				1 - USA Agency (see column 18) 2 - Tokyo
				3 - CMA 4 - HKO
				5 - KMA
				6 - NewDelhi 7 - Reunion
				8 - BoM
				9 - Nadi 10 - Wellington
				11 - ds824
				12 - TD9636 13 - TD9635
				14 - Neumann Southern Hemisphere data set
17	IFLAG	(same)		15 - M.L. Chenoweth N Atlantic Historic dataset

		Shapefile		
#	Column/ Variable name	name	Units	Description
				The agency file providing the information: The representative US agency data is derived from a hierarchical selection: the first dataset in the following list to provide information at the given time is used as the USA_agency: - HURDAT_ATL - HURDAT_EPA - ATCF (for NA and EP basins only) - JTWC_WP - JTWC_IO - JTWC_EP - JTWC_SH - CPHC [separate file provided by CPHC for years 1966-2003, 2008] - tcvitals - THIS INDICATES THAT THE DATA ARE PRELIMINARY - tcvightals - THIS INDICATES THAT THE DATA ARE PRELIMINARY - tcgp - THIS INDICATES THAT THE DATA ARE PRELIMINARY - truly the seagencies are generally orthogonal, there are cases where a system is provided in more than one source. In this case, the report from the highest source is used. Sometimes this leads to one storm having different sources at different timestep, depending on differences in the start/end times and data availability.
18	USA_AGENCY	(same)		ATCF format info from: https://www.nrlmry.navy.mil/atcf_web/docs/database/new/abdeck.txt HURDAT2 info from: http://www.nhc.noaa.gov/data/hurdat/hurdat2-format-atlantic.pdf
	USA ATCF ID	(same)		The ATCF ID is assigned by US agencies and can be used to compare the storm with other US cyclone-related datasets. If two (or more) ATCF tracks make up one storm, then the IDs are separated by a colon. The format of the ATCF ID is B <bb<n><ypyy> where bb is the basin ID, nn is the number of the storm in that basin and yyyy is the year. Possible basin values are: AL: North Atlantic, SL: South Atlantic, EP: East Pacific, WP: West Pacific, SH: Southern Hemisphere, IO: North Indian For the provisional data, other basin identifiers were provided that include: CP: Central Pacific, SP: South Pacific, SI: South Indian, AS: Arabian Sea (North Indian) and BB: Bay of Bengal (North Indian)</ypyy></bb<n>
	USA LAT	(same)	deg north	
	USA_LON	(same)	deg east	
	USA_RECORD	(same)	3 - 2 - 1	Record identifier (see notes below) C - Closest approach to a coast, not followed by a landfall G - Genesis I - An intensity peak in terms of both pressure and wind L - Landfall (center of system crossing a coastline) P - Minimum in central pressure R - Provides additional detail on the intensity of the cyclone when rapid changes are underway S - Change of status of the system T - Provides additional detail on the track (position) of the cyclone W - Maximum sustained wind speed
				Status of system. Options are: DB - disturbance, TD - tropical depression, TS - tropical storm, TY - typhoon, ST - super typhoon, TC - tropical cyclone, HU, HR - hurricane, SD - subtropical depression, SS - subtropical storm, EX - extratropical systems, PT - post tropical, IN - inland, DS - dissipating, LO - low, WV - tropical wave, ET - extrapolated, MD - monsoon depression,
-	USA_STATUS	(same)		XX - unknown.
	USA_WIND	(same)	knots	Maximum sustained wind speed in knots: 0 - 300 kts. [1-min. mean]
25	USA_PRES	(same)	mb	Minimum sea level pressure, 850 - 1050 mb.

		Shapefile		
#	Column/ Variable name	name	Units	Description
26	USA_SSHS	(same)		Saffir-Simpson Hurricane Scale information based on the wind speed provided by the US agency wind speed (US agencies provide 1-minute wind speeds) -5 = Unknown [XX] -4 = Post-tropical [EX, ET, PT] -3 = Miscellaneous disturbances [WV, LO, DB, DS, IN, MD] -2 = Subtropical [SS, SD] Tropical systems classified based on wind speeds [TD, TS, HU, TY,, TC, ST, HR] -1 = Tropical depression (W<34) 0 = Tropical storm [34 <w<64] 1="" 2="" 3="" 4="" 5="" [113<="W<137]" [64<="W<83]" [83<="W<96]" [96<="W<113]" [w="">= 137]</w<64]>
27	USA_R34_NE	(same)	nmile	34 kt wind radii maximum extent in northeastern quadrant
28	USA_R34_SE	(same)	nmile	34 kt wind radii maximum extent in southeastern quadrant
29	USA_R34_SW	(same)	nmile	34 kt wind radii maximum extent in southwestern quadrant
30	USA_R34_NW	(same)	nmile	34 kt wind radii maximum extent in northwestern quadrant
31	USA_R50_NE	(same)	nmile	50 kt wind radii maximum extent in northeastern quadrant
32	USA_R50_SE	(same)	nmile	50 kt wind radii maximum extent in southeastern quadrant
33	USA_R50_SW	(same)	nmile	50 kt wind radii maximum extent in southwestern quadrant
34	USA_R50_NW	(same)	nmile	50 kt wind radii maximum extent in northwestern quadrant
35	USA_R64_NE	(same)	nmile	64 kt wind radii maximum extent in northeastern quadrant
36	USA_R64_SE	(same)	nmile	64 kt wind radii maximum extent in southeastern quadrant
37	USA_R64_SW	(same)	nmile	64 kt wind radii maximum extent in southwestern quadrant
38	USA_R64_NW	(same)	nmile	64 kt wind radii maximum extent in northwestern quadrant
39	USA_POCI	(same)	mb	pressure in millibars of the last closed isobar, 900 - 1050 mb NOT BEST-TRACKED (not reanalyzed)
40	USA_ROCI	(same)	nmile	radius of the last closed isobar, 0 - 999 n mi. NOT BEST TRACKED (not reanalyzed)
41	USA_RMW	(same)	nmile	radius of max winds, 0 - 999 n mi. NOT BEST TRACKED (not reanalyzed)
42	USA_EYE	(same)	nmile	eye diameter, 0 - 120 n mi. NOT BEST TRACKED (not reanalyzed)
-	TOKYO_LAT	TOK_LAT	deg north	
44	TOKYO_LON	TOK_LON	deg east	
45	TOKYO GRADE	TOK GRADE		<grade> 1 : Not used 2 : Tropical Depression (TD) 3 : Tropical Storm (TS) 4 : Severe Tropical Storm (STS) 5 : Typhoon (TY) 6 : Extratropical Cyclone (L) 7 : Just entering into the responsible area of Japan Meteorological Agency (JMA) 8 : Not used 9 : Tropical Cyclone of TS intensity or higher</grade>
		 	knoto	
-	TOKYO_WIND TOKYO PRES	TOK_WIND TOK_PRES	knots mb	Maximum sustained wind speed [10-min averaging period] Central pressure
	_	_		Direction of the longest 50 kt wind radius 1: Northeast (NE) 2: East (E) 3: Southeast (SE) 4: South (S) 5: Southwest (SW) 6: West (W)
48	TOKYO_R50_DIR	TOK_R50_DR		7 : West (W) 8 : Northwest (NW) 9 : (symmetric circle)
49	TOKYO_R50_LONG	TOK_R50_L	nmile	The longest radius of 50kt winds or greater
50	TOKYO_R50_SHORT	TOK_R50_S	nmile	The shortest radius of 50kt winds or greater

		01		
#	Column/ Variable name	Shapefile name	Units	Description
#	Columni variable name	Harrie	Offics	
				Direction of the longest 30 kt wind radius 1 : Northeast (NE)
				2 : East (E)
				3 : Southeast (SE)
				4 : South (S)
				5 : Southwest (SW)
				6 : West (W)
				7 : Northwest (NW)
51	TOKYO R30 DIR	TOK_R30_DR		8 : North (N) 9 : (symmetric circle)
	TOKYO_R30_LONG	TOK R30 L	nmile	The longest radius of 30kt winds or greater
		 		<u> </u>
55	TOKYO_R30_SHORT	TOK_R30_S	nmile	The shortest radius of 30kt winds or greater
				Indicator of landfall or passage> Landfall or passage over the Japanese islands occurred within
54	TOKYO_LAND	TOK LAND		one hour after the time of the analysis with this indicator.
			deg	·
55	CMA_LAT	(same)	north	
56	CMA LON	(same)	deg east	
	_	,		Intensity category according to the Chinese National Standard for Grade of Tropical Cyclones
				(which has been used since 15 June 2006):
				0 — Weaker than Tropical Depression or unknown intensity;
				1 — Tropical Depression (TD: 10.8–17.1 m/s);
				2 — Tropical Storm (TS:17.2–24.4 m/s); 3 — Severe Tropical Storm (STS: 24.5–32.6 m/s);
				4 — Typhoon (TY: 32.7–41.4 m/s);
				5 — Severe Typhoon (STY: 41.5–50.9 m/s);
				6 — Super Typhoon (SuperTY: ≥51.0 m/s);
57	CMA_CAT	(same)		9 — Extratropical Cyclone (ET) stage.
				Two-minute mean maximum sustained wind (MSW; converted to knots from m/s) near the TC
	CMA_WIND	(same)	knots	center. WND = 17 knots(=original 9 m/s) indicates MSW < 10 m/s
59	CMA_PRES	(same)	mb	Minimum pressure (hPa) near the TC center.
-00			deg	
	HKO_LAT	(same)	north	
61	HKO_LON	(same)	deg east	
				After 2009, we further classified two more storm types above typhoon, so there are in total 7 storm
				types LW (Low) <22 kt
				TD (Tropical Depression) 22 – 33 kt
				TS (Tropical Storm) 34 – 47 kt
				STS (Severe Tropical Storm) 48 – 63 kt
				T (Typhoon) 64 – 80 kt
62	HKO CAT	(same)		ST (Severe Typhoon) 81 – 99 kt SuperT (Super Typhoon) >= 100 kt
	HKO_WIND	(same)	knoto	
		(same)	knots	Maximum sustained wind speed [10-min averaging period]
64	HKO_PRES	(same)	mb	
65	KMA_LAT	(same)	deg north	
	_	(same)		
ob	KMA_LON	(same)	deg east	TD /Transial Danuagian\ > 4.4 m/a
				TD (Tropical Depression) >14 m/s TS (Tropical Storm) 17 – 25 m/s
				STS (Severe Tropical Storm) 17 – 25 m/s
				TY (Typhoon) 33 m/s or higher
				L (Extratropical Cyclone)
	KMA_CAT	(same)		
68	KMA_WIND	(same)	knots	Maximum sustained wind speed around center (converted to knots from m/s, 10-min. mean)
69	KMA_PRES	(same)	mb	Central Pressure (hPa) with 2(5) hPa interal ≥ (<) 990 hPa
70	KMA_R50_DIR	KMA_R50_DR	deg	Direction of the shortest 25m/s wind radius
71	KMA_R50_LONG	KMA_R50_L	nmile	The longest radius of 25m/s winds or greater
72	KMA_R50_SHORT	KMA_R50_S	nmile	The shortest radius of 25m/s winds or greater
	KMA_R30_DIR	KMA_R30_DR	deg	Direction of the shortest 15m/s wind radius
	KMA_R30_LONG	KMA_R30_L	nmile	The longest radius of 15m/s winds or greater
	KMA R30 SHORT	KMA R30 S	nmile	The shortest radius of 15m/s winds or greater
, 5	1	1.100_0	deg	The energed radius of forms winds of grouter
76	NEWDELHI_LAT	NEW_LAT	north	
	NEWDELHI LON	NEW_LON	deg east	
		1	Jacy Cust	

		Shapefile		
#	Column/ Variable name	name	Units	Description
78	NEWDELHI GRADE	NEW GRADE		Types of disturbances: Low pressure area W<17 knots D - Depression 17<=W<28 DD - Deep Depression 28<=W<34 CS - Cyclonic Storm 34<=W<48 SCS - Severe Cyclonic Storm 48<=W<64 VSCS - Very Severe Cyclonic Storm 64<=W<120 SCS - Super Cyclonic Storm W>=120 knots
	NEWDELHI WIND	NEW WIND	knots	Maximum sustained wind speed [3-min averaging period]
	NEWDELHI PRES	NEW PRES	mb	maximum cacamica tima opoca (c timi arciaging ponca)
	NEWDELHI CI	NEW CI		
	NEWDELHI DP	NEW DP	mb	
	NEWDELHI POCI	NEW POCI	mb	
	REUNION LAT	REU LAT	deg north	
	REUNION LON	REU LON	deg east	
86	REUNION_TYPE	REU_TYPE		01= tropics; disturbance (no closed isobars) 02= <34 knot winds, <17m/s winds and at least one closed isobar 03= 34-63 knots, 17-32m/s 04= >63 knots, >32m/s 05= extratropical 06= dissipating 07= subtropical cyclone (nonfrontal, low pressure system that comprises initially baroclinic circulation developing over subtropical water) 08= overland 09= unknown
87	REUNION_WIND	REU_WIND	knots	Maximum average wind speed [10-min. mean]
88	REUNION_PRES	REU_PRES	mb	Central pressure
89	REUNION_TNUM	REU_TNUM		Dvorak T-number
90	REUINION_CI	REU_CI		Dvorak CI-number
91	REUNION_RMW	REU_RMW	nmile	Radius of maximum winds
92	REUNION_R34_NE	REU_R34_NE	nmile	34 kt wind radii maximum extent in northeastern quadrant
	REUNION_R34_SE	REU_R34_SE	nmile	34 kt wind radii maximum extent in southeastern quadrant
	REUNION_R34_SW	REU_R34_SW	nmile	34 kt wind radii maximum extent in southwestern quadrant
	REUNION_R34_NW		nmile	34 kt wind radii maximum extent in northwestern quadrant
	REUNION_R50_NE	REU_R50_NE	nmile	50 kt wind radii maximum extent in northeastern quadrant
	REUNION_R50_SE	REU_R50_SE	nmile	50 kt wind radii maximum extent in southeastern quadrant
	REUNION_R50_SW	REU_R50_SW	nmile	50 kt wind radii maximum extent in southwestern quadrant
	REUNION_R50_NW		nmile	50 kt wind radii maximum extent in northwestern quadrant
	REUNION_R64_NE	REU_R64_NE	nmile	64 kt wind radii maximum extent in northeastern quadrant
	REUNION_R64_SE	REU_R64_SE	nmile	64 kt wind radii maximum extent in southeastern quadrant
	REUNION_R64_SW	REU_R64_SW	nmile	64 kt wind radii maximum extent in southwestern quadrant
103	REUNION_R64_NW	REU_R64_NW	nmile	64 kt wind radii maximum extent in northwestern quadrant
	BOM_LAT	(same)	deg north	
105	BOM_LON	(same)	deg east	

,,		Shapefile		
#	Column/ Variable name	name	Units	Description
				This indicates the type of system that this cyclone was at the time of the observation. Note that cyclones can evolve during their lifetimes and hence change type mid-stream (e.g. Extratropical transition (ETT)) ADAM Code Type of Cyclone WMO Code NULL Default – unknown 09 10 Tropics; disturbance (no closed isobars) 01 20 <34 knot (17m/s) winds, and at least one closed isobar 02 21 34-63 knots (17-32m/s) two or less quadrants 02 30 34-63 knots (17-32m/s) more than two quadrants 03 40 >63 knots (>32m/s) 04 50 Extra-tropical (no gales) 05 51 Extra-tropical (with gales) 05 52 Extra-tropical (max wind unknown) 05 60 Dissipating (no gales) 06 70 Subtropical cyclone (non-frontal, low pressure system that comprises initially baroclinic circulation developing over subtropical water) (no gales) 07 71 Subtropical cyclone (non-frontal, low pressure system that comprises initially baroclinic circulation developing over subtropical water) (with gales) 07 72 Subtropical cyclone (non-frontal, low pressure system that comprises initially baroclinic circulation developing over subtropical water) (with gales) 07 72 Subtropical cyclone (non-frontal, low pressure system that comprises initially baroclinic circulation developing over subtropical water) (with gales) 07 80 Overland (no gales) 07
				80 Overland (no gales) 08 81 Overland (gales) 08
				91 Tropical Cold-cored – Monsoon Low
106	BOM_TYPE	(same)		(with surrounding gales away from centre) 09
	BOM_WIND	(same)	knots	This is the estimated maximum mean wind around the cyclone – that is in the vicinity of the centre. [10-min. mean]
	BOM_PRES	(same)	mb	Central pressure of the cyclone
	BOM_TNUM	(same)		
	BOM_CI BOM_RMW	(same)	nmile	This is the mean radius (from the eveter centre) of the maximum mean wind
	BOM_R34_NE	(same)	nmile	This is the mean radius (from the system centre) of the maximum mean wind. This is the mean radius (from the system centre) of the extent of winds; gale-force (17m/s) or above. The four sectors show the mean extent in the respective quadrant centred on the cardinal point. Northeast quadrant
113	BOM_R34_SE	(same)	nmile	This is the mean radius (from the system centre) of the extent of winds; gale-force (17m/s) or above. The four sectors show the mean extent in the respective quadrant centred on the cardinal point. Southeast quadrant
114	BOM_R34_SW	(same)	nmile	This is the mean radius (from the system centre) of the extent of winds; gale-force (17m/s) or above. The four sectors show the mean extent in the respective quadrant centred on the cardinal point. Southwest quadrant
115	BOM_R34_NW	(same)	nmile	This is the mean radius (from the system centre) of the extent of winds; gale-force (17m/s) or above. The four sectors show the mean extent in the respective quadrant centred on the cardinal point. Northwest quadrant
116	BOM_R50_NE	(same)	nmile	These are the mean radius (from the system centre) of the extent of winds; storm-force (25m/s) or above. Northeast quadrant.
117	BOM_R50_SE	(same)	nmile	These are the mean radius (from the system centre) of the extent of winds; storm-force (25m/s) or above. Southeast quadrant.
118	BOM_R50_SW	(same)	nmile	These are the mean radius (from the system centre) of the extent of winds; storm-force (25m/s) or above. Southwest quadrant.
119	BOM_R50_NW	(same)	nmile	These are the mean radius (from the system centre) of the extent of winds; storm-force (25m/s) or above. Northwest quadrant.
120	BOM_R64_NE	(same)	nmile	These are the mean radius (from the system centre) of the extent of winds; hurricane-force (33m/s) or above. Northeast quadrant
	BOM_R64_SE	(same)	nmile	These are the mean radius (from the system centre) of the extent of winds; hurricane-force (33m/s) or above. Southeast quadrant
122	BOM_R64_SW	(same)	nmile	These are the mean radius (from the system centre) of the extent of winds; hurricane-force (33m/s) or above. Southwest quadrant
	BOM_R64_NW	(same)	nmile	These are the mean radius (from the system centre) of the extent of winds; hurricane-force (33m/s) or above. Northwest quadrant
	BOM_ROCI	(same)	nmile	The estimated mean radius of the outermost closed isobar (1-hPa spacing).
	BOM_POCI	(same)	mb	Environmental pressure in which the cyclone is embedded
126	BOM_EYE	(same)	nmile	Mean radius of the cyclone eye.

		Chanafila		
#	Column/ Variable name	Shapefile name	Units	Description
<u></u>				This indicates the tools that were used to derive the centre location of the system.
				ADAM
				Code Method to derive position NULL Default - unknown
				1 no sat, no rad, no obs
				2 no sat, no rad, obs only
				3 Sat IR/Vis; no clear eye 4 Sat IR/Vis; clearly defined eye
				5 aircraft radar report
				6 land-based radar report
				7 Sat IR/Vis & rad & obs
				8 report inside eye 10 Sat- Scatterometer
				11 Sat- Microwave
107	DOM DOC METHOD	DOM DOC EL		Manned Aircraft Reconnaissance
127	BOM_POS_METHOD	BOM_POS_FL		13 UAV Aircraft Reconnaissance
				This code may need to be expanded to handle new systems in the future, and also to differentiate between pressure-wind relationships used to derive the central pressure.
				postation procedure with rotationompe deed to derive the contain procedure.
				ADAM MULA COLUMNIA CO
				code Method WMO Code NULL Unknown or N/A
				1 Aircraft or Dropsonde
				observation 1
				2 Over water observation (e.g. buoy) 2
				3 Over land observation 3
				4 Instrument – unknown type 5
				5 Derived Directly from DVORAK 4
				6 Derived from wind via a P-W equation 5
				7 Estimate from surrounding obs 5
				8 Extrapolation from radar 5
128	BOM_PRES_METHOD	BOM_PRS_FL		9 Other 5
129	NADI LAT	NAD LAT	deg north	Cyclone latitude from RSMC Nadi, Fiji
	NADI LON	NAD LON	deg east	Cyclone latitude from Nowo Nadi, 1 iji
-	NADI_CAT	NAD_CAT	deg cast	Nadi assigned category
-	NADI WIND	NAD WIND	knots	Maximum sustained wind speed [10-min averaging period]
	NADI PRES	NAD PRES	mb	Maximum cacamica wina opoca [10 min avolaging ponca]
100	10.01_1 11.00	10.15_11.25	deg	
134	WELLINGTON_LAT	WEL_LAT	north	Cyclone latitude from TCWC Wellington
135	WELLINGTON_LON	WEL_LON	deg east	
136	WELLINGTON_WIND	WEL_WIND	knots	Maximum sustained wind speed [10-min averaging period]
137	WELLINGTON_PRES	WEL_PRES	mb	
		_	deg	
138	DS824_LAT	DS8_LAT	north	Cyclone latitude from dataset 824
139	DS824_LON	DS8_LON	deg east	
140	DS824_STAGE	DS8_STAGE		TC - Tropical cyclone
141	DS824_WIND	DS8_WIND	knots	Maximum sustained wind speed [1-min averaging period]
142	DS824_PRES	DS8_PRES	mb	
[]			deg	
	TD9636_LAT	TD6_LAT	north	Cyclone latitude from NCEI dataset TD9636
144	TD9636_LON	TD6_LON	deg east	
				This field gives an estimate of the highest winds occurring in the storm at the time and location
				indicated. The entire storm was coded as to the highest stage reached for some of the earlier years.
				0 - Tropical disturbance (1969 onward)
				1 - depression < 34 [some variation in definition for S Indian]
				2 - Storm 34-63 [with some variation in definition for S Indian] 3 - point where wind reached 64 knots [except N Indian where it is wind 43-47 knots]
				4 - Hurricane > 64 [except in N Indian, Wind > 48]
				5 - Extratropical
115	TD0636 STACE	TD6 STACE		6 - Dissipating
145	TD9636_STAGE	TD6_STAGE		7 - Unknown Intensity or doubtful track
146	TD9636_WIND	TD6_WIND	knots	Estimated highest wind speed at the time indicated. These estimates are subjective and must be interpreted with caution. [1-min averaging period]
	TD9636_PRES	TD6_PRES	mb	, t '9'''9 F1
L	· = 3000EO	1 . 2 2	~	

		a	1	
#	Column/ Variable name	Shapefile name	Units	Description
"	Column, Variable name	namo	deg	2 de diputit
148	TD9635_LAT	TD5_LAT	north	Cyclone latitude from NCEI dataset TD9635
149	TD9635_LON	TD5_LON	deg east	
150	TD9635_WIND	TD5_WIND	knots	Maximum sustained wind speed [1-min averaging period]
151	TD9635_PRES	TD5_PRES	mb	
152	TD9635_ROCI	TD5_ROCI	nmile	Size. (Radius of system)
153	NEUMANN_LAT	NEU_LAT	deg north	Cyclone latitude from C. Neumann Southern Hemisphere dataset
154	NEUMANN_LON	NEU_LON	deg east	
				EX - Extratropical
155	NELIMANNI CLASS	NELL CLASS		TC - Tropical
	NEUMANN_CLASS	NEU_CLASS	knoto	MM - Missing Mayimum quateined wind appeal [1 min evergring period]
	NEUMANN_WIND	NEU_WIND	knots	Maximum sustained wind speed [1-min averaging period]
157	NEUMANN_PRES	NEU_PRES	mb	
158	MLC_LAT	(same)	deg north	Cyclone latitude from M. Chenoweth dataset
$\overline{}$	MLC LON	(same)	deg east	
		,	- ŭ	Storm classification
				EX - Extratropical
				HU - Hurricane
				LO - Low
				MH - Major Hurricane
				SD - Subtropical depression
				SS - Subtropical storm
				TD - Tropical Depression TS - Tropical Storm
				TW
160	MLC_CLASS	(same)		WV - Open Wave
161	MLC_WIND	(same)	knots	Maximum sustained wind speed [1-min averaging period]
162	MLC_PRES	(same)	mb	
163	USA_GUST	(same)	knots	Gust reported by the USA_AGENCY.
				This is the estimated maximum wind gust around the cyclone – that is in the vicinity of the
164	BOM_GUST	(same)	knots	centre based on open terrain estimate
				This is the period of the gust used when measuring max wind gusts.
165	BOM_GUST_PER	BOM GUSTP	seconds	This parameter will only be used when receiving data in WMO format that is not based on 3-sec gusts. All Australian based data should be based on 3-sec gusts.
-	REUNION GUST	REU GUST	knots	Maximum Wind Gust
\vdash	REUNION_GUST_PER	REU GUSTP	seconds	Gust Period
-	USA_SEAHGT	(same)	ft	Wave height for radii defined in SEARAD
-	USA_SEARAD_NE	,	nmile	Radial extent of seas (as defined in SEAHGT) extending from storm center to the Northeast.
	USA SEARAD SE	USA SEA SE		Radial extent of seas (as defined in SEAHGT) extending from storm center to the Southeast.
	USA SEARAD SW	USA_SEA_SW	nmile	Radial extent of seas (as defined in SEAHGT) extending from storm center to the Southwest.
	- <u>-</u> :::	USA_SEA_N		2222 (22 222222) 223223 (22222) 233223 (22222) 233223 (22222) 233223 (22222) 233223 (22222) 233223 (22222) 233223 (22222) 233223 (22222) 233223 (22222) 233223 (22222) 233223 (22222) 233223 (22222) 233223 (22222) 233223 (22222) 233223 (22222) 233223 (22222) 233223 (22222) 233223 (22222) 23322 (22222) 23222 (22222) 2322 (
172	USA_SEARAD_NW	W	nmile	Radial extent of seas (as defined in SEAHGT) extending from storm center to the Northwest.
173	STORM_SPEED	STORM_SPD	knots	Translation speed of the system as calculated from the positions in LAT and LON
	STORM_DIR	STORM_DR	degrees	Translation direction of the system as calculated from the positions in LAT and LON. Direction is moving toward the vector pointing in degrees east of north [range = 0-360 deg], rounded to 5 degree intervals