

Bar_Chart


2025-12-09

Load library and data

```
suppressMessages(library(tidyverse))  
data <- diamonds
```

Distribution Check (Categorical = Bar Chart)

```
ggplot(data) +  
  geom_bar(mapping = aes(x = cut))
```




```
diamonds %>%
  count(cut)
```

```
## # A tibble: 5 x 2
##   cut      n
##   <ord>   <int>
## 1 Fair    1610
## 2 Good    4906
## 3 Very Good 12082
## 4 Premium 13791
## 5 Ideal   21551
```

Distribution Check (Continuous = Histogram)

```
ggplot(data) +
  geom_histogram(mapping = aes(x = carat), binwidth = 0.5)
```



```
diamonds %>%
  count(cut_width(carat, 0.5))
```

```
## # A tibble: 11 x 2
##   'cut_width(carat, 0.5)'      n
```

##	<fct>	<int>
## 1	[-0.25,0.25]	785
## 2	(0.25,0.75]	29498
## 3	(0.75,1.25]	15977
## 4	(1.25,1.75]	5313
## 5	(1.75,2.25]	2002
## 6	(2.25,2.75]	322
## 7	(2.75,3.25]	32
## 8	(3.25,3.75]	5
## 9	(3.75,4.25]	4
## 10	(4.25,4.75]	1
## 11	(4.75,5.25]	1