

# Índice general

|  |   |
|--|---|
| 1. This is a test chapter                  | 1 |
| 1.1. This a test section . . . . .         | 1 |
| 1.1.1. This is a test subsection . . . . . | 2 |
| 1.2. Last example . . . . .                | 2 |

# 1. This is a test chapter

This is a test chapter where I want to show how to use some commands and environments, such as the theorem box, the example box, and more. For instance, let's see how the commands for the exponential function (or Euler's constant) and the derivative (and partial derivative) work.

## 1.1. This a test section

As an example, let's take a look at the Weierstrass's definition of the gamma function:

### Definición 1.1.1: Weierstrass's definition of $\Gamma(z)$

For every complex number  $z$  (except the non-positive integers), the gamma function is defined as

$$\Gamma(z) := \frac{e^{-\gamma z}}{z} \prod_{n=1}^{\infty} \left(1 + \frac{z}{n}\right)^{-1} e^{\frac{z}{n}},$$

where  $\gamma \approx 0.577216$  is the *Euler-Mascheroni constant*.

To display an output similar to the previous one, we shall use the following command:

```
1 \begin{#1}{#2}{#3}
2   Example text
3 \end{#1}
```

Notice there are three entries when using an environment like this one.

- **{#1}**  
The first entry specifies what command you want to use. You can choose `teorema`, `definicion`, `lema`, `corolario`, `ejemplo`, `problema`, or `nota`.
- **{#2}**  
The second entry displays the name of the theorem, exercise, or of any other command. In the aforementioned example, it was «Weierstrass's definition of  $\Gamma(z)$ ».
- **{#3}**  
The last entry is used for labels. Let's say you want to go back to a previous result, proof, or anything else. You can create a cross reference with `\ref{command:your_label}`. For the example, it'd be `\ref{definicion:Weierstrass}`.

Therefore, to display the definition 1.1.1, you should write

```
1 \begin{definicion}{Weierstrass's definition of  $\Gamma(z)$ }{Weierstrass}
2 For every complex number  $z$  (except the non-positive integers), the gamma function is
  ↪ defined as
3 \[
4 \Gamma(z) := \frac{e^{-\gamma z}}{z} \prod_{n=1}^{\infty} \left(1 + \frac{z}{n}\right)^{-1} e^{\frac{z}{n}},
  ↪ \frac{z}{n}\right)^{-1} e^{\frac{z}{n}},
5 \]
```

```

7   where  $\gamma \approx 0.577216$  is the Euler-Mascheroni constant.
8   \end{definition}

```

I think I must mention that the command `\eu` won't work without the `commands.tex` file since is a definition I added myself and it's not native of L<sup>A</sup>T<sub>E</sub>X. The same goes for the imaginary unit with `\im`.

### 1.1.1. This is a test subsection

It'd be usefull to show a second example. This time, we shall use the `problem` environment.

### Problema 1.1.1: Curvilinear coordinates

Show that the curl of a vector field in orthogonal curvilinear coordinates is given by

$$\begin{aligned} \nabla \times \mathbf{v} = & \frac{1}{h_1 h_2 h_3} \left[ h_1 \left\{ \frac{\partial}{\partial u_2} (h_3 v_3) - \frac{\partial}{\partial u_3} (h_2 v_2) \right\} \hat{\mathbf{e}}_1 + h_2 \left\{ \frac{\partial}{\partial u_3} (h_1 v_1) - \frac{\partial}{\partial u_1} (h_3 v_3) \right\} \hat{\mathbf{e}}_2 \right. \\ & \left. + h_3 \left\{ \frac{\partial}{\partial u_1} (h_2 v_2) - \frac{\partial}{\partial u_2} (h_1 v_1) \right\} \hat{\mathbf{e}}_3 \right]. \end{aligned}$$

This time, I used one of the `physics` package commands, `\pdv{}{}`. However, this package also includes another command used for second mixed partial derivatives, let's say `\pdv*{f}{x}{y}`, which produces  $\partial^2 f / \partial x \partial y$ , or without the star,

$$\text{\pdv{f}{x}{y}} \quad \rightarrow \quad \frac{\partial^2 f}{\partial x \partial y}.$$

Therefore, when you write parenthesis to the right of the command `\p dv{ }{ }`, they won't be displayed. To fix this, instead of writing `\p dv{ }{ }`, you could use `{\p dv{ }{ }}`, solving the problem. Once again, that only happens when the parenthesis is right next to the command, but it shouldn't happen in other situations. To display this example, you should use the following:

```

1 \begin{problema}{Curvilinear coordinates}{}
2 Show that the curl of a vector field in orthogonal curvilinear coordinates is given by
3 \begin{align*}
4 \quad \nabla \times \mathbf{v}
5 \quad &= \frac{1}{h_1 h_2 h_3} \left[ h_1 \left\{ \frac{\partial}{\partial u_2} \right\} (h_3 \mathbf{v}_3) - \left\{ \frac{\partial}{\partial u_3} \right\} (h_2 \mathbf{v}_2) \right] \mathbf{e}_1 + h_2 \left\{ \frac{\partial}{\partial u_3} \right\} (h_1 \mathbf{v}_1) - \left\{ \frac{\partial}{\partial u_1} \right\} (h_3 \mathbf{v}_3) \right] \mathbf{e}_2 \\
6 \quad &+ \left[ h_3 \left\{ \frac{\partial}{\partial u_1} \right\} (h_2 \mathbf{v}_2) - \left\{ \frac{\partial}{\partial u_2} \right\} (h_1 \mathbf{v}_1) \right] \mathbf{e}_3 \right].
7 \end{align*}
8 \end{problema}

```

## 1.2. Last example

As a last example, I should show a theorem:

**Teorema 1.2.1: Residue Theorem**

Let  $D$  be a domain and  $\gamma$  a contour such that  $D \subset \gamma$ , if  $f$  is analytic in and on  $\gamma$ , except for a finite number of singularities  $z_1, z_2, \dots, z_n$ , then

$$\oint_{\gamma} f(z) dz = 2\pi i \sum_{k=1}^m \text{Res}[f(z), z_k],$$

where

$$\text{Res}[f(z), z_k] = \frac{1}{(n-1)!} \lim_{z \rightarrow z_k} \frac{d^{n-1}}{dz^{n-1}} [(z - z_k)^n f(z)].$$

To see how to display this, take a look at the following code block:

```

1 \begin{teorema}{Residue Theorem}{}
2 Let  $D$  be a domain and  $\gamma$  a contour such that  $D \subset \gamma$ , if  $f$  is
    $\hookrightarrow$  analytic in and on  $\gamma$ , except for a finite number of singularities  $z_1$ ,
    $\hookrightarrow$   $z_2$ ,  $\ldots$ ,  $z_n$ , then
3  $\oint_{\gamma} f(z) dz = 2 \pi i \sum_{k=1}^m$ 
    $\hookrightarrow$   $\text{Res}[f(z), z_k]$ ,
4
5 where
6  $\text{Res}[f(z), z_k] = \frac{1}{(n-1)!} \lim_{z \rightarrow z_k} \frac{d^{n-1}}{dz^{n-1}} [(z - z_k)^n f(z)]$ 
    $\hookrightarrow$   $\left[ (z - z_k)^n f(z) \right]$ 
7 \end{teorema}
```

To use the command `\ointctrclockwise`, you should add the package `\usepackage{esint}` (already included in the preamble).