DETERMINISTIC VISUAL COMPARISON

Shark Bites — Readable Expansion, Contact, Compression, Recovery

Twelve locked frames compare the deployed fast chomp and protruding box lips with a shared aquatic bite clock and recessed curved lip seal. Great white covers rest, prey-view, tell, expansion, contact, compression, clench and recovery at identical elapsed seconds; bull shark, hammerhead and megalodon prove the same grammar survives different heads and scales.

12
MATCHED SUBJECTS

1
DEVICE FRAMES

24
BROWSER SCREENSHOTS

Frames: 1200x760

BEFORE · DEPLOYED 0.56 s CHOMP / BOX LIPS

`https://efoltyn.github.io/gta6/?visualCompare=before-1787407568244`

AFTER · SHARED CADENCE / RECESSED ARC SEAL

`http://127.0.0.1:8826/?visualCompare=after-1787407570028`

Generated August 22, 2026 at 10:06 AM. Both columns build registered production sharks and pose CBZ.swimJaw. Each subject declares a real elapsed second. The current side reads production CBZ.biteTimeline, CBZ.aquaticBiteDuration and CBZ.biteCurve—the same clock used by wild combat, mounts and Shark Sim. Because those APIs do not exist in the deployed build, the before side executes the exact deployed mounted formula (0.56/0.72 s duration, full at p=.30, contact clamp across p=.38→.54). The runner carries each deployed camera into the local capture.

Σ

Measurements

Higher timing values here mean more readable phases, not input lag: target probing still triggers immediately, while mouth geometry takes time to expand, hold, compress and recover. Lip protrusion is measured at rest on every page and should reach zero.

SUBJECT	METRIC	BEFORE	AFTER	Δ
Great White — Lips At Rest, Great White — Rest Head-On, Great White — The Tell, Great White — Expansion, Great White — Contact At 0.34 s, Great White — Compression, Great White — Clench, Great White — Recovery	Lip tissue beyond the authored oral arc m	0.08	0	-100%
Great White — Lips At Rest, Great White — Rest Head-On, Great White — The Tell, Great White — Expansion, Great White — Contact At 0.34 s, Great White — Compression, Great White — Clench, Great White — Recovery	Aquatic bite animation duration s	0.56	0.88	+56%
Great White — Lips At Rest, Great White — Rest Head-On, Great White — The Tell, Great White — Expansion, Great White — Contact At 0.34 s, Great White — Compression, Great White — Clench, Great White — Recovery	Elapsed time to full gape s	0.17	0.32	+87%
Great White — Lips At Rest, Great White — Rest Head-On, Great White — The Tell, Great White — Expansion, Great White — Contact At 0.34 s, Great White — Compression, Great White — Clench, Great White — Recovery	Visible contact-to-clench compression s	0.09	0.23	+153%
Great White — Lips At Rest, Great White — Rest Head-On, Great White — The Tell, Great White — Expansion, Great White — Contact At 0.34 s, Great White — Compression, Great White — Clench, Great White — Recovery, Bull Shark — Shared Rest Seal, Bull Shark — Contact Cadence, Hammerhead — Compression	Rest beat before another bite may start s	0.06	0.42	+600%
Bull Shark — Shared Rest Seal, Bull Shark — Contact Cadence	Lip tissue beyond the authored oral arc m	0.05	0	-100%
Bull Shark — Shared Rest Seal, Bull Shark — Contact Cadence	Aquatic bite animation duration s	0.56	0.86	+53%
Bull Shark — Shared Rest Seal, Bull Shark — Contact Cadence	Elapsed time to full gape s	0.17	0.31	+83%
Bull Shark — Shared Rest Seal, Bull Shark — Contact Cadence	Visible contact-to-clench compression s	0.09	0.22	+148%
Hammerhead — Compression	Lip tissue beyond the authored oral arc m	0.06	0	-100%
Hammerhead — Compression	Aquatic bite animation duration s	0.56	0.88	+57%
Hammerhead — Compression	Elapsed time to full gape s	0.17	0.32	+89%
Hammerhead — Compression	Visible contact-to-clench compression s	0.09	0.23	+154%
Megalodon — Mass At Contact	Lip tissue beyond the authored oral arc m	0.29	0	-100%
Megalodon — Mass At Contact	Aquatic bite animation duration s	0.72	0.99	+37%
Megalodon — Mass At Contact	Elapsed time to full gape s	0.22	0.36	+65%
Megalodon — Mass At Contact	Visible contact-to-clench compression s	0.12	0.26	+123%
Megalodon — Mass At Contact	Rest beat before another bite may start s	0.13	0.42	+223%

The closed mouth must end inside the blunt head silhouette: no pink upper tab, white lower beak, or box extending past the oral arc.

01 Great White — Lips At Rest

BEFORE

BEFORE · DEPLOYED 0.56 s CHOMP / BOX LIPS



AFTER

AFTER · SHARED CADENCE / RECESSED ARC SEAL



great-white-rest-profile · 1200x760

Same elapsed second · species · scale · target · camera · light · viewport

02 Great White — Rest Head-On

The front seam should follow the mouth's curve and disappear into both cheeks, not read as a rectangular bumper across the face.

BEFORE

BEFORE · DEPLOYED 0.56 s CHOMP / BOX LIPS



AFTER

AFTER · SHARED CADENCE / RECESSED ARC SEAL



great-white-rest-head-on · 1200x760

Same elapsed second · species · scale · target · camera · light · viewport

03 Great White — The Tell

At the same tenth of a second, the new bite should still be a readable preparatory tell instead of already flashing most of the mouth open.

BEFORE BEFORE · DEPLOYED 0.56 s CHOMP / BOX LIPS



AFTER AFTER · SHARED CADENCE / RECESSED ARC SEAL



Same elapsed second · species · scale · target · camera · light · viewport

04 Great White — Expansion

Crown and chin should be visibly travelling through mid-gape at 0.20 s; deployed is already at full extension by this instant.

BEFORE

BEFORE · DEPLOYED 0.56 s CHOMP / BOX LIPS

AFTER

AFTER · SHARED CADENCE / RECESSED ARC SEAL



05 Great White — Contact At 0.34 s

At real prey contact the body envelopes should still frame the tuna at full gape. The deployed hit has already collapsed to its minimum clamp.

BEFORE BEFORE · DEPLOYED 0.56 s CHOMP / BOX LIPS



AFTER AFTER · SHARED CADENCE / RECESSED ARC SEAL

great-white-contact-034 · 1200x760

Same elapsed second · species · scale · target · camera · light · viewport

06 Great White — Compression

The bite now starts a visible compression phase around the tuna; deployed completed both contact and clench before this frame existed.

BEFORE BEFORE · DEPLOYED 0.56 s CHOMP / BOX LIPS

AFTER AFTER · SHARED CADENCE / RECESSED ARC SEAL



Same elapsed second · species · scale · target · camera · light · viewport

07 Great White — Clench

The lips and real chin should be closing around prey—not teleporting from full gape to a shut face—while the target remains at the authored socket.

BEFORE BEFORE · DEPLOYED 0.56 s CHOMP / BOX LIPS



AFTER AFTER · SHARED CADENCE / RECESSED ARC SEAL



Same elapsed second · species · scale · target · camera · light · viewport

08 Great White — Recovery

The mouth must return exactly to its recessed rest seam, followed by a real cooldown beat before Shark Sim may trigger another bite.

BEFORE BEFORE · DEPLOYED 0.56 s CHOMP / BOX LIPS



AFTER AFTER · SHARED CADENCE / RECESSED ARC SEAL



great-white-recovery-090 · 1200x760

Same elapsed second · species · scale · target · camera · light · viewport

09 Bull Shark — Shared Rest Seal

The blunt bull shark inherits the same recessed arc seal without a species-specific lip correction.

BEFORE BEFORE · DEPLOYED 0.56 s CHOMP / BOX LIPS



AFTER AFTER · SHARED CADENCE / RECESSED ARC SEAL



Same elapsed second · species · scale · target · camera · light · viewport

10 Bull Shark — Contact Cadence

The inshore shark must share the slower held-contact beat and keep its subtle lips inside the moving body envelope.

BEFORE BEFORE · DEPLOYED 0.56 s CHOMP / BOX LIPS



AFTER AFTER · SHARED CADENCE / RECESSED ARC SEAL



bull-contact · 1200x760

Same elapsed second · species · scale · target · camera · light · viewport

11 Hammerhead — Compression

The cephalofoil stays fixed while the underside mouth receives the same readable compression phase and recessed seal.

BEFORE

BEFORE · DEPLOYED 0.56 s CHOMP / BOX LIPS



AFTER

AFTER · SHARED CADENCE / RECESSED ARC SEAL



12 Megalodon — Mass At Contact

At legendary scale the shared duration adds restrained mass: the mouth is still holding contact where deployed has already snapped shut.

BEFORE BEFORE · DEPLOYED 0.56 s CHOMP / BOX LIPS



AFTER AFTER · SHARED CADENCE / RECESSED ARC SEAL



Same elapsed second · species · scale · target · camera · light · viewport