

# Bull Shark — form review



Orthographic plates rendered out of the live builder ( `CBZ.WILDLIFE_SPECIES.bull_shark.build` ), not sketched. Same camera, same fit, same light on both rows, so the two silhouettes are directly comparable.

shark sim · evolution rung 1  
src/city/wildlife/aquatic.js  
2026-08-30

*"the body is too wide diameter for head and tall way too puffer and doesn't match where they meet looking very dumb like a fat dog"*

All three, confirmed by measurement. The animal was **27.7% of its own length deep and 23.1% wide** — a real bull shark is about 17.5% and 15.2% — and it was fatter in both axes than the great white in the same file, which is backwards. The join was a genuine ledge: 25 mm of hull stood past the snout shell's rim and ended in a flat cap disc.

## LATERAL — THE WHOLE ANIMAL




# Where they meet

The join, in the two views that make a weld failure impossible to miss.

plan + head-on

## DORSAL — BEFORE


BEFORE



A parallel-sided cigar that holds its full width almost to the gills and then steps down into the head. The step is the defect: the outline changes width and changes slope in the same millimetre.

## DORSAL — AFTER

AFTER



Width is carried forward through the gill field at full beam and released across the cheek, so the nose is the end of one continuous taper. Measured ledge at the weld station: 0.00 mm.

## HEAD-ON

BEFORE



A circle. The head section was 0.94 wide-to-deep — rounder than it is tall — with the body flaring wider still behind it.

AFTER



The section turns over through the head: 0.98 at the gills, 1.30 at the weld, 1.5 at the nose. Broad flattened wedge, eyes on the corners, mouth spanning the beam.

# The numbers

Measured on the built mesh at runtime, not read off the ring table. Total length 4.34 builder units in both columns — nothing about the animal's length changed.

bull\_shark

| MEASUREMENT                                                    | WAS  | NOW  | REAL                      |
|----------------------------------------------------------------|------|------|---------------------------|
| Max body depth                                                 | 27.7 | 18.5 | 17.5 % of total length    |
| Max body width                                                 | 23.1 | 16.2 | 15.2 % of total length    |
| Depth : width                                                  | 1.20 | 1.14 | 1.15 ratio at max girth   |
| Head beam kept                                                 | 82.7 | 87.5 | 92.0 % of the body's beam |
| Hull proud of the snout shell at the weld<br>the visible ledge | 25.0 | 0.0  | 0.0 mm of radius          |
| First dorsal height above the back                             | 20.1 | 12.7 | 13.0 % of total length    |


## WHAT ACTUALLY CHANGED

- **The ring table was deflated and re-stationed.** Seven stations became ten; the two new ones (−0.96 and 1.04) exist because a linear interpolation across 0.65 of body is a ramp with a corner at each end, not a curve.
- **The cheek keeps the beam.** The rule the great white already follows and the bull never got: width is held through the gill field and given up at the mouth corner, while depth goes early and goes twice as fast. That is what turns the section over from a body into a head.
- **The weld is solved at the hull's own cap**, written as `hingeX + length·0.07` rather than typed, so moving the mouth can never silently re-open the ledge.
- **Everything seated on the skin was re-solved, not nudged** — every fin root is the same fraction of its local half-axis it always was, and the mouth's hinge, span, gape and teeth are the same fractions of the head's section.
- **The tail sleeve followed for free.** Its rim is read off the hull, so the tailstock came out at 46% of max depth — which is what the gallery caption has always claimed it was.

## LEFT ALONE, DELIBERATELY

- **Mass and gameplay.** `marine_predation.js` derives tonnage from measured *length* ( $0.014 \cdot L^{2.8}$ ), which did not change — so bite, drag, ride and impact tuning are untouched.
- **The dorsal-fin surface tell** re-measures itself from the geometry (`speciesPlan`), so the shorter fin needs no companion edit.
- **The great white.** It is 23.8% deep against a real 18% — fat too, but it is the hero model the rest of the file is a deviation from, and reshaping it is a bigger call than this one. Flagging it rather than doing it.

## FOR SCALE — THE GREAT WHITE, UNCHANGED



# Three-quarter — the view anybody actually sees

Neither of the diagnostic views is the one the game puts on screen. This one is.

in-game angle

