

F M S 11-4

SUPPLEMENT FOR SPECIAL TAKEOFF AND LANDING OPERATIONS

TABLE OF CONTENTS

Page

A. GENERAL DATA

1.	GENERAL	11 - 4 - 1
1.1	INTRODUCTION	11 - 4 - 1
1.2	ABBREVIATIONS	11 - 4 - 2
1.3	DEFINITIONS	11 - 4 - 2
2.	LIMITATIONS	11 - 4 - 3
2.1	ROTOR RPM LIMITATIONS	11 - 4 - 3
2.2	ENGINE AND TRANSMISSION POWER LIMITATIONS	11 - 4 - 4
2.3	WIND LIMITS	11 - 4 - 5
2.4	APPROVED LUBRICANTS	11 - 4 - 5
2.5	INSTRUMENT MARKINGS	11 - 4 - 5
2.5.1	Turbine Outlet Temperature (TOT) Indicator	11 - 4 - 5
2.5.2	Dual Torque Indicator	11 - 4 - 5
2.6	OPTIONAL EQUIPMENT INSTALLATION LIMITATIONS	11 - 4 - 5

	<u>Page</u>
3. EMERGENCY AND MALFUNCTION PROCEDURES	11 - 4 - 6
3.1 OEI DURING TAKEOFF	11 - 4 - 6
3.2 OEI DURING LANDING	11 - 4 - 6
4. NORMAL PROCEDURES	11 - 4 - 6
5. PERFORMANCE DATA	11 - 4 - 7
5.1 OEI CLIMB PERFORMANCE	11 - 4 - 7
6. MASS AND BALANCE	11 - 4 - 15
7. SYSTEM DESCRIPTION	11 - 4 - 15
8. HANDLING, SERVICING, AND MAINTENANCE	11 - 4 - 15
9. OPERATIONAL INFORMATION	11 - 4 - 15
9.1 TRAINING	11 - 4 - 15
9.1.1 Engine and Transmission Power Training Limits	11 - 4 - 15
9.1.2 OEI Training Procedures	11 - 4 - 16
9.1.2.1 OEI Simulation with All Engines Operating	11 - 4 - 16
9.1.2.2 OEI Simulation with One Engine at IDLE	11 - 4 - 16
9.2 OEI OUT-OF-GROUND-EFFECT HOVER CEILING	11 - 4 - 18

B. ELEVATED OR RESTRICTED HELIPADS (VTOL)

1. GENERAL	11 - 4 - 21
2. LIMITATIONS	11 - 4 - 21
2.1 CERTIFICATION CRITERIA	11 - 4 - 21
2.2 OPERATIONAL LIMITATIONS	11 - 4 - 21
2.2.1 Helipad Surface	11 - 4 - 21
2.2.2 Wind Limits	11 - 4 - 21
2.2.3 Bleed Air Consumers	11 - 4 - 21

F M S 11-4

SUPPLEMENT FOR EQUIVALENT CATEGORY A OPERATIONS (VTOL ONLY)

TABLE OF CONTENTS

Page

A. GENERAL DATA

1.	GENERAL	11 - 4 - 1
1.1	INTRODUCTION	11 - 4 - 1
1.2	ABBREVIATIONS	11 - 4 - 2
1.3	DEFINITIONS	11 - 4 - 2
2.	LIMITATIONS	11 - 4 - 3
2.1	ROTOR RPM LIMITATIONS	11 - 4 - 3
2.2	ENGINE AND TRANSMISSION POWER LIMITATIONS	11 - 4 - 4
2.3	WIND LIMITS	11 - 4 - 5
2.4	APPROVED LUBRICANTS	11 - 4 - 5
2.5	INSTRUMENT MARKINGS	11 - 4 - 5
2.5.1	Turbine Outlet Temperature (TOT) Indicator	11 - 4 - 5
2.5.2	Dual Torque Indicator	11 - 4 - 5
2.6	OPTIONAL EQUIPMENT INSTALLATION LIMITATIONS	11 - 4 - 5

	<u>Page</u>
3. EMERGENCY AND MALFUNCTION PROCEDURES	11 - 4 - 6
3.1 OEI DURING TAKEOFF	11 - 4 - 6
3.2 OEI DURING LANDING	11 - 4 - 6
4. NORMAL PROCEDURES	11 - 4 - 6
5. PERFORMANCE DATA	11 - 4 - 7
5.1 OEI CLIMB PERFORMANCE	11 - 4 - 7
6. MASS AND BALANCE	11 - 4 - 15
7. SYSTEM DESCRIPTION	11 - 4 - 15
8. HANDLING, SERVICING, AND MAINTENANCE	11 - 4 - 15
9. OPERATIONAL INFORMATION	11 - 4 - 15
9.1 TRAINING	11 - 4 - 15
9.1.1 Engine and Transmission Power Training Limits	11 - 4 - 15
9.1.2 OEI Training Procedures	11 - 4 - 16
9.1.2.1 OEI Simulation with All Engines Operating	11 - 4 - 16
9.1.2.2 OEI Simulation with One Engine at IDLE	11 - 4 - 16
9.2 OEI OUT-OF-GROUND-EFFECT HOVER CEILING	11 - 4 - 18

B. ELEVATED OR RESTRICTED HELIPADS (VTOL)

1. GENERAL	11 - 4 - 21
2. LIMITATIONS	11 - 4 - 21
2.1 CERTIFICATION CRITERIA	11 - 4 - 21
2.2 OPERATIONAL LIMITATIONS	11 - 4 - 21
2.2.1 Helipad Surface	11 - 4 - 21
2.2.2 Wind Limits	11 - 4 - 21
2.2.3 Bleed Air Consumers	11 - 4 - 21

	<u>Page</u>
2.2.4 Icing Prevention Measures	11 - 4 - 21
2.3 MASS LIMITS	11 - 4 - 22
3. EMERGENCY AND MALFUNCTION PROCEDURES	11 - 4 - 24
3.1 OEI DURING TAKEOFF PRIOR TO TDP	11 - 4 - 24
3.2 OEI DURING TAKEOFF AFTER TDP	11 - 4 - 25
3.3 OEI DURING LANDING PRIOR TO LDP	11 - 4 - 26
3.4 OEI DURING LANDING AFTER LDP	11 - 4 - 27
4. NORMAL PROCEDURES	11 - 4 - 28
4.1 HELIPAD VERTICAL TAKEOFF	11 - 4 - 28
4.2 HELIPAD VERTICAL LANDING	11 - 4 - 30
5. PERFORMANCE DATA	11 - 4 - 31
5.1 TAKEOFF PERFORMANCE	11 - 4 - 31
5.1.1 Maximum Takeoff Gross Mass	11 - 4 - 31
5.1.2 OEI Takeoff Distance	11 - 4 - 31
5.1.3 Takeoff Flight Path Segments I and II	11 - 4 - 32
5.2 LANDING PERFORMANCE	11 - 4 - 32
5.2.1 OEI Landing Distance	11 - 4 - 32
5.2.2 Maximum Landing Gross Mass	11 - 4 - 32
5.3 MODIFIED FLIGHT PATH TO CLEAR HIGH OBSTACLES	11 - 4 - 33
5.3.1 Modified Takeoff Flight Path	11 - 4 - 33
5.3.2 Modified Landing Flight Path	11 - 4 - 35
6. MASS AND BALANCE	11 - 4 - 36
7. SYSTEM DESCRIPTION	11 - 4 - 36
8. HANDLING, SERVICING, AND MAINTENANCE	11 - 4 - 36
9. OPERATIONAL INFORMATION	11 - 4 - 36
9.1 TRAINING	11 - 4 - 36
9.1.1 OEI Simulation with One Engine at IDLE	11 - 4 - 36

LIST OF FIGURES

Page

A. GENERAL DATA

Fig. 1	OEI Rate of Climb - Flight Path Segment I	11 - 4 - 9
Fig. 2	OEI Rate of Climb - Flight Path Segment II	11 - 4 - 10
Fig. 3	OEI Rate of Climb - 2.5-min Power, V_Y	11 - 4 - 11
Fig. 4	OEI Rate of Climb - MCP, V_Y	11 - 4 - 12
Fig. 5	OEI Height Gain - Flight Path Segment I	11 - 4 - 13
Fig. 6	OEI Height Gain - Flight Path Segment II	11 - 4 - 14
Fig. 7	OEI-simulation 2.5-min Power	11 - 4 - 17
Fig. 8	OEI Hover Ceiling Out of Ground Effect	11 - 4 - 19

B. ELEVATED OR RESTRICTED HELIPADS (VTOL)

Fig. 9	VTOL - Maximum Takeoff and Landing Gross Mass	11 - 4 - 23
Fig. 10	VTOL - Rejected Takeoff Profile	11 - 4 - 24
Fig. 11	VTOL - Continued Takeoff Profile	11 - 4 - 25
Fig. 12	VTOL - Go-around Profile	11 - 4 - 26
Fig. 13	VTOL - Continued Landing Profile	11 - 4 - 27
Fig. 14	VTOL - Vertical Takeoff Profile	11 - 4 - 29
Fig. 15	VTOL - Takeoff Decision Point Sight Picture	11 - 4 - 29
Fig. 16	VTOL - Vertical Landing Profile	11 - 4 - 30
Fig. 17	VTOL - Landing Decision Point Sight Picture	11 - 4 - 31
Fig. 18	VTOL - OEI Takeoff Profile	11 - 4 - 32
Fig. 19	VTOL - Modified Flight Path to Clear High Obstacles	11 - 4 - 33
Fig. 20	VTOL - Training Takeoff and Landing Gross Mass	11 - 4 - 37

LBA APPROVED