

Table Name	Primary Key	Row Grain	Approx. Row Count	Purpose	Key Foreign Keys	Notes
dim_election	election_id	One row per election	11	Election metadata and configuration	None	11 elections: PRE_2024, DIP_MR_2024, DIP_RP_2024, SEN_MR_2024, SEN_RP_2024, PRE_2018, DIP_MR_2018, SEN_MR_2018, PRE_2012, DIP_MR_2012, SEN_MR_2012
dim_geography	geo_id	One row per electoral section	~66000	Geographic hierarchy (state/muni/district/section)	None	Deduplicated across all elections; shared by all contests. SECCION=0 = voto en el extranjero. ID_MUNICIPIO/MUNICIPIO NULL for 2018 and 2012. CIRCUNSCRIPCION NULL for 2018, 2012, and non-deputy elections
dim_casilla	casilla_id + election_id	One row per polling station per election	~420000	Polling station details by election	election_id, geo_id	Scoped by election; same station may appear in multiple elections. 2012 casilla_id synthesised from ESTADO+SECCION+TIPO+ID_CASILLA+EXT_CONTIGUA. Only CONTABILIZADA=1 rows ingested for 2012. ESTATUS_ACTA, RUTA_ACTA, URNA_ELECTRONICA are NULL for 2018 and 2012 rows
dim_party	party_key	One row per party or coalition	~38	Political parties and electoral coalitions	None	2024 has 13 entries (7 parties + 6 coalitions); 2018 has 21 (8 parties + 2 independents + 11 coalitions); 2012 has 12 (7 parties + 5 coalitions). 2012 coalitions use C_ prefix. PANAL = Nueva Alianza. MORENA did not exist in 2012
fact_casilla_vote	election_id + casilla_id + party_key	One row per party per polling station per election	~29000000	Vote counts by polling station party and election	election_id, casilla_id	Denormalized vote metadata; partitioned by election_id. NUM_VOTOS_VALIDOS is NULL for all 2018 and 2012 rows. TOTAL_VOTOS source is TOTAL_VOTOS (2024, 2012) or TOTAL_VOTOS_CALCULADOS (2018). NUM_VOTOS_NULOS source is NUM_VOTOS_NULOS (2024), VN (2018), NULOS (2012). NUM_VOTOS_CAN_NREG source is NUM_VOTOS_CAN_NREG (2024), CNR (2018), NO_REGISTRADOS (2012)

Column Name	Data Type	Role	Description (SPA)	Description (ENG)	Values / Domain	Notes
election_id	string	Foreign Key / Partition	Identificador de la elección	Election identifier (links to dim_election; partitions fact table)	PRE_2024, DIP_MR_2024, DIP_RP_2024, SEN_MR_2024, SEN_RP_2024, PRE_2018, DIP_MR_2018, SEN_MR_2018, PRE_2012, DIP_MR_2012, SEN_MR_2012	Used to partition table physically by election for query performance
casilla_id	string	Foreign Key	Identificador único de la casilla	Polling station identifier (links to dim_casilla)	2024: e.g. "01_0001_B", "01_0001_C01" 2018: e.g. "0100095010007" (CLAVE_ACTA format); 2012: e.g. "01_0338_B01C00" (synthesised from ESTADO+SECCION+TIPO+ID_CASILLA+EXT_CONTIGUA)	Combined with election_id forms unique polling station record for this election. Format differs by cycle.
party_key	string	Foreign Key	Clave de partido o coalición	Party or coalition identifier (links to dim_party)	2024: PAN, PRI, PRD, PVEM, PT, MC, MORENA and coalitions; 2018: adds MOVIMIENTO CIUDADANO, NUEVA ALIANZA, ENCUENTRO SOCIAL, CAND_IND_01, CAND_IND_02 and their coalitions; 2012: PAN, PRI, PRD, PVEM, PT, MC, PANAL and coalitions C_PRI_PVEM, C_PRI_PT_MC, C_PRD_PT, C_PRD_MC, C_PT_MC	One row per party per casilla per election; includes both individual parties and coalitions. The unique constraint in fact_casilla_vote is (election_id, casilla_id, party_key).
votes	integer	Measure	Votos obtenidos por la formación política	Number of votes received by party or coalition	a 0	Exact vote count as recorded in the original polling station ballot count record (ACTA). 0 when the party column was blank or NaN in the source CSV (filled via fillna()); not necessarily an active zero-vote result.
NUM_VOTOS_VALIDOS	integer	Measure	Total de votos válidos en la casilla	Sum of all valid votes at this polling station	a 0 or NULL	Represents NUM_VOTOS_VALIDOS from original 2024 record; NULL for all 2018 and 2012 elections (no equivalent column exists in the 2018 or 2012 source data). Same value repeated for all parties in same casilla.
NUM_VOTOS_NULOS	integer	Measure	Votos nulos en la casilla	Null votes (blank, double-marked, or invalid ballots) at this station	a 0	Source column is NUM_VOTOS_NULOS (2024, VN (2018), NULOS (2012)). Renamed to canonical name at ingest for cross-cycle compatibility.
NUM_VOTOS_CAN_NREG	integer	Measure	Votos a candidatos no registrados	Votes cast for candidates not appearing on the official ballot (no reg)	a 0	Source column is NUM_VOTOS_CAN_NREG (2024), CNR (2018), NO_REGISTRADOS (2012). Renamed to canonical name at ingest. Legally recognized and tallied separately, not attributed to any party.
TOTAL_VOTOS	integer	Measure	Total de votos contabilizados	Total votes recorded in ballot count for this station	a 0	Source column is TOTAL_VOTOS (2024, 2012) or TOTAL_VOTOS_CALCULADOS (2018). In 2024, should equal NUM_VOTOS_VALIDOS + NUM_VOTOS_NULOS + NUM_VOTOS_CAN_NREG; deviations indicate data quality issues. In 2018 and 2012 this is a pre-calculated total provided directly in the source, since NUM_VOTOS_VALIDOS is not broken out.

Column Name	Data Type	Role	Description (SPA)	Description (ENG)	Values / Domain	Notes
casilla_id	string	Primary Key	Identificador único de la casilla por elección	Unique polling station identifier (composite key scoped by election)	2024: e.g. "01_0001_B", "01_0001_C01"; 2018: e.g. "010009S010007" (CLAVE_ACTA format); 2012: e.g. "01_0338_B01C00" (synthesised)	2024 format: {ID_ESTADO (2-digit)}{SECCION (4-digit)}{ACTA_CASILLA-MEC}; 2018 format: CLAVE_ACTA directly; 2012 format: {ID_ESTADO (2-digit)}{SECCION (4-digit)}{TIPO_CASILLA}{ID_CASILLA (2-digit)}{EXT_CONTIGUA (2-digit)}. Unique within an election but not across elections.
election_id	string	Foreign Key	Identificador de la elección	Election identifier (links to dim_election)	PRE_2024, DIP_MR_2024, DIP_RP_2024, SEN_MR_2024, SEN_RP_2024, PRE_2018, DIP_MR_2018, SEN_MR_2018, PRE_2012, DIP_MR_2012, SEN_MR_2012	Part of composite PK with casilla_id
geo_id	string	Foreign Key	Identificador geográfico	Geographic identifier (links to dim_geography)	e.g. "01_0001", "09_0042", "01_0000" (abroad)	Format: {ID_ESTADO (2-digit)}_{SECCION (4-digit)}. SECCION=0 produces geo_id like "01_0000" representing voto en el extranjero for that state
ID_ESTADO	integer	Dimension	Identificador numérico del estado	Numeric state ID	1–32	From original polling station record. In 2012 raw file named ESTADO; renamed at ingest
SECCION	integer	Dimension	Sección electoral	Electoral section	1–N per state; 0 = voto en el extranjero	From original polling station record. 0 = abroad votes — real actas, not aggregates
ACTA_CASILLA-MEC	string	Natural Key (partial)	Clave alfanumérica del acta	Alphanumeric code encoding polling station type and hierarchy	e.g. "B", "C01", "E01", "E01C01", "VMRE01"	Most robust natural key component; combined with ID_ESTADO and SECCION forms casilla_id in 2024. NULL for 2018 rows (CLAVE_ACTA used instead). NULL for 2012 rows (casilla_id synthesised from composite key instead)
TIPO_CASILLA	string	Dimension	Tipo de casilla electoral	Type of polling station	B, C, E, S, MEC	B=Básica (<750 voters); C=Contigua (overflow); E=Extraordinaria (remote access); S=Especial (transit voters); MEC=Counting table (electronic ballot or abroad). No MEC type in 2012
ID_CASILLA	integer	Partial Key	Número secuencial de casilla principal	Sequential number of main polling station	1, 2, 3, ...	Within its type and section; does NOT distinguish contiguous extensions
EXT_CONTIGUA	integer	Partial Key	Número secuencial de extensión contigua	Sequential counter of contiguous extensions within same casilla	0 = main or non-contigua station; 1, 2, 3, ... N = extensions	0 for all non-C type casillas
LISTA_NOMINAL	integer	Measure	Número de ciudadanos habilitados	Number of registered voters eligible at this station	≥ 0	Type S casillas have LISTA_NOMINAL = 0 or NULL. Named LISTA_NOMINAL_CASILLA in 2018 and 2012 raw files; renamed to LISTA_NOMINAL at ingest. Exclude tipo_casilla = 'S' when aggregating turnout
URNA_ELECTRONICA	integer	Flag	Indica uso de urna electrónica	Flag: electronic ballot box used	0 = no; 1 = yes; NULL = not applicable	NULL for 2018 and 2012 rows (column not present in source)
ESTATUS_ACTA	string	Quality Flag	Estado de procesamiento del acta PREP	Processing status in PREP system	Contable, No Contable, Cotejo, Sin Acta	Contable = valid and counted; No Contable = excluded from totals; Cotejo = verified on-site; Sin Acta = record missing. NULL for 2018 and 2012 rows. 2012 equivalent is CONTABILIZADA flag (1.0/0.0/NaN) stored separately in dim_casilla
RUTA_ACTA	string	Reference	Nombre del archivo PDF del acta	Filename of scanned ballot count record	e.g. "JE2024_01_PRE_M01_JCOTVMRE_248166.pdf"	Used to retrieve original scanned image from INE's PREP document repository. NULL for 2018 and 2012 rows

Column Name	Data Type	Role	Description (SPA)	Description (ENG)	Values / Domain	Notes
election_id	string	Primary Key	Identificador único de la elección	Unique election identifier combining type and year	PRE_2024, DIP_MR_2024, DIP_RP_2024, SEN_MR_2024, SEN_RP_2024, PRE_2018, DIP_MR_2018, SEN_MR_2018, PRE_2012, DIP_MR_2012, SEN_MR_2012	Format: [ELECTION_TYPE]_[YEAR]; PRE=Presidencia; DIP=Diputaciones; SEN=Senadurias; MR=Mayoría Relativa (FPTP); RP=Representación Proporcional (PR)
year	integer	Dimension	Año de la elección	Election year	2012, 2018, 2024	
election_type	string	Dimension	Tipo de elección	Type of election	PRE, DIP, SEN	PRE=Presidential; DIP=Federal Deputies; SEN=Senate
chamber	string	Dimension	Cámara legislativa	Legislative chamber	NULL, deputies, senate	NULL for presidential
seat_method	string	Dimension	Método de asignación de escaños	Seat allocation method	direct, fptp, pr	direct=Presidential; fptp=Mayoría Relativa; pr=Representación Proporcional
total_seats	integer	Dimension	Número total de escaños disponibles	Total seats available	1, 32, 96, 200, 300	1=Presidential; 96/32=Senate MR/PR; 300/200=Deputies MR/PR. 2012 has no RP elections in source data — only MR for DIP and SEN
term_years	integer	Dimension	Duración del mandato en años	Term length in years	3, 6	3=Deputies; 6=President and Senate

Column Name	Data Type	Role	Description (SPA)	Description (ENG)	Values / Domain	Notes
geo_id	string	Primary Key	Identificador geográfico único	Unique geographic identifier combining state and section	e.g. "01_0001", "09_0042", "01_0000" (abroad)	Format: (ID_ESTADO (2-digit zero-padded)), (SECCION (4-digit zero-padded)); unique nationwide. SECCION=0 produces geo_id like "01_0000" representing voto en el extranjero for that state
ID_ESTADO	integer	Dimension	Identificador numérico del estado	Numeric state ID	1-32	Matches INEGI state catalog; 32 states plus CDMX
NOMBRE_ESTADO	string	Dimension	Nombre completo del estado	Full state name	e.g. "AGUASCALIENTES", "CIUDAD DE MEXICO"	Official state name in Mexican Spanish. Not present in 2012 raw files — injected at ingest time from static INEGI state catalog keyed on ID_ESTADO
SECCION	integer	Dimension / Partial Key	Sección electoral	Electoral section; smallest geographic subdivision for voter assignment	1-N per state; 0 = abroad	Unique only within a state; use (ID_ESTADO + SECCION) for national uniqueness
ID_MUNICIPIO	integer	Dimension	Identificador del municipio dentro del estado	Municipality ID within state	0-N per state; 0 = abroad; NULL for 2018 and 2012	Not unique nationwide; combine with ID_ESTADO for uniqueness. NULL for all 2018 and 2012 rows (not present in source data)
MUNICIPIO	string	Dimension	Nombre del municipio	Municipality name	e.g. "ASIENTOS", "VOTO EN EL EXTRANJERO"; NULL for 2018 and 2012	NULL for all 2018 and 2012 rows (not present in source data)
ID_DISTRITO_FEDERAL	integer	Dimension	Identificador del distrito electoral federal	Federal electoral district ID	1-N per state; 0 = abroad	Not unique nationwide; combine with ID_ESTADO for uniqueness. Maps to ID_DISTRITO in 2018 and 2012 source
CABECERA_DISTRICTAL_FEDERAL	string	Dimension	Ciudad cabecera del distrito federal	Main city / head location of federal electoral district	e.g. "JESUS MARIA", "VOTO EN EL EXTRANJERO"; NULL for 2012	Typically the largest municipality in the district. Maps to NOMBRE_DISTRITO in 2018 source. NULL for all 2012 rows (no NOMBRE_DISTRITO column in 2012 raw files)
CIRCUNSCRIPCION	integer	Dimension (optional)	Circunscripción plurinominal	Plurinominal constituency (proportional-representation grouping)	1, 2, 3, 4, 5; NULL for 2018, 2012, and non-deputy elections	Mexico divided into 5 circunscripciones for Chamber of Deputies PRI seats; NULL for senate and presidential elections and all 2018 and 2012 rows

Column Name	Data Type	Role	Description (SPA)	Description (ENG)	Values / Domain	Notes
party_key	string	Primary Key	Clave de partido o coalición	Unique party or coalition identifier	2024 individual: PAN, PRI, PRD, PVEM, PT, MC, MORENA; 2024 coalitions: PAN_PRI, PRD_PAN, PRI_PAN, PRD_PRI, PRD_PVEM, PT_MORENA, PVEM_PT, PVEM_MORENA, PT_MORENA; 2018 adds: MOVIMIENTO CIUDADANO, NUEVA ALIANZA, ENCUENTRO SOCIAL, CAND_IND_01, CAND_IND_02 and their coalition combinations; 2012 adds: PANAL and coalitions C_PRI_PVEM, C_PRD_PT_MC, C_PRD_PT, C_PRD_MC, C_PT_MC	-38 unique identifiers post-dedup; 2024 has 13 (7 parties + 6 coalitions); 2018 has 21 (8 parties + 2 independents + 11
is_coalition	boolean	Dimension	Indica si es una coalición	Flag indicating whether this is a coalition ballot	FALSE, TRUE	FALSE = individual party or independent candidate; TRUE = electoral coalition
members	string	Dimension	Miembros de la coalición	Comma-separated list of member parties	Empty string for individual parties and independents; e.g. "PAN,PRI,PRD" for PAN_PRI,PRD; "PRI,PVEM" for C_PRI_PVEM; "PRD,PT,MC" for C_PRD_PT_MC	Empty string for individual parties and independents. 2012 coalition members reference the 2012 party keys (e.g. MC no

Column Name	Data Type	Role	Description (SPAN)	Description (ENGL)	Notes / Remarks	Notes
CIRCUNSCRIPCION	integer	Dimension	Concepción electorales en la que pertenece el distrito	Electoral constituency (1-46 grouping federal districts for proportional representation seats)	1, 2, 3, 4, 5	Mexico is divided into 5 congressional districts for Chamber of Deputies PR seats
ID ESTADO	string	Dimension	Identificación numérica del estado	Numeric state ID	1-32	Matches INEGI state catalog
NOMBRE_ESTADO	string	Dimension	Nombre completo del estado	Full state name	es: "JALISCO", "ESTADO DE GUERRERO"	
ID DISTRITO FEDERAL	integer	Dimension	Identificación del distrito electoral del federal	Federal electoral district ID within the state	es: "JALISCO", "ESTADO DE GUERRERO"	Not unique nationwide, combine with ID_ESTADO
CANDIDATO_CENTRAL_FEDERAL	string	Dimension	Código e identificación del candidato federal	Identify federal candidate of the federal district	es: "JALISCO", "ESTADO DE GUERRERO"	
ID MUNICIPIO	integer	Dimension	Identificación del municipio dentro del estado	Municipality ID within the state	es: "JALISCO", "ESTADO DE GUERRERO"	Not unique nationwide, combine with ID_ESTADO
MUNICIPIO	string	Dimension	Nombre del municipio	Municipality name	es: "JALISCO", "ESTADO DE GUERRERO"	
SECCION	integer	Dimension / Partial Key	Sección electoral. Subdivisión del municipio donde está ubicada la casilla	Electoral section. Subdivision of the electoral geographic subdivision used for voter assignment	es: "JALISCO", "ESTADO DE GUERRERO"	Unique only within a state. Combine ID_ESTADO + SECCION for a relatively unique section key
TIPO_CASILLA	string	Dimension	Tipo de casilla electoral instalada	Type of polling station installed in the section	es: "JALISCO", "ESTADO DE GUERRERO"	A section always has one B, C and E are added as needed. D are fixed per district up to 10. MEC appears for electronic building and overseas votes
ID_CASILLA	integer	Partial Key	Número secuencial de la casilla principal dentro de su tipo y sección	Sequential number of the main polling station within the TIPO and SECCION	es: "JALISCO", "ESTADO DE GUERRERO"	Does NOT distinguish contiguous extensions within the same casilla - see EXT_CONTIGUA for that
EXT_CONTIGUA	integer	Partial Key	Número secuencial de la extensión contigua dentro de una misma casilla	Sequential counter of contiguous extension within the same casilla and type	es: "JALISCO", "ESTADO DE GUERRERO"	Not binary es: "JALISCO", "ESTADO DE GUERRERO"
ACTA_CASILLA_MEC	string	Nature Key	Código alternativo que codifica la planilla completa del acta Nro. e nombre de casilla + extensión	Alternative key encoding the full township type + casilla number + extension Es: "JALISCO", "ESTADO DE GUERRERO"	es: "JALISCO", "ESTADO DE GUERRERO"	Must robust nature key for a row. Equivalent PR: ID_ESTADO + ACTA_CASILLA_MEC. Matches Senema pattern in OBSERVACIONES (not FLUJO, ACTA, which uses a different naming convention)
URNA_ELECTRONICA	integer	Flag	Indica si se usó urna electrónica en esta casilla	Flag 1 if an electronic ballot box was used	es: "JALISCO", "ESTADO DE GUERRERO"	Only present in certain pilot sections (e.g. around MEC rows in this file)
PRN	integer	Measure	Votos obtenidos por el PRN	Votes for Partido Acción Nacional	es: "JALISCO", "ESTADO DE GUERRERO"	
PRE	integer	Measure	Votos obtenidos por el PRE	Votes for Partido Revolucionario Institucional	es: "JALISCO", "ESTADO DE GUERRERO"	
PRD	integer	Measure	Votos obtenidos por el PRD	Votes for Partido de la Revolución Democrática	es: "JALISCO", "ESTADO DE GUERRERO"	
PIEM	integer	Measure	Votos obtenidos por el PIEM	Votes for Partido Verde Ecologista de México	es: "JALISCO", "ESTADO DE GUERRERO"	
PT	integer	Measure	Votos obtenidos por el PT	Votes for Partido del Trabajo	es: "JALISCO", "ESTADO DE GUERRERO"	
MC	integer	Measure	Votos obtenidos por Movimiento Ciudadano	Votes for Movimiento Ciudadano	es: "JALISCO", "ESTADO DE GUERRERO"	
MORENA	integer	Measure	Votos obtenidos por MORENA	Votes for Movimiento Regeneración Nacional	es: "JALISCO", "ESTADO DE GUERRERO"	
PRN_PRE	integer	Measure	Votos para la coalición PRN-PRE (Panaya y Coahuila por México)	Votes for the PRN-PRE coalition ballot	es: "JALISCO", "ESTADO DE GUERRERO"	Voters who chose the coalition emblem rather than any individual party
PRN_PRD	integer	Measure	Votos para la coalición parcial PRN-PRD	Votes for PRN-PRD sub-coalition ballot	es: "JALISCO", "ESTADO DE GUERRERO"	
PRE_PRD	integer	Measure	Votos para la coalición parcial PRE-PRD	Votes for PRE-PRD sub-coalition ballot	es: "JALISCO", "ESTADO DE GUERRERO"	
PRE_PT	integer	Measure	Votos para la coalición parcial PRE-PT	Votes for PRE-PT sub-coalition ballot	es: "JALISCO", "ESTADO DE GUERRERO"	
PRN_PT	integer	Measure	Votos para la coalición PRN-PT (Gobierno Nacional)	Votes for the PRN-PT sub-coalition ballot	es: "JALISCO", "ESTADO DE GUERRERO"	
PRN_PT_MORENA	integer	Measure	Votos para la coalición PRN-PT-MORENA	Votes for the PRN-PT-MORENA coalition ballot	es: "JALISCO", "ESTADO DE GUERRERO"	
PREN_PT	integer	Measure	Votos para la coalición parcial PREN-PT	Votes for PREN-PT sub-coalition ballot	es: "JALISCO", "ESTADO DE GUERRERO"	
PREN_MORENA	integer	Measure	Votos para la coalición parcial PREN-MORENA	Votes for PREN-MORENA sub-coalition ballot	es: "JALISCO", "ESTADO DE GUERRERO"	
PT_MORENA	integer	Measure	Votos para la coalición parcial PT-MORENA	Votes for PT-MORENA sub-coalition ballot	es: "JALISCO", "ESTADO DE GUERRERO"	
NUM_VOTOS_VALIDOS	integer	Measure	Suma de votos válidos emitidos	Sum of all valid votes. Individual parties + coalitions. Does NOT include null votes or unregistered candidate votes	es: "JALISCO", "ESTADO DE GUERRERO"	Formula: PRN + PRE + PRD + PT + MC + MORENA + all coalition combos
NUM_VOTOS_CAN_MER	integer	Measure	Suma de votos válidos emitidos	Sum of all valid votes. Individual parties + coalitions. Does NOT include null votes or unregistered candidate votes	es: "JALISCO", "ESTADO DE GUERRERO"	Formula: PRN + PRE + PRD + PT + MC + MORENA + all coalition combos
NUM_VOTOS_MER	integer	Measure	Suma de votos válidos emitidos	Sum of all valid votes. Individual parties + coalitions. Does NOT include null votes or unregistered candidate votes	es: "JALISCO", "ESTADO DE GUERRERO"	Formula: PRN + PRE + PRD + PT + MC + MORENA + all coalition combos
TOTAL_VOTOS	integer	Measure	Suma de votos emitidos en el acta	Total votes recorded in the ballot count record	es: "JALISCO", "ESTADO DE GUERRERO"	TOTAL_VOTOS = NUM_VOTOS_VALIDOS + NUM_VOTOS_CAN_MER + NUM_VOTOS_MER + NUM_VOTOS_MER. This equality should hold. Deviations signal data quality issues worth flagging
URNA_MER	integer	Measure	Suma de votos emitidos en el acta	Total votes recorded in the ballot count record	es: "JALISCO", "ESTADO DE GUERRERO"	Casilla separada de tipo legalmente no controlado - they can receive any vote in total, as LEY, MORENA, + 2 or PAN. Participation rate = TOTAL_VOTOS / LEY, MORENA, + 100 (percentage of casilla for clear turnout rate)
URNA_ACTA	integer	Measure	Suma de votos emitidos en el acta	Total votes recorded in the ballot count record	es: "JALISCO", "ESTADO DE GUERRERO"	Can be used to verify the original document image from the PREN document repository
TRIBUNAL	integer	Quality Flag	Indica intervención del Tribunal Electoral	Flag indicating the ballot record was reviewed or modified by the Electoral Tribunal (TEPJF)	es: "JALISCO", "ESTADO DE GUERRERO"	Almost entirely NA in PREP data, relevant post-election in the official process
RUJA_ACTA	integer	Reference	Referencia al archivo PDF del acta digitalizada	Reference of the scanned ballot count record image	es: "JALISCO", "ESTADO DE GUERRERO"	Can be used to verify the original document image from the PREN document repository
OBSERVACIONES	string	Reference	Observaciones del acta (consultar con RUJA_ACTA en este archivo)	Additional observations, in this file consult RUJA_ACTA	es: "JALISCO", "ESTADO DE GUERRERO"	May contain notes on irregularities or processing issues in other election file

Column Name	Data Type	Role	Description (SPAN)	Description (ENG)	Values / Domain	Notes
CLAVE_CASILLA	string	Reference	Clave alfanumérica de la casilla, incluye tipo y número	Alphanumeric casilla key encoding type and number	e.g. 010000M101	Arrives with stray leading zero character in the new file e.g. 010000M0101. NOT a valid/uniqu key -- special casillas (TIPO_CASILLA = B) can share the same CLAVE_CASILLA across multiple acts. Use CLAVE_ACTA as the row key. No equivalent column in 2024.
CLAVE_ACTA	string	Native Key	Clave alfanumérica única del acta CLAVE_CASILLA + sufixo secuencial de 2 dígitos	Unique alphanumeric acta key CLAVE_CASILLA plus a 2-digit sequential suffix	e.g. 010000M10001 / 010000S1000S	Most relevant natural key for a row. Equivalent to ACTA_CASILLA_MEC in 2024. Zero digitified CLAVE_ACTA confirmed for PRE-2018. Used verbatim as casilla_id in dem_casilla and fact_casilla_vote.
ID_ESTADO	integer	Dimension	Identificador numérico del estado	Numeric state ID	1-32	Matches INEGI state catalog. Row 1 of the file (ID_ESTADO = 0) is the file-level summary/aggregate row -- excluded from dim tables by design.
NOMBRE_ESTADO	string	Dimension	Nombre completo del estado	Full state name	e.g. "AGUASCALIENTES", "CIUDAD DE MEXICO"	Contains encoding artifacts for accented characters when read without latin-1 (e.g. voteS instead of ſ).
ID_DISTRICTO	integer	Dimension	Identificador del distrito electoral federal dentro del estado	Federal electoral district ID within the state	0 = resumen / summary; 1-N per state	Named ID_DISTRICTO in 2018 (vs ID_DISTRICTO_FEDERAL in 2024). Not unique nationwide; combine with ID_ESTADO. No abroad district in presidencia, 2018.
NOMBRE_DISTRICTO	string	Dimension	Nombre del distrito electoral federal	Name of the federal electoral district	e.g. "JESUS MARIA"	Named NOMBRE_DISTRICTO in 2018 (vs CIRCUNSCRIPCION_DISTRICTAL_FEDERAL in 2024). Blank for the summary row. No ID_MUNICIPIO / MUNICIPIO / CIRCUNSCRIPCION columns used in 2018.
SECCION	integer	Dimension / Partial Key	Sección electoral. Subdivisión del municipio donde está ubicada la casilla	Electoral section (the smallest geographic subdivision used for voter assignment)	+N per state (1= resumen)	Unique only within a state. Contains ID_ESTADO + SECCION for a nationally unique section key. 0 = summary row.
ID_CASILLA	integer	Integer	Número secuencial de la casilla dentro de su tipo y sección	Sequential number of the polling station within its TIPO and SECCION	1, 2, 3, ...	Does not distinguish contiguous extensiones -- use EXT_CONTIGUA for that.
TIPO_CASILLA	string	Dimension / Partial Key	Tipo de casilla electoral instalada	Type of polling station installed in the section	B = Bóveda, C = Contigua, S = Especial (Inventari), E = Extraordinaria	M type (Mesa de Escrutinio y Cómputo) observed in row 1 only (the summary/aggregate row). No MEC or abroad casillas in presidencia, 2018 data rows.
EXT_CONTIGUA	integer	Partial Key	Número secuencial de la extensión contigua dentro de una misma casilla	Sequential counter of contiguous extensiones within the same casilla and type	0 = casilla principal, 1, 2, 3, ... = extensiones contiguas	Not binary. Composite PK: ID_ESTADO + SECCION + TIPO_CASILLA + ID_CASILLA + EXT_CONTIGUA.
CASILLA	Dimension	Dimension	Clasificación geográfica de la casilla	Geographic classification of the polling booth	None, Ultimate: "", Blank, NA	Present only for BCS type casillas. Blank or NA for NA type (summary) rows. No equivalent column in 2024.
NUM_ACTA_IMPRESO	integer	Reference	Número de folio del acta impreso	Pre-printed acta form serial number	Integer or NA	Class literal: "" as a "not recorded" placeholder in the new file -- converted to NA by pdt.to_numeric() (issue). No equivalent column in 2024.
IAN	integer	Measure	Votos obtenidos por el PAN	Votes for Partido Acción Nacional	Integer or NA	Party ran individually and also as part of the PAN_PRD_MC coalition (Por México al Frente). Arrives as object dtype in some rows due to Wiley quakes, coerced to numeric.
PR	integer	Measure	Votos obtenidos por el PR	Votes for Partido Revolucionario Institucional	Integer or NA	Party ran individually and also as part of the PAN_PRD_MC coalition (Por México al Frente). Arrives as object dtype in some rows due to Wiley quakes, coerced to numeric.
PRD	integer	Measure	Votos obtenidos por el PRD	Votes for Partido de la Revolución Democrática	Integer or NA	Party ran individually and also as part of the PAN_PRD_MC coalition.
PVEM	integer	Measure	Votos obtenidos por el PVEM	Votes for Partido Verde Ecologista de México	Integer or NA	Party ran individually and also as part of the PAN_PRD_MC coalition.
PT	integer	Measure	Votos obtenidos por el PT	Votes for Partido del Trabajo	Integer or NA	Party ran individually and also as part of the PT_MORENA_PES coalition (Justos Hermanos Históric).
MOVIMIENTO_CUADADANO	integer	Measure	Votos obtenidos por Movimiento Ciudadano	Votes for Movimiento Ciudadano	Integer or NA	Column name contains a space in 2018 (vs MC in 2024). Reconcile via alias table when joining across cycles. Part of PAN_PRD_MC coalition.
NUOVA_ALIANZA	integer	Measure	Votos obtenidos por Nueva Alianza	Votes for Nueva Alianza	Integer or NA	Lost federal registration after 2018; absent in 2024 data. Part of PAN_PRD_MC coalition. Column name contains a space.
MORENA	integer	Measure	Votos obtenidos por MORENA	Votes for Movimiento Regeneración Nacional	Integer or NA	Party ran individually and also as part of the PT_MORENA_PES coalition.
ENCUENTRO_SOCIAL	integer	Measure	Votos obtenidos por Encuentro Social	Votes for Partido Encuentro Social	Integer or NA	Lost federal registration after 2018; absent in 2024. Predecessor to Partido Encuentro Solidario. Part of PT_MORENA_PES coalition. Column name contains a space.
PAN_PRD_MC	integer	Measure	Votos para la coalición PAN-PRD-MC (Por México al Frente)	Votes for the PAN-PRD-MC coalition ballot (Por México al Frente)	Integer or NA	Main opposition coalition -- candidate Ricardo Anaya.
PAN_PRD	integer	Measure	Votos para la coalición parcial PAN-PRD	Votes for PAN-PRD sub-coalition ballot	Integer or NA	Sub-coalition of Por México al Frente.
PAN_MC	integer	Measure	Votos para la coalición parcial PAN-MC	Votes for PAN-MC sub-coalition ballot	Integer or NA	Sub-coalition of Por México al Frente.
PRD_MC	integer	Measure	Votos para la coalición parcial PRD-MC	Votes for PRD-MC sub-coalition ballot	Integer or NA	Sub-coalition of Por México al Frente.
PAN_PVEM_NA	integer	Measure	Votos para la coalición PAN-PVEM-NA (Todos por México)	Votes for the PAN-PVEM-NA coalition ballot (Todos por México)	Integer or NA	Triang coalition -- candidate José Antonio Meade.
PAN_PVEM	integer	Measure	Votos para la coalición parcial PAN-PVEM	Votes for PAN-PVEM sub-coalition ballot	Integer or NA	Sub-coalition of Todos por México.
PRD_NA	integer	Measure	Votos para la coalición parcial PRD-NA	Votes for PRD-Nueva Alianza sub-coalition ballot	Integer or NA	Sub-coalition of Todos por México.
PVEM_NA	integer	Measure	Votos para la coalición parcial PVEM-NA	Votes for PVEM-Nueva Alianza sub-coalition ballot	Integer or NA	Sub-coalition of Todos por México.
PT_MORENA_PES	integer	Measure	Votos para la coalición PT-MORENA-PES (Justos Hermanos Históric)	Votes for the PT-MORENA-PES coalition ballot (Justos Hermanos Históric)	Integer or NA	Winning coalition -- candidate Andrés Manuel López Obrador (AMLO). PES = Encuentro Social.
PT_MORENA	integer	Measure	Votos para la coalición parcial PT-MORENA	Votes for PT-MORENA sub-coalition ballot	Integer or NA	Sub-coalition of Justos Hermanos Históric.
PT_PES	integer	Measure	Votos para la coalición parcial PT-PES	Votes for PT-Encuentro Social sub-coalition ballot	Integer or NA	Sub-coalition of Justos Hermanos Históric.
MORENA_PES	integer	Measure	Votos para la coalición parcial MORENA-PES	Votes for MORENA-Encuentro Social sub-coalition ballot	Integer or NA	Sub-coalition of Justos Hermanos Históric.
CAND_IND_01	integer	Measure	Votos para el candidato independiente 1	Votes for independent candidate 1	Integer or NA	Near-zero votes. No equivalent in 2024 presidencia (no independent candidates that cycle).
CAND_IND_02	integer	Measure	Votos para el candidato independiente 2 (El Bronco)	Votes for independent candidate 2 -- Jaime Rodríguez Calderón (El Bronco)	Integer or NA	No equivalent in 2024 presidencia.
CNR	integer	Measure	Votos a candidatos no registrados	Votes cast for write-in / unregistered candidates	Integer or NA	Named CNR in 2018 (vs NUM_VOTOS). CAN, INGRES in 2024. Not an imputable -- legally recognized protest/write-in votes. Renamed to num_votes_can_marg in the fact table for cross-cycle compatibility.
VN	integer	Measure	Votos nulos	Null votes (blank double-marked or otherwise invalid ballots)	Integer or NA	Named VN in 2018 (vs NUM_VOTOS_NULDS in 2024). Renamed to num_votes_nulos in the fact table for cross-cycle compatibility.
TOTAL_VOTOS_CALCULADOS	integer	Measure	Total de votos contabilizados en el acta	Total votes recorded in the ballot count record	Integer or NA	Named TOTAL_VOTOS_CALCULADOS in 2018 (vs TOTAL_VOTOS in 2024). Formula: sum of all party/coalition columns + CNR + VN.
LISTA_NOMINAL_CASILLA	integer	Measure	Número de ciudadanos habilitados para votar en esta casilla	Number of registered voters eligible to vote at this polling station	Integer or NA	No NUM_VOTOS_NULDS column exists in 2018 -- null party votes are not split out separately. Inferred 15880 acts and 5851107 total votes match the raw CSV summary row exactly.
OBSERVACIONES	string	Reference	Observaciones del acta	Additional observations or annotations on the ballot record	Free text	Named LISTA_NOMINAL_CASILLA in 2018 (vs LISTA_NOMINAL in 2024). Casillas especiales (S type) may have 0 or NA -- exclude from turnout rate calculations.
MECANISMOS_TRANSLADO	string	Reference	Mecanismos de traslado del acta utilizados en esta casilla	Ballot transport mechanisms used to transport the acts to the PREP system	P = físico (physical) D = digital I = imagen (image scan) Combinación: F,D,I o D,F,I o D,I o I -- none	- when empty. May contain notes such as "Cotape (Llevada en Casilla)". No ESTATUS_ACTA / TRIBUNAL / RUTA_ACTA columns exist in 2018.
FECHA_HORA	string	Reference	Fecha y hora de captura del acta en el sistema PREP	Timestamp when the acts was captured in the PREP system	DDMMYY HHMMSS.RRR	Stored as string in new file. Parse with pd.to_datetime if needed. No equivalent column in 2024.

Column Name	Data Type	Role	Description (SPAN)	Description (ENG)	Values / Domain	Notes
ESTADO	integer	Dimension	Identificador numérico del estado	Numeric state ID	1-32	Renamed to ID_ESTADO at ingest. No NOMSRE_ESTADO column in raw file -- inspected from state PRE3 column at ingest time
DISTRITO	integer	Dimension	Identificador del distrito electoral federal dentro del estado	Federal electoral district ID within the state	0 = voto en el extranjero; 1-N per state	Renamed to ID_DISTRITO at ingest. Not unique nationwide, combine with ESTADO. Named ID_DISTRITO in 2018 (vs ID_DISTRITO_FEDERAL in 2024)
SECCION	integer	Dimension / Partial Key	Sección electoral	Electoral section; smallest geographic subdivision for voter assignment	1-N per state; 0 = voto en el extranjero	0 = abroad votes -- these are raw acts with valid vote data, not aggregate rows. Combine (ESTADO + SECCION) for national uniqueness
ID_CASILLA	integer	Partial Key	Número secuencial de la casilla principal dentro de su tipo y sección	Sequential polling station number within its TIPO and SECCION	1, 2, 3, ...	Does not distinguish contiguous extensions -- use EXT_CONTIGUA for that
TIPO_CASILLA	string	Dimension / Partial Key	Tipo de casilla electoral instalada	Type of polling station installed in the section	B = Básica, C = Contigua, E = Extraordinaria, S = Especial	No MEC type in 2012 domestic rows. Abroad votes encoded as SECCION-0 with B type
EXT_CONTIGUA	integer	Partial Key	Número secuencial de la extensión contigua dentro de una misma casilla	Sequential counter of contiguous extensions within the same casilla and type	0 = main station; 1, 2, 3, ... = extension	Composited (ME_ESTADO + SECCION + TIPO_CASILLA + ID_CASILLA + EXT_CONTIGUA
UBICACION_CASILLA	string	Dimension	Clasificación geográfica de la casilla	Geographic classification of the polling booth	1 = urban; 2 = rural; blank	Can differ between duplicate rows for the same casilla -- not a reliable display key
TIPO_ACTA	integer	Dimension	Tipo de acta	Acta type code	integer	2012-specific column; no equivalent in 2018 or 2024
PAN	integer	Measure	Votos obtenidos por el PAN	Votes for Partido Acción Nacional	» 0	Arrives as object dtype, coerced to numeric at ingest
PRI	integer	Measure	Votos obtenidos por el PRI	Votes for Partido Revolucionario Institucional	» 0	
PRD	integer	Measure	Votos obtenidos por el PRD	Votes for Partido de la Revolución Democrática	» 0	
PVEM	integer	Measure	Votos obtenidos por el PVEM	Votes for Partido Verde Ecologista de México	» 0	
PT	integer	Measure	Votos obtenidos por el PT	Votes for Partido del Trabajo	» 0	
MC	integer	Measure	Votos obtenidos por Movimiento Ciudadano	Votes for Movimiento Ciudadano	» 0	Named MC in 2012 (same as 2024), unlike 2018's "MOVIMIENTO CIUDADANO" with a space
PANAL	integer	Measure	Votos obtenidos por Nueva Alianza	Votes for Partido Nueva Alianza	» 0	Named PANAL in 2012 vs "NUEVA ALIANZA" in 2018. Last federal registration after 2018, absent in 2024
C_PRI_PVEM	integer	Measure	Votos para la coalición PRI-PVEM (Compromiso por México)	Votes for the PRI-PVEM coalition ballot	» 0	Main ruling coalition -- Senators Enrique Peña Nieto
C_PRD_PT_MC	integer	Measure	Votos para la coalición PRD-PT-MC (Movimiento Progreso)	Votes for the PRD-PT-MC coalition ballot	» 0	Main opposition coalition -- candidates Andrés Manuel López Obrador
C_PRD_PT	integer	Measure	Votos para la coalición parcial PRD-PT	Votes for PRD-PT sub-coalition ballot	» 0	Sub-coalition of Movimiento Progreso
C_PRD_MC	integer	Measure	Votos para la coalición parcial PRD-MC	Votes for PRD-MC sub-coalition ballot	» 0	Sub-coalition of Movimiento Progreso
C_PT_MC	integer	Measure	Votos para la coalición parcial PT-MC	Votes for PT-MC sub-coalition ballot	» 0	Sub-coalition of Movimiento Progreso
NO_REGISTRADOS	integer	Measure	Votos a candidatos no registrados	Votes for unregistered/none-in-candidates	» 0	Named NO_REGISTRADOS in 2012 (vs CNP in 2018, NUM_VOTOS_CAN_MREG in 2024). Renamed to CNP at ingest for cross-cycle compatibility
NULOS	integer	Measure	Votos nulos	Null votes (blank, double-marked, or otherwise invalid ballots)	» 0	Named NULOS in 2012 (vs VN in 2018, NUM_VOTOS_NULOS in 2024). Renamed to VN at ingest for cross-cycle compatibility
TOTAL_VOTOS	integer	Measure	Total de votos contabilizados en el acta	Total votes recorded in the ballot count record	» 0	Same column name as 2024 (vs TOTAL_VOTOS_CALCULADOS in 2018). No NUM_VOTOS_VALIDOS equivalent in 2012
LISTA_NOMINAL	integer	Measure	Número de ciudadanos habilitados para votar en esta casilla	Number of registered voters eligible at this station	» 0	Named LISTA_NOMINAL in 2012 (vs LISTA_NOMINAL_CASILLA in 2018). Renamed at ingest. S-type casillas may have 0 or NA -- exclude from turnout calculations
OBSERVACIONES	string	Reference	Observaciones del acta	Additional observations or annotations on the ballot record	Free text	
CONTABILIZADA	float	Quality Flag	Indica si el acta fue contabilizada en los totales oficiales	Flag whether the acta was counted in official totals	1.0 = counted; 0.0 = not counted; NaN = not yet captured at ingest	Primary signal flag -- only CONTABILIZADA=1 rows loaded into den, casilla and fact columns, with. Null rows are acts not yet captured at the 20:00 election night ingest
CRVT	string	Reference	Código CRVT	CRVT code	string or NaN	Sparsely -- only ~1,400 non-null rows per file. 2012-specific; no equivalent in 2018 or 2024
HORA_ACOPIO	string	Reference	Hora de acopio del acta	Timestamp when acta was physically collected	datetime string	2012-specific; no equivalent in 2018 or 2024
HORA_CAPTURA	string	Reference	Hora de captura en sistema PREP	Timestamp when acta was entered into the PREP system	datetime string	2012-specific; no equivalent in 2018 or 2024
HORA_REGISTRO	string	Reference	Hora de registro definitivo en sistema PREP	Timestamp of final registration in PREP system	datetime string	Used as display label -- latest HORA_REGISTRO wins when duplicate CONTABILIZADA=1 rows exist for the same casilla composite key. 2012-specific