01. Home

Main menu

Android emulator capture · UI10 development preview



Black Cat AI

Remote · Automate · Control

Bluetooth
Connect and manage devices

AI Assistant
Plan, create and review

Target System
Select your Linux system

Settings
API key, model and preferences

Home AI Target Settings

02. Bluetooth

Disconnected controls

Android emulator capture · UI10 development preview

Bluetooth



BLUETOOTH/HID ERROR

Pair from the computer's Bluetooth settings

Make Discoverable

Computer: Bluetooth → Add device → select this phone → Pair

Remote Controls

Send Text
Type on computer

Touchpad
Move and click

Keyboard
Full HID keys

Diagnostics

Home AI Target Settings

03. Send text

Manual remote controls

Android emulator capture · UI10 development preview

Bluetooth



BLUETOOTH/HID ERROR
Pair from the computer's Bluetooth settings

Make Discoverable

Computer: Bluetooth → Add device → select this phone → Pair

Remote Controls

Send Text
Type on computer

Touchpad
Move and click

Keyboard
Full HID keys

Send text

Text to type on the computer


Send Text

Home AI Target Settings

04. Touchpad

Manual mouse controls

Android emulator capture · UI10 development preview



BLUETOOTH/HID ERROR
Pair from the computer's Bluetooth settings

Make Discoverable

Computer: Bluetooth → Add device → select this phone → Pair

Remote Controls

Send Text
Type on computer

Touchpad
Move and click

Keyboard
Full HID keys

Touchpad

Drag here to move pointer

Home | AI | Target | Settings

Make Discoverable

Computer: Bluetooth → Add device → select this phone → Pair

Remote Controls

Send Text
Type on computer

Touchpad
Move and click

Keyboard
Full HID keys

Keyboard

ESC	TAB	BKSP	DEL	ENTER
CTRL	SHIFT	ALT	GUI	
INS	HOME	END	PGUP	PGDN
←	↑	↓	→	
F1	F2	F3	F4	F5	F6
F7	F8	F9	F10	F11	F12

Diagnostics

Make Discoverable

Computer: Bluetooth → Add device → select this phone → Pair

Remote Controls

Send Text
Type on computer

Touchpad
Move and click

Keyboard
Full HID keys

Keyboard

ESC	TAB	BKSP	DEL	ENTER
CTRL	SHIFT	ALT	GUI	
INS	HOME	END	PGUP	PGDN
←	↑	↓	→	
F1	F2	F3	F4	F5	F6
F7	F8	F9	F10	F11	F12

Hide diagnostics

```
19:46:27 INFO APP_START
19:46:27 FAIL Bluetooth off
```

07. Target system


Editable target selection

Android emulator capture · UI10 development preview

‹

Target System

⋮



Select Target System

✓ Ubuntu Linux / Bash

Debian Linux / Bash

Linux Mint / Bash

Kali Linux / Bash

Fedora Linux / Bash

openSUSE Linux / Bash

Arch Linux / Bash

✎ Edit / Custom...


Home AI Target Settings

08. Settings

No user API key

Android emulator capture · UI10 development preview

Settings



OpenAI API

API key

Model

gpt-4.1-mini

No saved API key on this phone.

Save Settings

Forget saved API key

App Preferences

Save target system

Dark control panels

About

Black Cat AI
UI08 reference-screen build
Built around the preserved Bluetooth HID core.

Home AI Target Settings

09. Plan

Synthetic sample plan

Android emulator capture · UI10 development preview



Linux Assistant

See it. Ask it. Solve it.

Plan → Step → Preview → Result

Settings

Plan | Step | Preview | Result

● PAIR Open Settings for API key



Goal

Diagnose a Linux service error

Speak your goal

Target system & shell

>_ Ubuntu Linux / Bash

2 reviewable commands

Choose one step. Selection alone sends nothing.

Get Plan

Home | AI | Target | Settings

10. Plan steps

Synthetic sample plan

Android emulator capture · UI10 development preview



Linux Assistant

See it. Ask it. Solve it.

Plan → Step → Preview → Result

Settings

Plan | Step | Preview | Result

PAIR Open Settings for API key

2 reviewable commands

Choose one step. Selection alone sends nothing.

Get Plan

Browse Offline Linux Library

Plan

Inspect before changing the system.

Steps

1 List failed services
LOW · no admin flag ›

2 Read service logs
LOW · no admin flag ›

Start with step 1 →

Home | AI | Target | Settings

11. Step

Edited sample command

Android emulator capture · UI10 development preview



Linux Assistant

See it. Ask it. Solve it.

Plan → Step → Preview → Result

Settings

Plan | Step | Preview | Result

PAIR

Step edited. Review its text and destination before typing.

Step

Inspect one command before it can be typed.

Step 1 of 2

List failed services

Read-only synthetic test step.

```
systemctl --failed --no-pager
```

Expected result

Inspect the result yourself.

Risk

HIGH

Warnings

• User-edited command: privileges and effects must be reviewed again.

Preview destination →


Edit this step

Home | AI | Target | Settings

12. Edit step

Exact command review

Android emulator capture · UI10 development preview




13. Linux categories

Real offline catalogue

Android emulator capture · UI10 development preview

‹ Offline Linux Library ×



All categories

Search Wi-Fi, disk space, ports, memory... ×

Network | Disk space | Memory | Logs

• BROWSE Offline browsing is ready. Pair Bluetooth before TYPE ONLY.

Browse by task

Open a category, then a topic, then review one exact command. This is a reference library, not an automatic agent.

System Overview 16 ›
3 topics · 16 commands

Hardware 16 ›
6 topics · 16 commands

Performance 15 ›
4 topics · 15 commands

Storage 16 ›
5 topics · 16 commands


Files & Search 16 ›
7 topics · 16 commands

14. Linux topics

Real offline catalogue

Android emulator capture · UI10 development preview

‹ **Offline Linux Library** ×



Network

Search Wi-Fi, disk space, ports, memory... ×

Network | Disk space | Memory | Logs

• BROWSE Offline browsing is ready. Pair Bluetooth before TYPE ONLY.

Network

Choose a topic to open its command list.

Interfaces 7 reviewable commands 7 ›

Routes 2 reviewable commands 2 ›

NetworkManager 2 reviewable commands 2 ›

systemd-networkd 1 reviewable commands 1 ›

Ports & Sockets 2 reviewable commands 2 ›


Connectivity

15. Linux commands

Real offline catalogue

Android emulator capture · UI10 development preview

‹ **Offline Linux Library** ×



Network › Interfaces

Search Wi-Fi, disk space, ports, memory... ×

Network | Disk space | Memory | Logs

• BROWSE Offline browsing is ready. Pair Bluetooth before TYPE ONLY.

Interfaces

7 commands in Network. Tap one to read what it does.

Show network status at a glance

LOW

Network › Interfaces

```
ip -brief address
```

Show network links

LOW

Network › Interfaces

```
ip link show
```

Show all IP addresses

LOW

Network › Interfaces

```
ip address show
```

Show neighbour and ARP entries

LOW

Network › Interfaces


```
ip neigh show
```

16. Command detail

Real offline catalogue

Android emulator capture · UI10 development preview

‹ Offline Linux Library ×



Show network status at a glance

Search Wi-Fi, disk space, ports, memory... ×

Network | Disk space | Memory | Logs

• BROWSE Offline browsing is ready. Pair Bluetooth before TYPE ONLY.

LOW

Show network status at a glance

Network › Interfaces

Displays interfaces, operational state, and assigned addresses in a compact format.

```
ip -brief address
```

Expected result

One concise line per network interface.

Access

No administrator requirement is marked for this command.

Compatibility

Most Linux distributions

Search terms


network, status, interface, ip, address

17. Command search

Real offline catalogue

Android emulator capture · UI10 development preview

‹ Offline Linux Library ×



Search results

failed services ×

Network | Disk space | Memory | Logs

• BROWSE Offline browsing is ready. Pair Bluetooth before TYPE ONLY.

21 search results

Results include titles, command text, explanations, topics, and helpful synonyms.

List failed systemd units

LOW

Services & Logs › Services

```
systemctl --failed
```

List listening services and owners

LOW

Security › Firewall & Ports

```
ss -lntup
```

List running services

LOW

Services & Logs › Services

```
systemctl list-units --type=service
--state=running
```

Show listening network services

LOW

Network › Ports & Sockets

18. Proposed update

Synthetic replacement awaiting approval

Android emulator capture · UI10 development preview



Linux Assistant

See it. Ask it. Solve it.

Plan → Step → Preview → Result

Settings

Plan | Step | Preview | Result

PAIR Library command added to your plan. Nothing was typed.

3 reviewable commands

Choose one step. Selection alone sends nothing.

Get Plan

Browse Offline Linux Library

Proposed updated plan

Review this replacement before applying it. No step is executed or marked successful.

Recheck the service state.

1. Inspect service · LOW

```
systemctl status nginx --no-pager
```

Apply updated plan

Keep current plan

Home | AI | Target | Settings

19. Preview

Disconnected; typing disabled

Android emulator capture · UI10 development preview



Linux Assistant

See it. Ask it. Solve it.

Plan → Step → Preview → Result

Settings

Plan | Step | Preview | Result

● PAIR Updated plan applied. Every command needs fresh review.

Preview

Exact text and destination before one-use approval.

Destination

No ready Bluetooth HID connection

Text to type

```
systemctl status nginx --no-pager
```

TYPE ONLY · Enter is never appended

Copy command

Connect Bluetooth first

Back to step

Home | AI | Target | Settings

20. Result

Synthetic transmitted-state fixture

Android emulator capture · UI10 development preview



Linux Assistant

See it. Ask it. Solve it.

Plan → Step → Preview → Result

Settings

Plan | Step | Preview | Result

PAIR Updated plan applied. Every command needs fresh review.

Result

What happens after the command reaches the computer.

Now check the computer

Black Cat typed the reviewed text only. It did not press Enter.

```
systemctl status nginx --no-pager
```

1. Confirm the text on the computer is exactly what you expected.
2. Press Enter yourself only when you are satisfied.
3. Read the terminal result before asking for the next command.

I checked the computer: this step succeeded

Result feedback

Describe the output or error, answer a question, or explain what changed. Review transcripts and remove secrets before submitting.

Home | AI | Target | Settings

21. Text feedback

Editable feedback controls

Android emulator capture · UI10 development preview



Linux Assistant

See it. Ask it. Solve it.

Plan → Step → Preview → Result

Settings

Plan | Step | Preview | Result

PAIR

Updated plan applied. Every command needs fresh review.

Result feedback

Describe the output or error, answer a question, or explain what changed. Review transcripts and remove secrets before submitting.

What did the terminal show?

Speak feedback

Stop dictation

Take a photo of the result / error

Request updated plan


Back to Plan

Home | AI | Target | Settings

22. Voice consent

Recording has not started

Android emulator capture · UI10 development preview



23. Camera capture

Camera starts only on request

Android emulator capture · UI10 development preview



Photo Feedback

Take a photo → review it → send it to OpenAI.

Take a clear photo of the terminal or error screen.

What are you trying to do?

Diagnose a Linux service error
Current step to investigate (untrusted context):
systemctl status nginx --no-pager

Start camera

The photo stays in memory until you explicitly send it to OpenAI. It is not saved to the gallery by this app.

24. Photo review

Actual emulated Camera2 image

Android emulator capture · UI10 development preview



Photo Feedback

Take a photo → review it → send it to OpenAI.

Review exactly what will be sent.

Review photo

Only send it if this is the screen you want OpenAI to analyze.



Retake

Send photo to OpenAI

25. Photo analysis

Synthetic analysis; no API request

Android emulator capture · UI10 development preview



Photo Feedback

Take a photo → review it → send it to OpenAI.

Review exactly what will be sent.

AI analysis

Synthetic fixture: service needs inspection.

What the photo appears to show

• An error is visible.

Suggested next command

1. Read error logs

```
journalctl -u nginx -n 20
```

Read-only synthetic test step.

The photo is evidence, not proof of success. Review its interpretation and any replacement commands in your plan.

Use photo feedback in plan

Take another photo