

Sentry 500-Cluster (22–23 Jul 2026) — QA Re-verification

80 × HTTP 500 across 6 endpoints (66% of all 5xx in the period). Action item: "Verify fixes in QA before deploying — check this issue is coming or not."

Environment	https://acme.qa.egalvanic.ai (acme tenant) — all responses captured live in-browser from this origin
Verified	2026-07-31, ~17:36 IST (probes re-executed at capture time; timestamps visible inside each screenshot)
Tester	abhiyant.singh@egalvanic.com — admin account, bearer-token auth via POST /api/auth/login
Method	Non-mutating probes: ghost UUIDs / malformed inputs that fail server-side before any row is written
Rerunnable gate	mvn test -DsuiteXmlFile=suite-sentry500-reverify.xml — red until backend fixed (commit 3c033b3)

VERDICT: 2 of 6 endpoints STILL return 500 on QA (deterministic) — POST /mapping/node-session/bulk-create and POST /skm/import-xml/preview (two distinct triggers). 3 endpoints are clean today; GET /bulk-edit/rules-status/{id} cannot be verified because the route is not deployed on the QA build.

Summary — all six endpoints at a glance

Sentry 500-Cluster (22–23 Jul 2026) — QA Re-verification: LIVE capture

80 × HTTP 500 across 6 endpoints (66% of all 5xx in the period) — is it still happening on QA before deploy?

Environment	https://acme.qa.egalvanic.ai (acme tenant) — responses below fetched from this origin, in this browser, just now
Captured	Fri Jul 31 2026 17:36:10 GMT+0530 (India Standard Time)
Tester	abhiyant.singh@egalvanic.com (admin account, bearer-token auth via POST /api/auth/login)
Rerunnable gate	mvn test -DsuiteXmlFile=suite-sentry500-reverify.xml (Sentry500ClusterReverifyApiTest — red until backend fixed)

Sentry events	Endpoint	Live status	Verdict (2026-07-31)
13	POST /api/mapping/node-session/bulk-create	HTTP 500	STILL 500 — BUG LIVE
7	POST /api/skm/import-xml/preview	HTTP 500	STILL 500 — BUG LIVE
7	POST /api/skm/import-xml/preview	HTTP 500	STILL 500 — BUG LIVE
26	GET /api/lookup/procedures	HTTP 200	NOT REPRODUCIBLE — 200 JSON (unbounded 2 MB)
19	POST /api/reporting/quote_preview_html	HTTP 200	NOT REPRODUCIBLE — render errors caught (200)
10	GET /api/bulk-edit/rules-status/{id}	HTTP 200	ROUTE ABSENT ON QA — SPA shell returned
2	POST /api/onboarding/jobs	HTTP 400	NOT REPRODUCIBLE — clean 400

Live status per endpoint, captured 2026-07-31. Red = bug still live; green = not reproducible / fixed; orange = route absent on QA.

1 — POST /api/mapping/node-session/bulk-create (13 events) — STILL 500

1. POST /api/mapping/node-session/bulk-create — 13 Sentry events

STILL 500 — BUG LIVE

Valid session_id + ONE nonexistent node UUID. Nothing can be inserted, so the request is non-mutating — a fixed backend answers 404/400 naming the unknown id.

REQUEST

```
POST /api/mapping/node-session/bulk-create
{"session_id":"b158deb5-044f-44ca-89ce-60fecc4f7169",
 "node_ids":["00000000-0000-4000-8000-000000000001"]}
```

RESPONSE — HTTP 500 · 1077 ms · 88 bytes · captured 2026-07-31T12:06:02.084Z

```
{"error": "An internal error occurred.", "trace_id": "cc97cac4842241ab77ee4ea0f7de84"}
```

Valid session_id + one nonexistent node UUID → HTTP 500 with trace_id. Deterministic: 4/4 runs today (curl x3: trace_ids d908012d..., 42eb8478..., 3ad96f96...; browser: cc97cac4...). Malformed bodies DO get clean 400s — only the unknown-id path is unhandled. Expected: 404/400 naming the unknown id.

2 — POST /api/skm/import-xml/preview (7 events) — STILL 500, trigger A: malformed XML

2. POST /api/skm/import-xml/preview — 7 Sentry events

STILL 500 — BUG LIVE

Genuinely malformed XML (mismatched tag) uploaded as multipart xml_file. Client input — the contract answer is 400; a 500 means the parse exception is unhandled and the raw parser message leaks.

REQUEST

```
POST /api/skm/import-xml/preview (multipart)
xml_file = <?xml version="1.0" encoding="UTF-8"?><DAPPER><unclosed></DAPPER>
sld_id   = aadcee4c-7dd0-45b3-81b9-309c5c166084
```

RESPONSE — HTTP 500 · 364 ms · 78 bytes · captured 2026-07-31T12:06:02.449Z

```
{
  "error": "Failed to preview SKM XML: mismatched tag: line 1, column 59"
}
```

Client-supplied malformed XML answers HTTP 500 and leaks the raw parser message ("mismatched tag: line 1, column 59"). Contract answer is 400 with a user-safe message.

3 — POST /api/skm/import-xml/preview — STILL 500, trigger B: spec-legal XML rejected

3. POST /api/skm/import-xml/preview — 7 Sentry events

STILL 500 — BUG LIVE

SPEC-LEGAL XML — the encoding attribute is OPTIONAL per the XML 1.0 spec, and SKM PowerTools exports may omit it. This must be accepted (200), yet it 500s.

REQUEST

```
POST /api/skm/import-xml/preview (multipart)
xml_file = <?xml version="1.0"?>\n<DAPPER><PROJECT NAME="qa-probe"/></DAPPER>
sld_id   = aadcee4c-7dd0-45b3-81b9-309c5c166084
```

RESPONSE — HTTP 500 · 733 ms · 95 bytes · captured 2026-07-31T12:06:03.182Z

```
{
  "error": "Failed to preview SKM XML: XML declaration not well-formed: line 1, column 12"
}
```

<?xml version="1.0"?> without the OPTIONAL encoding attribute is legal XML 1.0 — SKM PowerTools exports may omit it — yet it answers HTTP 500. This rejects valid customer files, not just bad ones.

4 — Control: identical document WITH encoding="UTF-8" — passes

4. POST /api/skm/import-xml/preview — 7 Sentry events

200 — CONTROL PASSES

CONTROL — identical document with encoding="UTF-8" added. Passes, proving the trigger in the card above is precisely the missing optional attribute, not the document body.

REQUEST

```
POST /api/skm/import-xml/preview (multipart)
xml_file = <?xml version="1.0" encoding="UTF-8"?>\n<DAPPER><PROJECT NAME="qa-probe"/></DAPPER>
sld_id   = aadcee4c-7dd0-45b3-81b9-309c5c166084
```

RESPONSE — HTTP 200 · 853 ms · 365 bytes · captured 2026-07-31T12:06:04.035Z

```
{
  "summary": {
    "by_class": {},
    "by_type": {},
    "components": [],
    "connections": [],
    "resolved_eqp_lib": 0,
    "sld_id": "aadcee4c-7dd0-45b3-81b9-309c5c166084",
    "total_components": 0,
    "total_connections": 0,
    "unresolved_eqp_lib": 0,
    "warnings": []
  },
  "token": "skm-import/preview/1b890803-155b-4dcb-8f56-4a00155713b6.xml"
}
```

Same document body, only the encoding attribute added → HTTP 200 preview summary. Proves the trigger in §3 is precisely the missing optional attribute.

5 — GET /api/lookup/procedures (26 events) — NOT reproducible

5. GET /api/lookup/procedures — 26 Sentry events

NOT REPRODUCIBLE — 200 JSON (unbounded 2 MB)

Bare list — 200/JSON on every hit today (also 6x consecutive via curl earlier). Junk node_class_id answers a clean 400. Residual risk: the list is UNBOUNDED (~2 MB, 1,196 rows) — a load-dependent timeout/500 candidate, consistent with the errors being confined to the 22–23 Jul window.

REQUEST

```
GET /api/lookup/procedures
```

RESPONSE — HTTP 200 · 1588 ms · 2,079,281 bytes · captured 2026-07-31T12:06:05.625Z

```
{
  "data": [
    {
      "company_id": "d59d449b-09d8-45d6-8f0a-ef70024b1293",
      "created_at": "2026-06-23T01:49:05Z",
      "description": null,
      "display_name": "70B Special (70B Special)",
      "eg_form_mappings": [],
      "for_entity": "fd8059ca-c34f-41be-950b-f612e7b5dbb3",
      "form_id": null,
      "group_tasks": false,
      "id": "f9c5635a-82ec-44de-9a4c-8ee55238e53b",
      "is_deleted": false,
      "is_global": false,
      "is_override": true,
      "key": "procedure::70b-special---switchboard---switchgear-gt-1000v",
      "labor_type_mappings": [
        {
          "created_at": "2026-06-23T01:49:05Z",
          "est_mins": 30.0,
          "id": "d32f1c70-0d53-4be4-a27f-5daf2d880058",
          "is_deleted": false,
          "labor_type_id": "817ee68c-3586-4ba3-a2fa-c2d83e6f2b90",
          "labor_type_name": "NETA Technician",
          "modified_at": null,
          "procedure_id": "f9c5635a-82ec-44de-9a4c-8ee55238e53b"
        }
      ],
      "labor_type_source": "procedure",
      "ml_mappings": [],
      "modified_at": null,
      "name": "70B Special",
      "node_class_id": "0555ec7e-7f97-411c-849a-daf394fbfb8",
      "node_class_name": "Switchboard",
      "node_subtype": "Switchgear (> 1000V)",
      "node_subtype_id": "115eed55-41f8-46d0-8339-855b353ef7a1",
      "procedure_master_id": "eeb4d2ba-c5ab-4f98-b147-a093f03a41e6",
      "procedu
    }
  ]
}
```

... [truncated — full response 2,079,281 bytes]

200/JSON on every hit today (6x consecutive via curl + this capture); junk node_class_id → clean 400. Residual risk: unbounded ~2 MB / 1,196-row response — a load-dependent 500/timeout candidate, consistent with errors confined to the 22–23 Jul window.

6 — POST /api/reporting/quote_preview_html (19 events) — NOT reproducible (appears fixed)

6. POST /api/reporting/quote_preview_html — 19 Sentry events

NOT REPRODUCIBLE — render errors caught (200)

Real quote_id from the acme tenant. Render failures are now CAUGHT PER PAGE and returned inside a 200 body as render_error — this looks like the deliberate fix for the render-exception cluster. (Gaps: ghost/junk quote_id is also accepted with 200; no existence validation.)

REQUEST

```
POST /api/reporting/quote_preview_html
{"quote_id":"cd89ad71-df47-4098-8b7b-6f935c2ec584"}
```

RESPONSE — HTTP 200 · 3484 ms · 460 bytes · captured 2026-07-31T12:06:09.109Z

```
{
  "job_uuid": "12dd402e-1fe4-4277-9b19-b7fa54982fd6",
  "page_count": 2,
  "pages": [
    {
      "html": null,
      "label": "Cover",
      "page_type": "cover",
      "render_error": "Template '' is not HTML; preview unavailable",
      "type": "page"
    },
    {
      "html": null,
      "label": "p3",
      "page_type": "page",
      "render_error": "Template '' is not HTML; preview unavailable",
      "type": "page"
    }
  ],
  "success": true
}
```

Render failures are now caught per page and returned inside a 200 body as render_error — the likely fix for the render-exception cluster. Follow-ups: ghost/junk quote_id is accepted (no existence validation); one 67.7 s validation response observed once via curl.

7 — GET /api/bulk-edit/rules-status/{id} (10 events) — route ABSENT on QA build

7. GET /api/bulk-edit/rules-status/{id} — 10 Sentry events

ROUTE ABSENT ON QA — SPA shell returned

Any id — well-formed UUID or junk — returns the SPA HTML shell (200, ~2 kB), while sibling POST /api/bulk-edit/explain-warnings answers real JSON. So the /bulk-edit prefix IS routed and this one route is NOT DEPLOYED on the QA build. The 10 Sentry events must be re-verified on the environment that has the route (prod).

REQUEST

```
GET /api/bulk-edit/rules-status/00000000-0000-4000-8000-000000000001
```

RESPONSE — HTTP 200 · 912 ms · 2,089 bytes · captured 2026-07-31T12:06:10.020Z

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8" />
  <meta http-equiv="Content-Security-Policy" content="default-src 'self'; script-src 'self' 'unsafe-eval' 'sha256-RtrBk0W2bTlPbtWdXpPU4dBrMccSr0QRh24CA8xGP3E=' https://*.getbeamer.com https://plug-platform.devrev.ai https://cdn.form.io https://cdn.jsdelivr.net https://*.ingest.us.sentry.io https://sentry.io https://*.sentry.io; style-src 'self' 'unsafe-inline' https://fonts.googleapis.com https://*.getbeamer.com https://*.devrev.ai https://cdn.jsdelivr.net https://cdn.form.io; font-src 'self' http://localhost/* https://*.egalvanic.ai https://*.bces-ig.com https://*.execute-api.us-east-2.amazonaws.com https://*.ingest.us.sentry.io https://sentry.io https://*.getbeamer.com https://*.s3.us-east-2.amazonaws.com https://*.devrev.ai https://cdn.jsdelivr.net https://*.launchdarkly.com; worker-src 'self' blob: https://cdn.jsdelivr.net; frame-src https://*.retool.com https://www.loom.com https://*.getbeamer.com https://*.devrev.ai; media-src 'self' https://*.s3.us-east-2.amazonaws.com https://*.s3.amazonaws.com; object-src 'none'; base-uri 'self'; form-action 'self';" />
  <script>try{window.self!==window.top&&(window.top.location>window.self.location)}catch(e)
  ... [truncated - full response 2,089 bytes]
```

Any id returns the SPA HTML shell (the <!DOCTYPE html> visible in the response pane) while sibling POST /bulk-edit/explain-warnings answers JSON — the prefix is routed, this one route is not deployed here. Re-verify on prod / after it ships.

8 — POST /api/onboarding/jobs (2 events) — NOT reproducible

8. POST /api/onboarding/jobs — 2 Sentry events

NOT REPRODUCIBLE — clean 400

Empty payload {} — validation answers a clean 400 "sld_id is required" (same for ghost sld_id, nested, query-param shapes). No 500 reachable with any payload shape tried.

REQUEST

```
POST /api/onboarding/jobs
{}
```

RESPONSE — HTTP 400 · 705 ms · 56 bytes · captured 2026-07-31T12:06:10.726Z

```
{
  "error": "sld_id is required",
  "success": false
}
```

Clean 400 "sld_id is required" on every payload shape tried (empty, ghost sld_id top-level / nested / query-param). No 500 reachable.

Copy-paste repros for the two live bugs

```
TOKEN=$(curl -sk -X POST https://acme.qa.egalvanic.ai/api/auth/login \
-H 'Content-Type: application/json' \
-d '{"email":"<AppConstants.VALID_EMAIL>","password":"<AppConstants.VALID_PASSWORD>","subdomain":"acme"}' \
| python3 -c 'import json,sys;print(json.load(sys.stdin)["access_token"])')

# BUG 1 — bulk-create: nonexistent node UUID → 500 (expect 400/404)
curl -sk -X POST https://acme.qa.egalvanic.ai/api/mapping/node-session/bulk-create \
-H "Authorization: Bearer $TOKEN" -H 'Content-Type: application/json' \
-d '{"session_id":"b158deb5-044f-44ca-89ce-60fecc4f7169","node_ids":["00000000-0000-4000-8000-000000000000"]}'

# BUG 2a — SKM preview: malformed XML → 500 + raw parser message (expect 400)
printf '<?xml version="1.0" encoding="UTF-8"?><DAPPER><unclosed></DAPPER>' > /tmp/broken.xml
curl -sk -X POST https://acme.qa.egalvanic.ai/api/skm/import-xml/preview \
-H "Authorization: Bearer $TOKEN" \
-F 'xml_file=@/tmp/broken.xml;type=text/xml' -F 'sld_id=aadcee4c-7dd0-45b3-81b9-309c5c166084'

# BUG 2b — SKM preview: LEGAL declaration without encoding attr → 500 (expect 200)
printf '<?xml version="1.0"?>\n<DAPPER><PROJECT NAME="qa-probe"/></DAPPER>\n' > /tmp/noenc.xml
curl -sk -X POST https://acme.qa.egalvanic.ai/api/skm/import-xml/preview \
-H "Authorization: Bearer $TOKEN" \
-F 'xml_file=@/tmp/noenc.xml;type=text/xml' -F 'sld_id=aadcee4c-7dd0-45b3-81b9-309c5c166084'
```

Artifacts: docs/bug-evidence/sentry-500-cluster-jul22-23/ (EVIDENCE.md — full analysis & recommended actions; raw 500 bodies; exact XML fixtures; these screenshots). Regression gate: Sentry500ClusterReverifyApiTest (8 probes; live run 2026-07-31 = 3 fail / 5 pass, the 3 failures being exactly the live repros above). Commit 3c033b3. Generated 2026-07-31 by QA automation (Claude Code) for abhiyant.singh@egalvanic.com.