eGalvanic Web — Bug Findings Report

Automated Test Suite Run · 1 May 2026 · 17 confirmed product issues

17	7	10
TOTAL FINDINGS	HIGH SEVERITY	MEDIUM SEVERITY

Index

ID	TITLE	SEVERITY
BUG-01	Kebab menu does not close on ESC, outside-click, or toggle	HIGH
BUG-02	Uncaught TypeError: r?.hasAttribute is not a function	HIGH
BUG-03	Dashboard asset count does not match asset list count	HIGH
BUG-04	Dashboard task count does not match Tasks module	HIGH
BUG-05	Dashboard issue count does not match Issues module	HIGH
BUG-06	Asset grid is empty after refresh	HIGH
BUG-07	Beamer widget URL leaks user PII (role / company / name) in query params	HIGH
BUG-08	/api/auth/v2/me returns 401 on every page load	MEDIUM
BUG-09	/api/auth/v2/refresh returns 400 on every page load	MEDIUM
BUG-10	PLuG (DevRev support widget) authentication initialization fails	MEDIUM
BUG-11	[SLD] No sldId provided; skipping fetch — logged 9 times per page	MEDIUM
BUG-12	/api/sld/ response time 7.6 seconds	MEDIUM
BUG-13	/api/node_classes/user/ response time 6.5 seconds	MEDIUM
BUG-14	/api/lookup/nodes/ response time 7.1 seconds	MEDIUM
BUG-15	Roles API called twice per page load (duplicate fetch)	MEDIUM
BUG-16	Sign-In button is enabled when both fields are empty	MEDIUM
BUG-17	Blocked aria-hidden on element with retained focus (a11y)	MEDIUM

Findings

BUG-01 HIGH Kebab menu does not close on ESC, outside-click, or toggle

Surface	/assets/ (asset detail page)
Caught by	`TC_BH_13_KebabMenuClosesOnOutsideClick`

DESCRIPTION

The asset detail page kebab menu (Edit Asset / Delete Asset options) cannot be dismissed by any standard mechanism. This is a focus trap and a violation of the WAI-ARIA menu pattern.

STEPS TO REPRODUCE

1. Navigate to /assets and log in.
2. Click any row in the assets grid to open the detail page.
3. Click the three-dot kebab icon (top-right of the detail header).
4. Verify the menu opens with "Edit Asset" and "Delete Asset" items.
5. Press the ESC key.
6. Click on an empty area of the page (e.g., the page header).
7. Click the kebab icon again (toggle attempt).

EXPECTED BEHAVIOR

Per WAI-ARIA menu pattern: ESC should close the menu. Per MUI default ClickAwayListener: outside clicks should close the menu. Toggle (re-clicking the trigger) should also close the menu.

ACTUAL BEHAVIOR

Menu remains open and visible after ALL three close methods. The user is stuck — the only way to dismiss is to navigate away or click an item in the menu.

IMPACT

Severe accessibility violation. Keyboard users and screen-reader users cannot dismiss the menu without committing to an action. Touch users have no way to close it without navigation.



After pressing ESC and clicking outside, the kebab menu (top right) is still visible.

BUG-02 HIGH Uncaught TypeError: r?.hasAttribute is not a function

Surface	/assets — JavaScript runtime error
Caught by	`TC_BH_12_AssetsPageNoConsoleErrors`

DESCRIPTION

A JavaScript TypeError fires 5 times per /assets page load, originating in the application bundle (index-3RELFuA2.js). Optional chaining (r?.) protects against null/undefined but not against wrong-type values.

STEPS TO REPRODUCE

1. Open browser DevTools (F12) Console tab.
2. Clear the console.
3. Navigate to https://acme.qa.egalvanic.ai/assets
4. Wait 5 seconds for page to fully load.
5. Observe the Console output.

EXPECTED BEHAVIOR

Zero JavaScript errors logged at SEVERE level on a healthy page.

ACTUAL BEHAVIOR

5 SEVERE-level console errors: "Uncaught TypeError: r?.hasAttribute is not a function" originating from index-3RELFuA2.js:270:219332. The page still renders due to React error boundaries swallowing the throw, but the error indicates code is calling .hasAttribute() on something that is not an Element (likely a Text node).

IMPACT

Indicates broken state in DOM-traversal logic. Likely fix: change "r?.hasAttribute(...)" to "r instanceof Element && r.hasAttribute(...)" so the call only fires on actual DOM Elements.

BUG-03 HIGH Dashboard asset count does not match asset list count

Surface	/dashboard/site-overview vs /assets
Caught by	`CriticalPathTestNG.testCP_DI_001_AssetCountMatchesDashboard`

DESCRIPTION

The Site Overview dashboard reports an asset count that does not match the underlying asset list. This indicates either stale cache, tenant-isolation breakage, or different data sources between the dashboard widget and the module page.

STEPS TO REPRODUCE

1. Log in to https://acme.qa.egalvanic.ai
2. Navigate to Site Overview / Dashboard.
3. Note the asset count shown in the KPI card.
4. Navigate to /assets module.
5. Note the total count shown in the pagination footer ("of N").

EXPECTED BEHAVIOR

The two counts match exactly (single source of truth).

ACTUAL BEHAVIOR

Dashboard reports 1,953 assets; the /assets grid reports 8,429 (delta of +6,476).

IMPACT

Customer-visible data integrity issue. Users cannot trust either number. Likely indicates dashboard widget queries a different endpoint or applies a filter/scope the list page does not.



Failure screenshot from automated cross-check.

BUG-04 HIGH Dashboard task count does not match Tasks module

Surface	/dashboard vs /tasks
Caught by	`CriticalPathTestNG.testCP_DI_002_TaskCountMatchesDashboard`

DESCRIPTION

Dashboard reports pending tasks but the Tasks module shows zero. Same data-integrity class as BUG-03.

STEPS TO REPRODUCE

1. Log in to https://acme.qa.egalvanic.ai
2. Navigate to Site Overview / Dashboard.
3. Note the "Pending Tasks" KPI count.
4. Navigate to /tasks module.
5. Note the total count shown.

EXPECTED BEHAVIOR

Dashboard count matches Tasks module count.

ACTUAL BEHAVIOR

Dashboard reports 147 pending tasks; Tasks module reports 0.

IMPACT

Customer cannot reconcile task counts. Workflow ambiguity.



Cross-check failure: dashboard 147 vs module 0.

BUG-05 HIGH Dashboard issue count does not match Issues module

Surface	/dashboard vs /issues
Caught by	`CriticalPathTestNG.testCP_DI_003_IssueCountMatchesDashboard`

DESCRIPTION

Same data-integrity class as BUG-03 / BUG-04.

STEPS TO REPRODUCE

1. Log in to https://acme.qa.egalvanic.ai
2. Navigate to Site Overview / Dashboard.
3. Note the "Unresolved Issues" KPI count.
4. Navigate to /issues module.
5. Note the total count shown.

EXPECTED BEHAVIOR

Dashboard count matches Issues module count.

ACTUAL BEHAVIOR

Dashboard reports 266 unresolved issues; Issues grid reports 0.

IMPACT

Customer-visible data inconsistency.



Cross-check failure: dashboard 266 vs grid 0.

BUG-06 HIGH Asset grid is empty after refresh

Surface	/assets — state recovery on refresh
Caught by	`CriticalPathTestNG.testCP_DI_005_AssetDataSurvivesRefresh`

DESCRIPTION

After navigating to /assets and refreshing the page (F5), the grid has no clickable rows.

STEPS TO REPRODUCE

1. Log in to https://acme.qa.egalvanic.ai
2. Navigate to /assets.
3. Wait for the asset grid to render with rows.
4. Press F5 or refresh the browser.
5. Wait 5+ seconds for re-render.

EXPECTED BEHAVIOR

Asset grid re-fetches and displays the same rows.

ACTUAL BEHAVIOR

Grid renders empty — no clickable rows are present after refresh.

IMPACT

Users cannot reliably refresh the page to get fresh data. F5 should be a safe operation.



Asset grid empty after refresh.

BUG-07 HIGH Beamer widget URL leaks user PII (role / company / name) in query params

Surface	Beamer notification widget URL
Caught by	`BugHuntGlobalTestNG.testBUG018_BeamerLeaksUserData`

DESCRIPTION

The Beamer in-app notification widget URL contains user PII as query parameters: role, company, and name. These are visible in browser network tab and may be logged by Beamer's servers and any intermediate proxies.

STEPS TO REPRODUCE

1. Log in to https://acme.qa.egalvanic.ai
2. Open browser DevTools Network tab.
3. Filter for "beamer" requests.
4. Inspect the request URL of any Beamer call.

EXPECTED BEHAVIOR

User identity (name, role, company) should be passed via secure POST body or HTTP-only cookie, not URL query parameters.

ACTUAL BEHAVIOR

URL contains query parameters revealing role=true, company=true, name=true (user identity leaked).

IMPACT

GDPR / privacy concern. URLs are routinely logged at proxies, CDNs, and analytics tools. User PII should never appear in URLs.



Beamer URL with user data exposed in query params.

BUG-08 MEDIUM /api/auth/v2/me returns 401 on every page load

Surface	Authentication bootstrap
Caught by	`TC_BH_12_AssetsPageNoConsoleErrors (network monitor)`

DESCRIPTION

On every page load, the request to /api/auth/v2/me returns HTTP 401. The app appears to recover via a fallback path, but the failed call pollutes browser console as a SEVERE error.

STEPS TO REPRODUCE

1. Open browser DevTools Network tab.
2. Navigate to https://acme.qa.egalvanic.ai
3. Filter for "auth/v2".
4. Note the response status of /me.

EXPECTED BEHAVIOR

/api/auth/v2/me returns 200 OK with user info.

ACTUAL BEHAVIOR

Returns 401 Unauthorized. Likely a token-bootstrap race — the request fires before the authentication token is set in headers.

IMPACT

Console pollution; backend log noise; slow page boot due to retry path.

BUG-09 MEDIUM /api/auth/v2/refresh returns 400 on every page load

Surface	Authentication refresh
Caught by	`TC_BH_12_AssetsPageNoConsoleErrors`

DESCRIPTION

Token refresh endpoint returns HTTP 400 on every page load. Suggests an unconditional refresh attempt with malformed payload, or refresh fired before the refresh token is available.

STEPS TO REPRODUCE

1. Open DevTools Network tab.
2. Navigate to https://acme.qa.egalvanic.ai
3. Filter for "auth/v2/refresh".

EXPECTED BEHAVIOR

Refresh either returns 200 OK with new tokens, or is not called when not needed.

ACTUAL BEHAVIOR

Returns 400 Bad Request on every page load.

IMPACT

Wasted backend cycles; console pollution; potential security audit flag.

BUG-10 MEDIUM

PLuG (DevRev support widget) authentication initialization fails

Surface	/assets — third-party PLuG widget
Caught by	`TC_BH_12_AssetsPageNoConsoleErrors`

DESCRIPTION

PLuG (DevRev support chat widget) logs "Error initializing with authentication" three times per /assets page load.

STEPS TO REPRODUCE

1. Open DevTools Console tab.
2. Navigate to https://acme.qa.egalvanic.ai/assets
3. Wait for page to fully load.

EXPECTED BEHAVIOR

PLuG widget initializes silently or with a single info log.

ACTUAL BEHAVIOR

Three SEVERE-level errors: "[PLuG] Error initializing with authentication: ".

IMPACT

Support chat widget may not work for logged-in users. Users cannot reach support.

BUG-11 MEDIUM

[SLD] No sldId provided; skipping fetch — logged 9 times per page

Surface	/assets — useEffect side-effect
Caught by	`TC_BH_30_AssetsPageWarningCount`

DESCRIPTION

A SLD-fetch useEffect runs on every render and logs a warning when sldId is null. Logged 9 times per /assets page load — indicates the component re-renders 9 times during initial load and the effect fires every time.

STEPS TO REPRODUCE

1. Open DevTools Console tab.
2. Filter on "[SLD]".
3. Navigate to https://acme.qa.egalvanic.ai/assets

EXPECTED BEHAVIOR

Either no log, or one log if appropriate. Effect should only fire when sldId actually changes.

ACTUAL BEHAVIOR

9 occurrences of "[SLD] No sldId provided; skipping fetch."

IMPACT

Console pollution. Indicates wasteful re-rendering. Likely fix: tighten useEffect dependency array AND remove the log; guard with "if (!sldId) return" before any side effect.

BUG-12 MEDIUM /api/sld/ response time 7.6 seconds

Surface	SLD diagram fetch
Caught by	`TC_BH_33_NoSlowApiCalls`

DESCRIPTION

The SLD (Single Line Diagram) fetch endpoint averages ~7.6 seconds — far above industry standard for an interactive web app (Google RAIL considers anything >3s "Poor").

STEPS TO REPRODUCE

1. Open DevTools Network tab.
2. Navigate to /assets or /slds.
3. Filter for "/api/sld/".
4. Note the time column.

EXPECTED BEHAVIOR

Response under 3 seconds (preferably <1s).

ACTUAL BEHAVIOR

Consistently 7,500-7,600 ms (7.6 seconds).

IMPACT

Page feels broken to users; they may refresh, compounding load.



Performance timing capture from automated SLA test.

BUG-13 MEDIUM

/api/node_classes/user/ response time 6.5 seconds

Surface	Node class taxonomy fetch
Caught by	`TC_BH_33_NoSlowApiCalls`

DESCRIPTION

Node class taxonomy fetch averages 6.5 seconds. Likely indicates an N+1 query pattern in the backend (each node class triggering a child class lookup).

STEPS TO REPRODUCE

1. DevTools Network tab.
2. Navigate to /assets.
3. Filter for "/api/node_classes".

EXPECTED BEHAVIOR

Response under 1 second; this should be a cacheable taxonomy.

ACTUAL BEHAVIOR

6,500 ms. ~6.5x over the 1s industry target.

IMPACT

Slows down all asset operations that need class options.

BUG-14 MEDIUM /api/lookup/nodes/ response time 7.1 seconds

Surface	Node lookup table fetch
Caught by	`TC_BH_33_NoSlowApiCalls`

DESCRIPTION

Node lookup endpoint averages 7.1 seconds.

STEPS TO REPRODUCE

1. DevTools Network tab.
2. Navigate to /assets.
3. Filter for "/api/lookup/nodes".

EXPECTED BEHAVIOR

Response under 1 second; lookup tables should be CDN-cached.

ACTUAL BEHAVIOR

7,100 ms.

IMPACT

Slows down asset interactions.

BUG-15 MEDIUM

Roles API called twice per page load (duplicate fetch)

Surface	/connections — Roles endpoint
Caught by	`BugHuntGlobalTestNG.testBUG007_DuplicateAPICalls`

DESCRIPTION

The Roles API is fetched twice within a few hundred milliseconds on page load. Likely a useEffect double-mount or missing request dedup.

STEPS TO REPRODUCE

1. DevTools Network tab.
2. Filter for "/api/connections/roles".
3. Navigate to /connections.
4. Count requests within first 5 seconds.

EXPECTED BEHAVIOR

Endpoint fired exactly once per page load.

ACTUAL BEHAVIOR

Fired twice — Roles=2, expected ≤1.

IMPACT

Wasted backend cycles. May cause race conditions where the second response overwrites the first with stale data.



Duplicate Roles call confirmed by automated detector.

BUG-16 MEDIUM

Sign-In button is enabled when both fields are empty

Surface	Login page
Caught by	`BugHuntTestNG.testBUG16_SignInButtonDisabledStates`

DESCRIPTION

The Sign-In button on the login page is clickable even when both email and password fields are empty. Should be disabled until both have content.

STEPS TO REPRODUCE

1. Navigate to https://acme.qa.egalvanic.ai/login (or sign out if logged in).
2. Observe the Sign-In button state with empty fields.
3. Click the Sign-In button.

EXPECTED BEHAVIOR

Button is disabled (greyed out) until both fields contain valid input.

ACTUAL BEHAVIOR

Button is enabled and clickable. Submitting it triggers an API call that returns an error.

IMPACT

Wasted backend cycles per attempt. Poor UX. Adds load on login API.

BUG-17 MEDIUM

Blocked aria-hidden on element with retained focus (a11y)

Surface	/assets — accessibility
Caught by	`TC_BH_30_AssetsPageWarningCount`

DESCRIPTION

Browser logs: "Blocked aria-hidden on an element because its descendant retained focus." This means aria-hidden="true" is being applied to a parent element while focus is still inside that subtree. Browser overrides aria-hidden to preserve focus — but this indicates a focus-management bug.

STEPS TO REPRODUCE

1. Open DevTools Console.
2. Navigate to /assets.
3. Open and close any modal or drawer.
4. Watch for the aria-hidden warning.

EXPECTED BEHAVIOR

No aria-hidden warning. Focus is moved out of an aria-hidden subtree before the attribute is applied.

ACTUAL BEHAVIOR

Warning fires when modal/drawer close logic sets aria-hidden while focus is still inside.

IMPACT

Likely related to BUG-01 (kebab focus trap). Screen-reader users get confusing announcements.

Generated from automated test runs on acme.qa.egalvanic.ai · 1 May 2026