

Project Navigator

Web Application

Enola Backend MariaDB Database Monitor User
Guide

August 2026

By David Egan

**Software
Version 1.0**

01. Table of Contents

<i>Section</i>		<i>Page No.</i>
01. Table of Contents	-	01
02. Installation Enola	-	02
03. Uninstalling Enola	-	03
04. Overview	-	03
05. Main Interface components	-	04
06. Starting and Stopping Server	-	05
07. Understanding Primary Unlocker Status	-	06
08. File Menu Shortcuts	-	06
09. Using the Notification Console	-	07
10 Help and About	-	07
11. System Stability Requirements for Reliable Software Operation	-	07
12. Log Files and Diagnostics	-	08
13. Troubleshooting	-	09
14. Log files	-	10
15. Log files Sign-out and Shutdown	-	11
16. Log files Enola Client Errors	-	12
17. Log files Enola Service Errors	-	13
18. Architecture Diagram - Primary Unlocker Model	-	14

02. *Installation Enola*

Installation of Enola is administered from the Enola Installer Application. The installer handles both the client application and the service-based backend server installation automatically.

2.1 System Requirements

Minimum Requirements

- Operating System: Windows 11 Pro
- Installed RAM: 8 GB
- Display: 1440×900 resolution
- Storage: 50 MB free space
- System type 64-bit operating system, x64-based processor

Reference Test Machine Specification

- Operating System: Windows 11 Pro
- Operating System Version: 25H2
- Processor 13th Gen Intel(R) Core(TM) i9-13900 (2.00 GHz)
- Installed RAM 32.0 GB (31.6 GB usable)
- Graphics card Intel(R) UHD Graphics 770 (128 MB)
- Storage 1TB SSD
- Display 2560 × 1440 resolution
- System type 64-bit operating system, x64-based processor

2.2 Installing Enola Software

The Enola software comes with a built-in installer.

1. **Run the installer**
Right-click setup.exe and choose **Run as administrator**.
2. **Choose install location**
Keep the default path C:\Program Files\Enola\ and click **Next**.
3. **Set user access**
Select **Install for Everyone**, then click **Install**.
4. **Finish**
When installation completes, the Enola desktop icon will be created.

Enola is now installed. Double-click the desktop icon to launch the application. The Enola service backend is mounted and started automatically too.

2.3 Installation Logging

The date and time the service application is installed is logged in servicestatus.log. This file is generated automatically and stored in the service subfolder within the EnolaApp directory under ProgramData

C:\ProgramData\EnolaApp\service\servicestatus.log

03. Uninstalling Enola

Uninstalling Enola removes both the client application and the backend service automatically.

3.1 Uninstall Enola Software

1. **Launch Control Panel**
Press Win + R, type control, and press Enter.
2. **Open Programs and Features**
Click **Programs > Programs and Features**.
3. **Uninstall Enola**
Scroll to **Enola**, right-click, and choose **Uninstall**. Click **Yes** to confirm.
4. **Done**
Enola is now removed from your computer. The program files and desktop icon are also deleted automatically.

Important: If the Enola Hidden Service App is running as Primary Unlocker or the Enola client is running as Primary Unlocker on your desktop, the uninstaller will stop and remove them both automatically.

3.2 Uninstall Logging

The date and time the service application is removed is logged in servicestatus.log. This file is generated automatically and stored in the service subfolder within the EnolaApp directory under ProgramData

C:\ProgramData\EnolaApp\service\servicestatus.log

04. Overview

Enola Backend MariaDB Database Monitor is a Windows client and service backend application designed to automatically unlock records in the projects and user_accounts tables. The Enola Backend MariaDB Database Monitor application by design is an asynchronous application. The Enola Backend MariaDB Database Monitor communicates with the MariaDB server via TCP/IP and the MySQL protocol on port 3306. Enola Windows client and service backend connects with the MariaDB server in 1 second cycles. It operates in conjunction with the multi-user version of the project navigator web application.




Figure 1

The dialog as shown in Fig.1 is displayed when you try and launch two or more instances of the Enola visible client application. Only one instance of the Enola Backend MariaDB Database Monitor visible client application can run on this computer at any one time.

05. Main Interface Components

The main window contains the following key areas:

Component	Description
Stop Server / Start Server Buttons	Toggle the backend monitoring service on or off. Only one button is active at a time.
Notification Console	Displays timestamped status messages from the server, including database and table checks.
Clear Notification Console	Clears all messages from the Notification Console window.
Status Bar - Left	Shows current server state: "Server is running..." or "Server is stopped..."
Status Bar - Right	Shows Primary Unlocker status. Green indicates the Enola client is active. Red indicates the Enola services app is active.
File Menu	Provides keyboard shortcuts for Start Server (Ctrl+E), Stop Server (Ctrl+A), and Exit (Ctrl+X).
Help Menu	Access the About dialog and additional system information.

06. Starting and Stopping the Server

6.1 Server Running State

When the server is running, the Stop Server button is active and shown in red. The Start Server button is disabled. The status bar will display "Server is running..." in blue text. The Notification Console logs operational messages.




Figure 2: Enola Visible Client App with Server Running and Primary Unlocker Active

6.2 Server Stopped State

When the server is stopped, the Start Server button is active and shown in green. The Stop Server button is disabled. The status bar will display "Server is stopped..." in blue text. The Primary Unlocker role shifts to the Enola Hidden Service App.




Figure 3: Enola Visible Client App with Server Stopped Enola Hidden Service App becomes Primary Unlocker

07. Understanding Primary Unlocker Status

The Primary Unlocker is the service instance currently responsible for unlocking records in the projects or user_accounts tables. Only one Primary Unlocker can be active at a time.

Active Client: When you see green text "You are now the active Primary Unlocker you are the Enola Visible Client App", this client window controls the unlocking process as shown in fig 4 below.

Background Service Active: When you see red text "You are not the Primary Unlocker the Enola Hidden Service App is now the active Primary Unlocker", the background service has taken control. This typically occurs when the client server is stopped or is not active (visible on screen) on the user's desktop as shown in fig 5 below.

08. File Menu Shortcuts

For faster operation, use the File menu or keyboard shortcuts:

Ctrl+E - Start Server

Ctrl+A - Stop Server

Ctrl+X - Exit Application




Figure 4: File Menu with Server Running




Figure 5: File Menu with Server Stopped

09. Using the Notification Console

The Notification Console provides a real-time log of server activity. Each entry is timestamped and includes status details for the projects database and projects table and accounts database and user_accounts table.

Common messages include:

- "Server status projects database and projects table -- this server is operating normally..."
- "Server status accounts database and user_accounts table -- this server is operating normally..."
- "Server status the server is now stopped..."

Use the "Clear Notification Console" button to clear the Notification Console window.

10. Help and About

Navigate to Help > About Enola to view application details, including version, platform, registered owner and system information.




Figure 6: About Enola Dialog Box

11. System Stability Requirements for Reliable Software Operation

The Enola software can only operate reliably when the underlying operating system is itself stable and functioning correctly.

If your operating system is unstable, unreliable, or behaving erratically, you should ask your IT support team or system analysts to investigate and, if necessary, rebuild or reinstall the operating system on your machine.

As the developer of the Enola software, I cannot guarantee reliable or consistent performance of the software when it is running on an operating system that is unstable or malfunctioning. The stability and reliability of the underlying operating system are essential to the proper operation of the software.

12. Log Files and Diagnostics

Enola generates and stores log files in the service subfolder within the EnolaApp directory under ProgramData. The main service status log is located at:

C:\ProgramData\EnolaApp\service\servicestatus.log

This file records the date and time the service application is installed or removed. Review this log if you need to audit changes or diagnose issues.

12.1 Instance Logs

Enola generates and stores logs for the visible client and hidden service within the EnolaApp directory under ProgramData. These logs are located at:

C:\ProgramData\EnolaApp\logs\enola_instance_log_visible_pid_8324.log

C:\ProgramData\EnolaApp\logs\enola_instance_log_hidden_pid_5236.log

Enola generates separate instance logs for the visible client and hidden service. These are useful for diagnosing issues specific to each process:

- Enola Visible Client App Log: enola_instance_log_visible_pid_8324.log
- Hidden Service App Log: enola_instance_log_hidden_pid_5236.log

These logs contain process-specific details such as PID, database queries, and unlock operations. Provide these logs to support when troubleshooting.

13. Troubleshooting

Issue	Resolution
Installation fails	Ensure you run the Enola Installer Application as Administrator and that MariaDB server is reachable. Check C:\ProgramData\EnolaApp\service\servicestatus.log for errors.
Uninstall fails or leaves files behind	Stop the server first, close the client, then run Uninstall Enola from Programs and Features Control Panel. Reboot if needed. Check servicestatus.log for removal events.
Start Server button is disabled	The server is already running. Click Stop Server first if you need to restart.
Status shows Enola Visible Client App is active	This is expected when the client server is stopped. Start the server to make the Enola client the Primary Unlocker.
No messages in Notification Console	The server may be stopped. Check the status bar. Click Start Server to begin logging.
Application will not exit	Stop the server first using the Stop Server button or Ctrl+A, then use File > Exit or Ctrl+X.
Need to verify install/remove dates	Check C:\ProgramData\EnolaApp\service\servicestatus.log for timestamped install and uninstall entries.
Need detailed diagnostics	Review the instance logs: enola_instance_log_visible_pid_8324.log and enola_instance_log_hidden_pid_5236.log. Send both to support.

14. Log files

14.1 enola_instance_log_visible_pid_8324.log

```
[14-05-2026 05:48:23] PID 8324 [visible - enola] | Enola :- Backend MariaDB Database Monitor :- © 2025-2026 David Egan. All rights reserved. :-  
[14-05-2026 05:48:23] PID 8324 [visible - enola] | Enola Visible Client App:- Frontend Client Side :-  
[14-05-2026 05:48:23] PID 8324 [visible - enola] | Startup: StartHidden = False, IsPrimaryUnlocker = True  
[14-05-2026 05:50:10] PID 8324 [visible - enola] | [UNLOCKED] Project record unlocked for :- 20K156 - Milltown Wastewater Treatment Expansion » Locked by :- David Egan – locked on :- 14/05/2026 - at :- 05:45:09  
[14-05-2026 05:50:10] PID 8324 [visible - enola] | [NOTIFY] Project record unlocked for :- 20K156 - Milltown Wastewater Treatment Expansion » Locked by :- David Egan – locked on :- 14/05/2026 - at :- 05:45:09  
[14-05-2026 05:50:16] PID 8324 [visible - enola] | Server status :- the server is now stopped  
[14-05-2026 05:50:20] PID 8324 [visible - enola] | Server status :- the server has now started  
[14-05-2026 05:50:29] PID 8324 [visible - enola] | Server status :- the server is now stopped  
[14-05-2026 05:52:40] PID 8324 [visible - enola] | Enola Visible Client App has shutdown successfully on application exit
```

Note: The unlock time is 5 minutes, with a +2/1 second tolerance as reflected in the log above. This latency is caused by the display delay when the unlocked record appears in the Enola client notification console. Upon application exit, the log above indicates that the Enola client application shut down successfully. It safely disconnects from the databases and tables prior to shutting down. This behavior is critical to prevent database or table corruption.

14.2 enola_instance_log_hidden_pid_5236.log

```
[14-05-2026 08:11:55] PID 5236 [hidden - enola] | Enola :- Backend MariaDB Database Monitor :- © 2025-2026 David Egan. All rights reserved. :-  
[14-05-2026 08:11:55] PID 5236 [hidden - enola] | Enola Hidden Service App:- Backend Server Service Side :-  
[14-05-2026 08:11:55] PID 5236 [hidden - enola] | Startup: StartHidden = true, IsPrimaryUnlocker = True  
[14-05-2026 08:11:55] PID 5236 [hidden - enola] | [UNLOCKED] Project record unlocked for :- 24K101 - Riverdale Bridge Structural Assessment » Locked by :- David Egan – locked on :- 14/05/2026 - at :- 08:06:55
```

Note: The unlock time is precisely 5 minutes, as indicated in the hidden log above.

14.3 servicestatus.log

```
[14-05-2026 14:37:25] PID 676 [service - status] | Enola :- Backend MariaDB Database Monitor :- © 2025-2026 David Egan. All rights reserved. :-  
[14-05-2026 14:37:25] PID 676 [service - status] | Enola Hidden Service App:- Backend Server Service Side :-  
[14-05-2026 14:37:25] PID 676 [service - status] | Startup: StartHidden = true, IsPrimaryUnlocker = true  
[14-05-2026 14:37:25] PID 676 [service - status] | [SUCCESS] The Enola Backend MariaDB Database Monitor service was removed successfully  
[14-05-2026 14:37:43] PID 168 [service - status] | [SUCCESS] The Enola Backend MariaDB Database Monitor service has been created and started successfully
```

Note: As shown in the servicestatus log above, the Enola service has been successfully removed, created, and started.

15. Log files Sign-out and Shutdown

15.1 enola_instance_log_visible_pid_4528.log sign-out

[14-05-2026 23:20:38] PID 4528 [visible - enola] | Enola :- Backend MariaDB Database Monitor :- © 2025-2026 David Egan. All rights reserved. :-

[14-05-2026 23:20:38] PID 4528 [visible - enola] | Enola Visible Client App:- Frontend Client Side :-

[14-05-2026 23:20:38] PID 4528 [visible - enola] | Startup: StartHidden = False, IsPrimaryUnlocker = True

[14-05-2026 23:20:52] PID 4528 [visible - enola] | Enola Visible Client App has shutdown successfully on PC Sign out

Note: When a sign-out is initiated while the Enola client application is the Primary Unlocker, it safely disconnects from the databases and tables prior to shutting down. This behavior is critical to prevent database or table corruption. The application establishes connections to the databases and tables at one-second intervals.

15.2 enola_instance_log_visible_pid_5140.log shutdown

[14-05-2026 23:42:36] PID 5140 [visible - enola] | Enola :- Backend MariaDB Database Monitor :- © 2025-2026 David Egan. All rights reserved. :-

[14-05-2026 23:42:36] PID 5140 [visible - enola] | Enola Visible Client App:- Frontend Client Side :-

[14-05-2026 23:42:36] PID 5140 [visible - enola] | Startup: StartHidden = False, IsPrimaryUnlocker = True

[14-05-2026 23:42:47] PID 5140 [visible - enola] | Enola Visible Client App has shutdown successfully on PC Power down

Note: When a shutdown is initiated while the Enola client application is the Primary Unlocker, it safely disconnects from the databases and tables prior to shutting down. This behavior is critical to prevent database or table corruption. The application connects to the databases and tables at one-second intervals.

15.3 enola_instance_log_hidden_pid_5260.log sign-out

[14-05-2026 23:22:00] PID 5259 [hidden - enola] | Enola :- Backend MariaDB Database Monitor :- © 2025-2026 David Egan. All rights reserved. :-

[14-05-2026 23:22:00] PID 5259 [hidden - enola] | Enola Hidden Service App:- Backend Server Service Side :-

[14-05-2026 23:22:00] PID 5259 [hidden - enola] | Startup: StartHidden = true, IsPrimaryUnlocker = True

[14-05-2026 23:22:00] PID 5259 [hidden - enola] | Enola Hidden Service App has shutdown successfully on PC Sign out

Note: When a sign-out is initiated while the Enola service application is the Primary Unlocker, it safely disconnects from the databases and tables prior to shutting down. This behavior is critical to prevent database or table corruption. The application establishes connections to the databases and tables at one-second intervals.

15.4 enola_instance_log_hidden_pid_5260.log shutdown

[14-05-2026 23:42:49] PID 5260 [hidden - enola] | Enola :- Backend MariaDB Database Monitor :- © 2025-2026 David Egan. All rights reserved. :-

[14-05-2026 23:42:49] PID 5260 [hidden - enola] | Enola Hidden Service App:- Backend Server Service Side :-

[14-05-2026 23:42:49] PID 5260 [hidden - enola] | Startup: StartHidden = true, IsPrimaryUnlocker = True

[14-05-2026 23:42:49] PID 5260 [hidden - enola] | Enola Hidden Service App has shutdown successfully on PC Sign out

[14-05-2026 23:42:55] PID 5260 [hidden - enola] | Enola Hidden Service App has shutdown successfully on PC Power down

Note: When a shutdown is initiated while the Enola service application is the Primary Unlocker, it safely disconnects from the databases and tables prior to shutting down. This behavior is critical to prevent database or table corruption. The application connects to the databases and tables at one-second intervals.

16. Log files Enola Client Errors

16.1 enola_instance_log_visible_pid_3980.log errors

```
[14-05-2026 05:11:52] PID 3980 [visible - enola] | Enola :- Backend MariaDB Database Monitor :- © 2025-2026 David Egan. All rights reserved. :-  
[14-05-2026 05:11:52] PID 3980 [visible - enola] | Enola Visible Client App:- Frontend Client Side :-  
[14-05-2026 05:11:52] PID 3980 [visible - enola] | Startup: StartHidden = False, IsPrimaryUnlocker = True  
[14-05-2026 05:13:25] PID 3980 [visible - enola] | Exception in ConnectProjects: Unknown database 'projects'  
[14-05-2026 05:13:28] PID 3980 [visible - enola] | Exception in ConnectProjects: Unknown database 'projects'  
[14-05-2026 05:13:31] PID 3980 [visible - enola] | Exception in ConnectProjects: Unknown database 'projects'  
[14-05-2026 05:13:34] PID 3980 [visible - enola] | Exception in ConnectProjects: Table 'projects.projects' doesn't exist  
[14-05-2026 05:13:46] PID 3980 [visible - enola] | Exception in ConnectProjects: Table 'projects.projects' doesn't exist  
[14-05-2026 05:13:49] PID 3980 [visible - enola] | Exception in ConnectProjects: Table 'projects.projects' doesn't exist  
[14-05-2026 05:13:52] PID 3980 [visible - enola] | Exception in ConnectProjects: Table 'projects.projects' doesn't exist  
[14-05-2026 05:13:55] PID 3980 [visible - enola] | Exception in ConnectProjects: Table 'projects.projects' doesn't exist  
[14-05-2026 05:14:58] PID 3980 [visible - enola] | Exception in ConnectProjects: Unable to connect to any of the specified MySQL hosts.  
[14-05-2026 05:15:01] PID 3980 [visible - enola] | Exception in ConnectAccounts: Unable to connect to any of the specified MySQL hosts.  
[14-05-2026 05:16:21] PID 3980 [visible - enola] | [UNLOCKED] Project record unlocked for :- 20K156 - Milltown Wastewater Treatment Expansion » Locked by :- David Egan – locked on :- 18/05/2026 - at :- 05:11:21  
[14-05-2026 05:16:21] PID 3980 [visible - enola] | [NOTIFY] Project record unlocked for :- 20K156 - Milltown Wastewater Treatment Expansion » Locked by :- David Egan – locked on :- 18/05/2026 - at :- 05:11:21  
[14-05-2026 05:16:43] PID 3980 [visible - enola] | [UNLOCKED] User account unlocked for :- Ryan Rodgers » Locked by :- David Egan – locked on :- 18/05/2026 - at :- 05:11:40  
[14-05-2026 05:16:43] PID 3980 [visible - enola] | [NOTIFY] User account unlocked for :- Ryan Rodgers » Locked by :- David Egan – locked on :- 18/05/2026 - at :- 05:11:40  
[14-05-2026 05:19:05] PID 3980 [visible - enola] | Exception in ConnectAccounts: Unknown database 'accounts'  
[14-05-2026 05:19:08] PID 3980 [visible - enola] | Exception in ConnectAccounts: Unknown database 'accounts'  
[14-05-2026 05:19:11] PID 3980 [visible - enola] | Exception in ConnectAccounts: Unknown database 'accounts'  
[14-05-2026 05:19:14] PID 3980 [visible - enola] | Exception in ConnectAccounts: Unknown database 'accounts'  
[14-05-2026 05:19:17] PID 3980 [visible - enola] | Exception in ConnectAccounts: Unknown database 'accounts'  
[14-05-2026 05:19:26] PID 3980 [visible - enola] | Exception in ConnectAccounts: Table 'accounts. Power down ' doesn't exist  
[14-05-2026 05:19:29] PID 3980 [visible - enola] | Exception in ConnectAccounts: Table 'accounts.user_accounts' doesn't exist  
[14-05-2026 05:19:32] PID 3980 [visible - enola] | Exception in ConnectAccounts: Table 'accounts.user_accounts' doesn't exist  
[14-05-2026 05:19:54] PID 3980 [visible - enola] | Enola Visible Client App has shutdown successfully on application exit
```

Note: When the Enola client application operates as the Primary Unlocker, deletion of the projects database and projects table, or the accounts database and user_accounts table (as shown above), results in the exception displayed. Unable to connect to any of the specified MySQL hosts error indicates that the MySQL host is unreachable, likely because the MariaDB server has been shut down. Upon application exit, the log above indicates that the Enola client application shut down successfully. It safely disconnects from the databases and tables prior to shutting down. This behavior is critical to prevent database or table corruption.


17. Log files Enola Service Errors

17.1 enola_instance_log_hidden_pid_5152.log errors

```
[14-05-2026 05:35:32] PID 5152 [hidden - enola] | Enola :- Backend MariaDB Database Monitor :- © 2025-2026 David Egan. All rights reserved. :-  
[14-05-2026 05:35:32] PID 5152 [hidden - enola] | Enola Hidden Service App :- Backend Server Service Side :-  
[14-05-2026 05:35:32] PID 5152 [hidden - enola] | Startup: StartHidden = true, IsPrimaryUnlocker = True  
[14-05-2026 05:35:32] PID 5152 [hidden - enola] | Exception in ConnectProjects: Unknown database 'projects'  
[14-05-2026 05:35:33] PID 5152 [hidden - enola] | Exception in ConnectProjects: Unknown database 'projects'  
[14-05-2026 05:35:34] PID 5152 [hidden - enola] | Exception in ConnectProjects: Unknown database 'projects'  
[14-05-2026 05:35:35] PID 5152 [hidden - enola] | Exception in ConnectProjects: Unknown database 'projects'  
[18-05-2026 05:35:39] PID 5152 [hidden - enola] | Exception in ConnectProjects: Unknown database 'projects'  
[14-05-2026 05:35:40] PID 5152 [hidden - enola] | Exception in ConnectProjects: Unknown database 'projects'  
[14-05-2026 05:35:41] PID 5152 [hidden - enola] | Exception in ConnectProjects: Unknown database 'projects'  
[14-05-2026 05:35:51] PID 5152 [hidden - enola] | Exception in ConnectProjects: Table 'projects.projects' doesn't exist  
[14-05-2026 05:35:52] PID 5152 [hidden - enola] | Exception in ConnectProjects: Table 'projects.projects' doesn't exist  
[14-05-2026 05:35:53] PID 5152 [hidden - enola] | Exception in ConnectProjects: Table 'projects.projects' doesn't exist  
[14-05-2026 05:35:54] PID 5152 [hidden - enola] | Exception in ConnectProjects: Table 'projects.projects' doesn't exist  
[14-05-2026 05:35:55] PID 5152 [hidden - enola] | Exception in ConnectProjects: Table 'projects.projects' doesn't exist  
[14-05-2026 05:35:56] PID 5152 [hidden - enola] | Exception in ConnectProjects: Table 'projects.projects' doesn't exist  
[14-05-2026 05:35:57] PID 5152 [hidden - enola] | Exception in ConnectProjects: Table 'projects.projects' doesn't exist  
[14-05-2026 05:35:58] PID 5152 [hidden - enola] | Exception in ConnectProjects: Table 'projects.projects' doesn't exist  
[14-05-2026 05:36:50] PID 5152 [hidden - enola] | Exception in ConnectProjects: Unable to connect to any of the specified MySQL hosts.  
[14-05-2026 05:36:52] PID 5152 [hidden - enola] | Exception in ConnectAccounts: Unable to connect to any of the specified MySQL hosts.  
[14-05-2026 05:39:59] PID 5152 [hidden - enola] | [UNLOCKED] Project record unlocked for :- 24K101 - Riverdale Bridge Structural Assessment » Locked by :- David Egan – locked on :- 18/05/2026 - at :- 05:34:59  
[14-05-2026 05:48:08] PID 5152 [hidden - enola] | Exception in ConnectAccounts: Table 'accounts.user_accounts' doesn't exist  
[14-05-2026 05:48:09] PID 5152 [hidden - enola] | Exception in ConnectAccounts: Table 'accounts.user_accounts' doesn't exist  
[14-05-2026 05:48:10] PID 5152 [hidden - enola] | Exception in ConnectAccounts: Table 'accounts.user_accounts' doesn't exist  
[14-05-2026 05:48:17] PID 5152 [hidden - enola] | Exception in ConnectAccounts: Table 'accounts.user_accounts' doesn't exist  
[14-05-2026 05:48:53] PID 5152 [hidden - enola] | Exception in ConnectAccounts: Unknown database 'accounts'  
[14-05-2026 05:48:54] PID 5152 [hidden - enola] | Exception in ConnectAccounts: Unknown database 'accounts'  
[14-05-2026 05:48:55] PID 5152 [hidden - enola] | Exception in ConnectAccounts: Unknown database 'accounts'
```

Note: When the Enola service application operates as the Primary Unlocker, deletion of the projects database and projects table, or the accounts database and user_accounts table (as shown above), results in the exception displayed. Unable to connect to any of the specified MySQL hosts error indicates that the MySQL host is unreachable, likely because the MariaDB server has been shut down.

18. Architecture Diagram - Primary Unlocker Model



Key Behaviors

1. **Primary Unlocker:** Only one instance can unlock records in the **projects** and **user_accounts** tables at a time.
2. **Client Active:** Enola Visible Client App holds Primary Unlocker status. Status bar shows **Green**.
3. **Client Shutdown or stopping client server:** Enola Hidden Service App becomes Primary Unlocker status. Status bar shows **Red**.
4. **Connection:** Both Apps connect to the MariaDB Server via TCP/IP on port 3306 at 1-second intervals.

