

## Student Attendance System in PHP using Ajax - 4 - Grade Management

managed by admin user only  
name this master data which will be only

Websslesson

FOLDERS

- student-attendance-system-in-php
  - admin
    - dompdf
    - teacher\_image
    - attendance.php
    - attendance\_action.php
    - check\_admin\_login.php
    - database\_connection.php
    - grade.php
    - grade\_action.php
    - header.php
    - index.php
    - login.php
    - logout.php
    - pdf.php
    - report.php
    - student.php
    - student\_action.php
    - teacher.php
    - teacher\_action.php
  - css
  - js
    - attendance.php
    - attendance\_action.php
    - check\_teacher\_login.php
    - header.php
    - index.php
    - login.php
    - logout.php
    - profile.php
    - profile\_action.php
    - report.php

```
33 </div>
34 </div>
35 </div>
36 </div>
37
38 </body>
39 </html>
40
41
42
43 <script>
44 $(document).ready(function(){
45
46     var dataTable = $('#grade_table').DataTable();
47
48 });
49 </script>
```

this method will initialize jQuery data ID grade table with data table method

Websslesson

FOLDERS

- student-attendance-system-in-php
  - admin
    - dompdf
      - teacher\_image
        - attendance.php
        - attendance\_action.php
        - check\_admin\_login.php
        - database\_connection.php
        - grade.php
        - grade\_action.php
        - header.php
        - index.php
        - login.php
        - logout.php
        - pdf.php
        - report.php
        - student.php
        - student\_action.php
        - teacher.php
        - teacher\_action.php
- css
- js
  - attendance.php
  - attendance\_action.php
  - check\_teacher\_login.php
  - header.php
  - index.php
  - login.php
  - logout.php
  - profile.php
  - profile\_action.php
  - report.php

grade.php

```
33 </div>
34 </div>
35 </div>
36 </div>
37
38 </body>
39 </html>
40
41
42
43 <script>
44 $(document).ready(function(){
45
46     var dataTable = $('#grade_table').DataTable({
47         "processing":true,|
48     });
49
50 this is feature control the processing
51 right processing options set to true
```

Websslesson

FOLDERS

- student-attendance-system-in-php
  - admin
    - dompdf
      - teacher\_image
        - attendance.php
        - attendance\_action.php
        - check\_admin\_login.php
        - database\_connection.php
        - grade.php
        - grade\_action.php
        - header.php
        - index.php
        - login.php
        - logout.php
        - pdf.php
        - report.php
        - student.php
        - student\_action.php
        - teacher.php
        - teacher\_action.php
- css
- js
  - attendance.php
  - attendance\_action.php
  - check\_teacher\_login.php
  - header.php
  - index.php
  - login.php
  - logout.php
  - profile.php
  - profile\_action.php
  - report.php

grade.php

```
39 </html>
40
41
42
43 <script>
44 $(document).ready(function(){
45
46     var dataTable = $('#grade_table').DataTable({
47         "processing":true,
48         "serverSide":true,
49     });
50
51 });
52 </script>
```

option will enable data tables in server  
side processing mode

Websslesson

Student Attendance System in PHP using Ajax - 4 - Grade Management



```
39 </html>
40
41
42
43 <script>
44 $(document).ready(function(){
45
46     var dataTable = $('#grade_table').DataTable({
47         "processing":true,
48         "serverSide":true,
49     });
50
51 });
52 </script>
```

option will enable data tables in server side processing mode

Webslesson

2:16 / 13:57

Student Attendance System in PHP using Ajax - 4 - Grade Management



```
39 </html>
40
41
42
43 <script>
44 $(document).ready(function(){
45
46     var dataTable = $('#grade_table').DataTable({
47         "processing":true,
48         "serverSide":true,
49         "order":[],|
50     });
51
52 });
53 </script>
```

blank array value this will initial remove table order from table column

Webslesson

2:26 / 13:57

Student Attendance System in PHP using Ajax - 4 - Grade Management

```
43 <script>
44 $(document).ready(function(){
45
46     var dataTable = $('#grade_table').DataTable({
47         "processing":true,
48         "serverSide":true,
49         "order":[],
50         "ajax":{
51             url:|
52         }
53     });
54
55 });
56 </script>
```

now we want to load data from grade table by using Ajax in data tables

Websslesson

2:34 / 13:57

Student Attendance System in PHP using Ajax - 4 - Grade Management

```
43 <script>
44 $(document).ready(function(){
45
46     var dataTable = $('#grade_table').DataTable({
47         "processing":true,
48         "serverSide":true,
49         "order":[],
50         "ajax":{
51             url:"grade_action.php",
52             type:"POST",
53             data:{action:'fetch'}
54         }
55     });
56
57 });
58 </script>
```

send to server so here we have right action variable with fetch value

Websslesson

3:11 / 13:57