


N20 motor face



Pololu drawing 0J949, 03 April 2024, carbon-brush motor, no encoder. Face 12.0 mm by 10.0 mm. Shaft diameter 3.0 mm. Two M1.6 holes, 9.0 mm apart. This is not the missing repository.

Published motor lengths

Gearbox length L is 9 mm for every ratio except 1000:1.

Gearbox length L is 12.5 mm for the 1000:1 ratio.

The motor can is labeled 15.4 mm on the no-encoder sheet.

Overall length maximum is 25.6 mm except for 1000:1.

Overall length maximum is 29.1 mm for the 1000:1 ratio.


The sheet also shows a 10 mm dimension and a 5 mm dimension.

Those two dimensions were not assembled into a side view.

The text extract does not fix their order on the length stack.

No torque from this drawing is used.

Printed face clamp



16.0 mm by 14.0 mm by 3.0 mm. The 2 mm margin, 3 mm thickness, 1.8 mm clearance, and 3.4 mm bore are choices. Hole spacing is 9.0 mm and the shaft passage is for the 3.0 mm shaft on the Pololu face. This plate is not a gearbox and it has no load rating.

Missing servo repository

The tiny printed-servo repository name is unknown.

The owner said it was pushed on 2026-10-08.

No dimensions are taken from that repository.

No 5 lb rating is stated.

No melt result is stated.

Search GitHub for: egc365 printed servo

Search GitHub for: egc365 joy servo

Search GitHub for: egc365 servo pushed:2026-10-08

Thingiverse thing 4030416 is a public N20 and AS5600 servo.

That public model is not the owner's repository.