



CS 319 - Object-Oriented Software
Engineering
Design Report
Iteration 2
Defenders Of The Kingdom

Group 3-H

Alp Ege Baştürk

Barış Eymür

Emre Gürçay

Öykü Ece Ayaz

Table Of Contents

1. Changes in the Implementation	3
2. Status of the Project	4
3. User's Guide	5
3.1 Requirements and Installation	5
3.2 Overview of the Game	5
3.2.1 Controls	6
3.2.2 Game Screens and Menus	6
Main Menu	6
Game Play	7
Pause Menu	8
View Credits	9
View Help	9
4) References	10

1. Changes in the Implementation

Classes from the design report were mostly the same however contents of the classes were changed according to implementation and improvements. There were some changes in method signatures. Also new methods were added.

Factories for levels 3 to 5 were implemented. There were only 2 factories for the first two levels in the design diagram. Also storage type of attackers in the GameMap was changed from static array to `ArrayList<Attacker>`. Also towers are stored as a `LinkedList<Tower>` instead of an array. This made dynamic control of the objects in the game map easier and safer. We have implemented flags to determine if attackers are killed or if they have not entered the map yet. With the conversion to `LinkedList`, this became obsolete. However we did not change the remnants from the previous implementations because there were parts working according to this implementation and they continue to work with the new implementation. Also factories still return an array for attackers which is converted to an array list. We have not changed the factory implementation because converting the returned array to `ArrayList` was an easier one-line operation provided by Java libraries.

It was observed that `FileController` which was removed after the first iteration had some useful functions. For this purpose, a new class with the name `MapMatrixReader` was implemented. This class only provides a static method to read a map matrix from the .mat file. This was implemented to reduce code repetition.

Furthermore Strategy pattern was used for attack behaviour, improved to include all attack operations in the game. Three new implementation of the interface, `SingleAttackUpgraded1`, `HeroAttack` and `AttackerAttack`, were added to the project. Currently `Tower`, `Hero` and `Attacker` classes use `AttackBehaviour` implementations. This made it easier to manage attack behaviours of the objects and made dynamic changes easier. `AreaAttackTower`, `Hero` and `Attacker` classes have only one algorithm implemented. `SingleAttackTower` has two implementations for its algorithm. This allows dynamic switch when the tower gets upgraded. `Tower`, `Hero` and `Attacker` classes were implemented according to the pattern.

Base building of the player was implemented as an object instead of a special tile location. Health of the base building is shown above the object as a healthbar instead of health outside the game map. Attackers attack the base by the new behaviour which was implemented. This attack type also notifies `GameController` that attacker is dead, to remove it. This results in the same functionality in the analysis.

Another important change was the storage of the parent classes in the children. `GameObjects`; `Tower`, `Hero`, `Attacker` and `Base` store the reference of the `GameMap` they are currently in. This allows them to send notifications to the map. Also, `GameMap` and `InputController` now store references to the `GameController`. They notify changes in the map or mouse inputs to the `GameController` if necessary.

A class named `Particle` is implemented for the attack animations. This class takes location and type information as its parameters. Towers create instances of this class when they attack and add them to `GameMap` by calling `addParticle()` method of the `GameMap` from the reference. These instances are drawn by the game map. Particles notify game map just like other objects when they need to be destroyed.

TowerListController class was improved to accommodate new operations. Changes were minimal; Array of the rectangles and images were increased in size and detected operations were changed accordingly. A field is added to show the current amount of gold the player has. GameController notifies the TowerListController and sets the local value when value changes. This is similar to observer pattern.

InputController was upgraded to detect more operations. Now it also listens to the main game panel. Also this class stores the reference of the GameController which created it. It checks for the new operations on the List, it checks the type of the operation and calls the add methods of the GameController by the stored reference.

GameMap implementation is changed to provide methods for addition and deletion of the game objects mentioned before. Also methods to check if clicked position on the map is available or to get the type of the selected tower were implemented. These two operations are called by the GameController when user tries to add, upgrade or remove towers.

GameController was updated to provide changes mentioned before. Methods to check if tower or hero are deployable to the map were implemented. Methods to check if game is running or paused are implemented. Game loop is controlled according to these methods.

2. Status of the Project

Completed Parts and Bugs

Core functionalities of a tower defence game are implemented. There are functional towers, attackers and a base to be defended. Player has a finite resource to spend. In addition, some extended features we planned to implement like upgrading towers, selling towers and deploying heroes are implemented.

Particle class was implemented for particle operations, however animations are primitive. There are lines for targeted attacks and circles for area attacks. Animations may be upgraded for better experience.

Two types of towers implemented. One of them can be upgraded which changes its attack algorithm implementation with the use of the strategy pattern. There are 2 types of attackers and 5 different game levels. Each level has a different map and different set of attackers. Primitive attack animations for towers and heroes were implemented. However hero attack animation has bugs and it sometimes works. Also, Mouse listener detects mouse motion on the main game panel. This results in background changes in the right-side panel when mouse moves in the top left corner of the game map. Mouse motion detection mimics the one in the right panel when it should not do. This is a cosmetic bug.

While game is running, there can be exceptions and errors due to concurrent modification. We have tried to prevent null pointer exceptions occurring when an object is destroyed and another object tries to access it. Also we have tried to prevent concurrent modification exceptions thrown when more than one object changes one of the lists of game objects. If one of these errors are caught, then one operation is skipped without any visible effects. However such operations were the main source of the exceptions and there may be unknown bugs.

In the main menu, if player clicks PlayGame button, there will be a null pointer exception however this does not break the program. Player can continue by selecting the level before pressing Play Game. Also background color of the game buttons turn to black when they are pressed. This is a cosmetic bug and does not effect the functionality of the game.

Level scores and playable levels are read from and stored to a text file.

Parts Need to Be Done

Most notable requirement remaining is the animations. Game functionality is sufficient for a game however animations are basic. Also we have tried to implement better tiles however this resulted in a considerable drop in the performance, thus we have reverted back to basic implementation.

Game cannot be played from the jar file because we cannot read from the path in the jar file. Research showed that file paths and image types should be changed for reading from a jar file.

New towers, attackers and upgraded attack algorithms may be implemented for more complex game experience.

We planned to implement an obstacle however it was not fully completed. Thus it was not used in the final version.

3. User's Guide

3.1 Requirements and Installation

Defenders of the Kingdom is a tower defense game implemented in Java, hence in order to run the game the computer must have installed Java Run Environment (JRE). Game was built and tested with Java 1.8, thus this version is recommended. However, user interface of the game was written with Java.awt and Java.Swing, thus older or newer versions of java are expected to be supported.

The project is implemented using IntelliJ IDEA as the IDE. We have tried to generate a .jar file. We managed to do the generation by using command line and IDE tools, however files are not loaded from the file system properly if game is started from the jar. Thus an IDE like IntelliJ is required to run the game. Project file is on the GitHub page in the master branch, `test1`. Also a video is available for the game play in the master branch. Project folder is [CS-319_Group-3H/test1/](#).

3.2 Overview of the Game

When the user runs the game, the main menu will be displayed. In this menu, a menu of levels will be displayed for the user to select. User will select the level which (s)he wants to play by pressing on the button of the level. Then he or she will click on the Play Game button to play that level. User will be able to deploy towers. These towers can be sold for a fraction of their price or they can be upgraded. A hero can be deployed in front of the base. Hero attacks the targets and blocks the road of the attackers. It pushes attackers back. Hero stays on the field for a limited number of attacks to provide an advantage as an expensive last resort defence. The player receives a gold bounty for each attacker killed. When attackers reach the base, they attack it. This attack reduces the health of the base by one and also kills the attacker. Game finishes when there are no attackers left or the base health is zero.


3.2.1 Controls

The mouse will be used to interact with the towers. The player will select towers, upgrade and sell buttons from the list and select deploy location on the map with the mouse. If a player chooses a hero, then hero will be deployed immediately on the map.


3.2.2 Game Screens and Menus

Main Menu

When the player runs the game, the screen below will be displayed. Only the first 4 buttons are enabled in the screenshot. Level 5 is disabled because player has not completed the Level 4 with at least 1 star, therefore s(he) is not able to play Level 5 yet. Player will be selecting a level and continue by clicking the “Play” button at the bottom of the page to play the game. Help and Credits buttons show Help and Credits respectively.



Game Play



Game map is shown above. Attackers seen on the path can move. Path and green fields are made from Tile objects with the information read from a matrix file.

Right Panel

The towers, heroes, up arrow and coin bag images on the right side of the game window can be selected. If mouse is on an element on the right panel, background changes to red. If a player selects a tower, then he can place it on the map by clicking on a position in the map. Player cannot place a tower on top of other towers or any location in the path. Heroes are deployed in front of the base when they are selected. Player's amount of gold is shown on the top of the right panel. The player should have enough gold to deploy items to map. Up arrow and coin bag work similar to tower placement. Up arrow has the functionality of upgrading towers. Currently only single attack towers can be upgraded. The coin bag button sells a tower and returns a fraction of its cost. The button below the coin bag pauses the game.

Game Objects

Attacker

This is the enemy which the player is defending the base against. There are two types of attackers as shown in the image above. If they reach the tile which has the base on it, they decrease the health of the base by one and die.

Area Attack Tower:

This is the tower in the middle of the circle on the image above. It attacks all attackers in its range. It can be deployed by selecting the first tower in the right panel.


Single Attack Tower:

This tower is the one which is on one end of the attack lines on the image above. It can be deployed by selecting its button from the right panel. It also can be upgraded by selecting the up arrow button from the right panel and clicking on the specific tower to upgrade. Upgraded version can attack two targets at once.

Hero

There are two types of heroes. They stay deployed for a finite number of attacks in front of the base. They block the path of the attackers, attack them and knock them back. First type is the one deployed on the image above. Second type is the one below it with the red background in the right panel.

Pause Menu



Pause menu is displayed when the player presses the last element in the right panel, which is the one with red background in the image above. This pauses the game. Player may click resume game to continue playing or go back to main menu.


View Credits

Credits page in which the developers of the game and the GitHub link is presented is below.



View Help

Help page aims to help the user in the gameplay.



4) References

Towers: <https://www.artstation.com/artwork/xB29Y>

Gold: <https://www.artstation.com/artwork/XvJRY>

Background:

<https://i.pinimg.com/originals/97/e3/8f/97e38fb563124715573cab16b83cf6e2.jpg>

Star:

<https://cdn.decorpad.com/photos/2016/04/12/decorative-star-antique-brass-framed-mirror.jpg>

Attacker #1: <https://www.artstation.com/artwork/nxAYe>

Attacker #2: <https://www.artstation.com/artwork/rwke2>

Hero #1: <https://www.artstation.com/artwork/8nwkq>

Hero #2: <https://www.artstation.com/artwork/D1xX9>

Kapow #1:

<https://static1.squarespace.com/static/5693691ca2bab8b5b8eced8d/t/569ed125df40f33e106f00ed/1453248854232/Kapow+Logo.png?format=750w>

Kapow #2: https://pixabay.com/p-1601675/?no_redirect

Base:

https://cdn.thingiverse.com/renders/bc/da/fb/d8/0a/ccae7a7bdf338cd2311d3cc3fb5f29_preview_featured.JPG

Upgrade:

<http://www.eccount.com/wp-content/uploads/2015/11/Upgrade-your-eccount.png>

Pause: <https://png.icons8.com/android/540/pause.png>

Dollar Bag: <http://www.pngpix.com/download/dollar-bag-png-transparent-image>