












Mode selection inputs for RGB PWM controller.

A1 A0 = 00: Blink mode
A1 A0 = 01: Colour change mode
A1 A0 = 10: Fade mode
A1 A0 = 11: Off mode

SW1 selects A0.
SW2 selects A1.
Each switch connects the mode input either to +3V3 or GND.

Responsible Dept: ELE

Project: FPGA-Based RGB LED




Document Title: Mode Selection Inputs




Created By: Team B2

Rev.
1

Date
30.06.2026

Sheet
3 of 6



1	2	3	4															
A	TP1 5003 RGB_R TP2 5003 RGB_G TP3 5003 RGB_B TP4 5003 A_0 TP5 5003 A_1 TP6 5003 +3V3 TP7 5003 GND			A														
B				B														
C				C														
D	<table><tr><td colspan="2">Responsible Dept: ELE</td><td colspan="2">Project: FPGA-Based RGB LED</td></tr><tr><td rowspan="3"></td><td colspan="3">Document Title: Test Points and Output Signals</td></tr><tr><td colspan="3">Created By: Team B2</td></tr><tr><td>Rev. 1</td><td>Date 30.06.2026</td><td>Sheet 5 of 6</td></tr></table>			Responsible Dept: ELE		Project: FPGA-Based RGB LED			Document Title: Test Points and Output Signals			Created By: Team B2			Rev. 1	Date 30.06.2026	Sheet 5 of 6	D
Responsible Dept: ELE		Project: FPGA-Based RGB LED																
	Document Title: Test Points and Output Signals																	
	Created By: Team B2																	
	Rev. 1	Date 30.06.2026	Sheet 5 of 6															
1	2	3	4															

