


MDM policy export — privileged endpoint protection

EGGcraft Ltd (NivaDesk) — Amazon SP-API Developer Profile, control 4 (anti-malware on privileged endpoints). Tenant `eggcraft.onmicrosoft.com` (Microsoft 365 Business Premium: Intune + Defender for Business). Generated 2026-09-05 20:58 UTC from the Intune admin center, the Defender portal and a live readback of the enrolled MacBook Pro. Source specification: `docs/security/edr-intune-policy-spec.md`; running record: `docs/security/evidence/amazon/edr-onboarding-2026-09-05.md`.

1. Console captures



Defender portal > Assets > Device inventory: 1 device, Guiness-MacBook-Pro, macOS Tahoe 26.6, sensor health Active, onboarding status Onboarded, Not onboarded 0 (captured 2026-09-05 20:53 UTC).

Microsoft Intune yönetim merkezi

Giriş > Uç nokta güvenliği | Antivirüs

macOS - Defender AV baseline

Microsoft Defender Virüsten Koruma

Sil

Zorlama düzeyi ⓘ real_time

Ağ koruması

Zorlama düzeyi ⓘ engelle

Kurcalama koruması

Zorlama düzeyi ⓘ engelle

Kullanıcı arabirimi tercihleri

Kullanıcıların Uç Nokta için Microsoft Defender kullanıcı arabirimiyle nasıl etkileşim kuracağını yönetmek için Kullanıcı arabirimi tercih ayarlarını yapılandırın.

Intune > Endpoint security > Antivirus > policy "macOS - Defender AV baseline": network protection enforcement = block (engelle), tamper protection enforcement = block (engelle), real-time enforcement level real_time (captured 2026-09-05 20:52 UTC).

Microsoft Intune yönetim merkezi

Giriş > Gunes's MacBook Pro

Gunes's MacBook Pro | Cihaz uyumluluğu

Ara

Yenile Ver Sütunlar 2 öğe

Genel Bakış

Yönet

Özellikler

İzle

Cihaz stoğu

Donanım

Bulunan uygulamalar

Cihaz uyumluluğu

Cihaz yapılandırması

Uygulama yapılandırması

Parolalar ve anahtarlar

Grup üyeliği

Yönetilen Uygulamalar

Yazılım güncelleştirmeleri (kullanım dışı)

İlke adı	Oturum açan kullanıcı	Eyalet	Kullanıcı e-pos...	Son iletişim
Default Device Compliance Policy	gunesgocmen@eggcraft.ı	Uyumlu	gunesgocmen@e	05.09.2026 20:39
macOS - Amazon endpoint baseline	gunesgocmen@eggcraft.ı	Uyumlu	gunesgocmen@e	05.09.2026 20:45

Intune > device > Device compliance: "macOS - Amazon endpoint baseline" and the default compliance policy both Compliant (Uyumlu), last contact 2026-09-05 20:45 UTC.

Microsoft Intune yönetim merkezi

Giriş > Gunes's MacBook Pro

Gunes's MacBook Pro | Cihaz yapılandırması

Ara

Genel Bakış

Yönet

Özellikler

İzle

Cihaz stoğu

Donanım

Bulunan uygulamalar

Cihaz uyumluluğu

Cihaz yapılandırması

Uygulama yapılandırması

Parolalar ve anahtarlar

Grup üyeliği

Yönetilen Uygulamalar

Yazılım güncelleştirmeleri (kullanım dışı)

Bu rapor en güncel bilgileri göstermekte gecikebilir.

Yenile Ver Sütunlar

8 öğeler

Ara

İlke ↑	Oturum açan kullanıcı	İlke türü	Durum
macOS - Amazon device hardening	gunesgocmen@eggcraft.onmic	Settings Catalog	✓ Başarılı
macOS - Defender background services	gunesgocmen@eggcraft.onmic	Cihaz yapılandırması	✓ Başarılı
macOS - Defender full disk access	gunesgocmen@eggcraft.onmic	Cihaz yapılandırması	✓ Başarılı
macOS - Defender network filter	gunesgocmen@eggcraft.onmic	Cihaz yapılandırması	✓ Başarılı
macOS - Defender notifications	gunesgocmen@eggcraft.onmic	Cihaz yapılandırması	✓ Başarılı
macOS - Defender onboarding (portal pack)	gunesgocmen@eggcraft.onmic	Cihaz yapılandırması	✓ Başarılı
macOS - Defender system extensions (temp)	gunesgocmen@eggcraft.onmic	Cihaz yapılandırması	✓ Başarılı
macOS - Microsoft AutoUpdate (MAU)	gunesgocmen@eggcraft.onmic	Settings Catalog	✓ Başarılı

Intune > device > Device configuration: 8 configuration profiles delivered with state Succeeded (Başarılı) — hardening, background services, full disk access, network filter, notifications, Defender onboarding (portal package), system extensions, Microsoft AutoUpdate.

2. Live readback of the enrolled device (2026-09-05, after onboarding)

```
healthy : true
health_issues : []
licensed : true
engine_version : "1.1.26060.12000"
engine_load_status : "Engine load succeeded"
app_version : "101.26062.0012"
org_id : "92b27c7b-6c5c-4b81-a503-62e31be1d4cd"
log_level : "info"
machine_guid : "b9dbfbc8-fbca-5d3a-a65d-2aea989e79b9"
release_ring : "Production"
product_expiration : Feb 08, 2027 at 07:24:09 PM
cloud_enabled : true [managed]
cloud_automatic_sample_submission_consent : "none" [managed]
cloud_diagnostic_enabled : false [managed]
cloud_pin_certificate_thumbs : false
passive_mode_enabled : false [managed]
behavior_monitoring : "enabled" [managed]
real_time_protection_enabled : true [managed]
real_time_protection_available : true
real_time_protection_subsystem : "endpoint_security_extension"
network_events_subsystem : "network_filter_extension"
device_control_enforcement_level : "audit"
tamper_protection : "block" [managed]
automatic_definition_update_enabled : true [managed]
definitions_updated : Sep 05, 2026 at 08:41:35 PM
definitions_updated_minutes_ago : 76
definitions_version : "1.459.66.0"
definitions_status : "up_to_date"
edr_early_preview_enabled : "disabled"
edr_device_tags : [{"key":"GROUP","value":"amazon-scope"}] [managed]
edr_group_ids : ""
edr_configuration_version : "20.199999.siamrev.3fb873aa.2026.08.31.02-
d208fddb05ac1f2664ef801966b17b67ff019007"
edr_machine_id : "919af725b1976b4f45729bfd1749430391b7403c"
managed_by : "MDM"
conflicting_applications : []
network_protection_status : "started"
network_protection_enforcement_level : "block" [managed]
data_loss_prevention_status : "disabled"
full_disk_access_enabled : true
troubleshooting_mode : false
ecs_configuration_ids : ""
```

```
Enrolled via DEP: No
MDM enrollment: Yes (User Approved)
MDM server: https://i.manage.microsoft.com/DeviceGatewayProxy/ioshandler.ashx?Platform=MacMDM
FileVault is On.
Firewall is enabled. (State = 1)
Firewall stealth mode is on
assessments enabled
*      *      UBF8T346G9      com.microsoft.wdav.netext (101.26062.0012/101.26062.0012)
Microsoft Defender Network Extension [activated enabled]
*      *      UBF8T346G9      com.microsoft.wdav.epsext (101.26062.0012/101.26062.0012)
Microsoft Defender Endpoint Security Extension [activated enabled]
managed preferences:
com.apple.MCX.FileVault2.plist
com.apple.TCC.configuration-profile-policy.plist
com.apple.notificationsettings.plist
com.apple.screensaver.plist
com.apple.security.FDERecoveryKeyEscrow.plist
com.apple.security.acme.plist
com.apple.security.firewall.plist
com.apple.servicemanagement.plist
com.apple.system-extension-policy.plist
com.apple.systempolicy.control.plist
com.apple.webcontent-filter.plist
com.microsoft.autoupdate2.plist
```

```
com.microsoft.wdav.atp.plist
com.microsoft.wdav.plist

com.microsoft.autoupdate2:
{
    ChannelName = Current;
    EnableCheckForUpdatesButton = 1;
    HowToCheck = AutomaticDownload;
    UpdateCheckFrequency = 720;
}
com.apple.security.firewall:
{
    AllowSigned = 1;
    AllowSignedApp = 1;
    EnableFirewall = 1;
    EnableStealthMode = 1;
    PayloadUUID = "4c605ab7-5b8f-4d1a-a99e-ab10791ee724";
}
com.apple.screensaver:
{
    PayloadUUID = "3a1fb353-0d5b-44f9-a1a7-e63cb92a23b0";
    allowSimple = 0;
    askForPassword = 1;
    askForPasswordDelay = 300;
    changeAtNextAuth = 1;
    loginWindowIdleTime = 300;
    minLength = 8;
    moduleName = Flurry;
}
```

3. Policy specification (as built in Intune)

Intune / Defender for Business policy specification for the Amazon endpoint scope

Written 2026-09-05 for tenant `eggcraft.onmicrosoft.com` (organisation EGGCRAFT LIMITED). Every object below is created in the Intune admin center or the Defender portal by the assistant with the operator watching; the operator does the steps that need an Apple ID, a password, a consent tick or a click on the Mac. Status column is kept current as the work lands.

Assignment model: one device today, so every policy is assigned to

All devices (and compliance to **All users**); no dynamic groups yet. When the Mac Studio or the phone is onboarded, the same assignments cover them.

1. Enrolment prerequisites

#	Object	Setting	Who	Status
1.1	Apple MDM push certificate	consent tick → download CSR → identity.apple.com/pushcert with a company-controlled Apple ID → upload <code>.pem</code> ; renew yearly with the same Apple ID (write it in the password manager)	operator	Active, expires 2026-09-05+1y
1.2	Corporate device identifiers	add this Mac's serial so it enrolls as corporate-owned	assistant	done
1.3	Enrollment restrictions (macOS)	allow macOS; block personally-owned (identifier list makes ours corporate)	assistant	pending
1.4	Defender ↔ Intune connector	Intune → Endpoint security → Microsoft Defender for Endpoint: connection Available, enforce Endpoint Security configurations = On. There is no macOS compliance-evaluation toggle (Windows/Android/iOS only), so the risk-score compliance rule in §2 does not apply to macOS	assistant	done

2. Compliance policy — macOS – Amazon endpoint baseline

Area	Setting	Value
Device properties	Minimum OS version	26.0 (device runs 26.6.2; raise as Apple ships)
System security	Require a password to unlock	Required
	Simple passwords	Block
	Minimum password length	8
	Maximum minutes of inactivity before password is required	5
	Require encryption of data storage (FileVault)	Required
	Firewall	Enabled; block all incoming = not required; stealth mode = Enabled
	Gatekeeper	Mac App Store and identified developers
	System Integrity Protection	Required

Area	Setting	Value
Microsoft Defender for Endpoint	Require the device to be at or under the machine risk score	not available for macOS in Intune (dropped)
Actions for noncompliance	Mark device noncompliant	Immediately
	Send email to end user	deferred — needs a notification message template first

3. Configuration profiles

#	Profile (type)	Settings	Status
3.1	macOS – FileVault (Settings catalog › Full Disk Encryption › FileVault)	Enable = On; Defer = true (enable at next logout if ever off); Show recovery key = false; Personal recovery key escrow → Intune; Use recovery key = true; Defer force at user login max bypass attempts = 0	created 2026-09-05 (one profile macOS – Amazon device hardening holds 3.1–3.5)
3.2	macOS – Firewall (Settings catalog › Networking › Firewall)	EnableFirewall = true; EnableStealthMode = true; BlockAllIncoming = false; AllowSigned = true	pending
3.3	macOS – Software updates (Settings catalog › System Configuration › Software Update)	Automatic check = true; Automatic download = true; Automatically install macOS updates = true; Config data (XProtect) install = true; Critical update install = true; Restrict software update require admin = true	pending
3.4	macOS – Screen lock (Settings catalog › User Experience › Screensaver + Login Window)	Login window idle time = 300 s; user screensaver idle time = 300 s; ask for password = true; ask for password delay = 0	pending
3.5	macOS – Defender system extensions (Templates › Extensions)	allowed team identifier UBF8T346G9 ; allowed system extensions com.microsoft.wdav.epsext , com.microsoft.wdav.netext	pending
3.6	macOS – Defender full disk access (Custom, Microsoft template fulldisk.mobileconfig)	PPPC SystemPolicyAllFiles for com.microsoft.wdav and com.microsoft.wdav.epsext	created 2026-09-05 as macOS – Defender full disk access (custom, device channel, All devices)
3.7	macOS – Defender network filter (Custom, netfilter.mobileconfig)	content filter provider com.microsoft.wdav.netext , socket filter, MDM-approved	created 2026-09-05 as macOS – Defender network filter (custom, device channel, All devices)
3.8	macOS – Defender background services (Custom, background_services.mobileconfig)	managed login items for team UBF8T346G9	created 2026-09-05 as macOS – Defender background services (custom, device channel, All devices)
3.9	macOS – Defender notifications (Custom, notif.mobileconfig)	allow alerts from com.microsoft.wdav.tray and com.microsoft.autoupdate2	created 2026-09-05 as macOS – Defender notifications (custom, device channel, All devices)
3.10	macOS – Defender accessibility / bluetooth (optional templates)	only if device-control or accessibility features are used — not planned	skipped

Template source: github.com/microsoft/mdatp-xplat, path `macos/mobileconfig/profile-templates/` (Microsoft's official, unmodified files; SHA-256 of each downloaded file is recorded in the evidence file).

4. Endpoint security policies

#	Policy	Settings	Status
4.1	Endpoint detection and response › macOS › macOS – Defender EDR onboarding	onboarding through the connector; device tag <code>amazon-scope</code>	created 2026-09-05, All devices
4.2	Antivirus › macOS › Microsoft Defender Antivirus – macOS – Defender AV baseline	Real-time protection = enabled; Passive mode = disabled; Cloud-delivered protection = enabled; Cloud block level = high; Automatic sample submission = disabled (safe / no data leaves); Diagnostic data = required only; Tamper protection = block ; Behavior monitoring = enabled; Network protection = block; Exclusions = none; Threat type settings: potentially unwanted apps = block; Enforcement level = real-time	created 2026-09-05 as macOS – Defender AV baseline (26 settings), All devices
4.3	Scheduled scan (Settings catalog › Microsoft Defender › Antivirus engine › Scheduled scan, or <code>com.microsoft.wdav</code> plist in the same catalog)	weekly full scan Sunday 03:00 (random start ± 30 min, low priority, run when idle = false so it runs even if busy) + daily quick scan 12:00; ignore exclusions = false	done 2026-09-05 — carried inside the AV policy (4.2): scheduled scan on, weekly full day 0 03:00, daily quick 12:00, low priority, not idle-only; device readback <code>[managed]</code>
4.4	Automatic updates of the agent (Microsoft AutoUpdate)	channel = Current; automatic download and install = true; update check every 12 h	created 2026-09-05 20:46 UTC as macOS – Microsoft AutoUpdate (MAU) (settings catalog: enable AutoUpdate = True, channel Current, check every 720 min, check-for-updates on), All devices

5. Apps

#	App	Assignment	Status
5.1	Apps › macOS › Add › Microsoft Defender for Endpoint (built-in app type)	Required → All devices	created 2026-09-05
5.2	Company Portal	installer downloaded and signature-verified 2026-09-05; installation needs the operator (admin password)	installed and signed in by the operator 2026-09-05 ~19:40 UTC; MDM profile approved

6. Verification on the Mac (all must hold before control 4 = Passed)

```
mdatp health --field healthy → true
mdatp health --field real_time_protection_enabled → true
mdatp health --field tamper_protection → block
mdatp health --field cloud_enabled → true
mdatp health --field definitions_updated → today's date (age < 24 h)
mdatp health --field licensed / org_id → true / the tenant's org id
mdatp health --field managed_by → "MDM" (Intune-managed, not "local")
profiles status --type enrollment → MDM enrollment: Yes (User Approved)
systemextensionsctl list → com.microsoft.wdav.epsex + netext [activated enabled]
fdesetup status → FileVault is On
socketfilterfw --getglobalstate → enabled ; --getstealthmode → on
```

Result 2026-09-05 20:32 UTC (MacBook Pro, after the portal onboarding package was delivered through Intune): every line above holds — healthy true, RTP true, tamper_protection block, cloud_enabled true, definitions 1.459.66.0 updated 19:41 UTC (up_to_date), licensed true / org_id set, managed_by MDM, MDM Yes (User Approved), both system extensions activated enabled, FileVault On, firewall enabled + stealth on. Intune = Compliant; Defender › Assets › Devices lists the Mac as onboarded (sensor Active). The Defender health *reports* (sensor / antivirus) were still empty at 20:40 — they fill in during the first hours after onboarding. Full readback in `evidence/amazon/edr-onboarding-2026-09-05.md` §4.

Portal side: Intune › Devices › the Mac = **Compliant**; Defender › Assets › Devices = onboarded, sensor health = active, AV mode = active, definitions up to date; Endpoint security › Antivirus report shows tamper protection on.