Archaic cuneiform numbers

Robin Leroy, Anshuman Pandey, and Steve Tinney

August 1, 2024

Contents

1 Summary

2 Background

[TODO(egg): Restructure this. The internal references are all garbled.]

The Unicode Standard includes some cuneiform numbers: 𒁹–𒐎 1–9(diš) and 𒀸–𒐇 1–9(aš), 𒌋–𒐐 1–5(u), 𒐕–𒐝 1–9(ŋeš$_2$), 𒐞–𒐢 1–5(ŋešʾu), etc., used in the Sumero-Akkadian Cuneiform script (ISO 15924: Xsux, Script property value long name: Cuneiform).

In the investigation that led to their encoding in Unicode Version 5.0, it was thought appropriate to unify these with the earlier curviform numerals 1–9(aš^c = N_1), 1–5(u^c = N_{14}), 1–9(ŋeš$_2$^{c} = N_{34}), 1–5(ŋešʾu^c = N_{48}), etc. It has now become apparent that a distinction needs to be made for the adequate representation of Early Dynastic (ED) texts and scholarship pertaining to them.

In addition, these numerals will be needed for the representation of proto-cuneiform texts from the earlier archaic period. The non-numeric signs of proto-cuneiform (ISO 15924: Pcun) will be the subject of a separate proposal; we need only note here that the divergence between the approaches to character identity in modern scholarship requires that proto-cuneiform be disunified from cuneiform: proto-cuneiform is effectively treated as an undeciphered script. In contrast, the cuneiform encoding model is semantic, requiring an understanding of the text to correctly encode it.

The use of the curviform numeric signs is however understood, as we will discuss in Section 3; further, the conventions used for archaic numerals are also used when discussing ED numerals, see Section 7. As a result, the same numerals can be used when encoding archaic and ED texts, and in order to avoid issues ambiguities in representation when converting from transliteration, these should be unified. The overall picture of unifications and disunifications would be as follows:

	Uruk III & earlier	ED – Ur III	OB & later
Non-numeric signs	Future Pcun	Existing Xsux	
Numbers	This proposal	This proposal + Existing Xsux	Existing Xsux

3 Metrologies

𒁾 𒊬𒊑𒌈𒂗 𒁾
𒁾 𒀸 𒄥 𒊺 𒋫 𒐞 𒄥𒂠
𒁾 𒁹 𒂆 𒆬 𒋫 𒌋 𒈠𒈾𒂠

I want to write tablets: the tablet of 1 gur *of barley to 600* gur*; the tablet of 1 shekel of silver to 10 minas [...]*

Edubba'a D

In order to explain why TODO:*n* more numerals are needed, it is useful to first recall why we have so many kinds of cuneiform numerals already.

As is well known[1] a sexagesimal place value system (SPVS) was used in Mesopotamia from the late third millenium onwards. One should bear in mind, however, that other systems were used; the SPVS was primarily used in calculations, with results being expressed in non-positional systems [Rob08, p. 76; Rob22]. The digits 1–59 of the SPVS have inner structure which is reflected in the encoding: the digits 1–9 are the individual characters 𒁹–𒐎, the multiples of ten (10–50) are 𒌋–𒐐, but the other digits 11–59 are sequences 𒌋𒁹–𒐐𒐎; in effect the base-sixty digits are themselves written in base ten, with a different set of symbols for the tens place. This reflects the origin of the sexagesimal place value system; it derives from a *non-positional* system, hereafter the *cuneiform discrete counting system* $S_{\text{Ur III/OB}}$, which had different signs for the units 𒁹–𒐎, tens 𒌋–𒐐, sixties 𒐕–𒐝 (with larger wedges than the units), six hundreds 𒐞–𒐣, three thousand six hundreds 𒊹–𒐫, and thirty-six thousands 𒐬–𒐱.

The relations between the values of the signs in the cuneiform discrete counting system may be summarized by the following factor diagram[2], where the num-

[1] See, *e.g.*, [Uni16, Section 22.3.3 "Non-Decimal Radix Systems", *sub* "Cuneiform Numerals"].

[2] These diagrams, which have become standard in discussions of Mesopotamian metrology, originate with [Fri78, p. 10], where they are called *step-diagrams*.

ber over arrow indicates the multiple of the preceding sign (right of the arrow) corresponding to the following sign (left).



For example, the number 1729 = ((2 × 10 + 8) × 6 + 4) × 10 + 9 = 28 × 60 + 49 would be written 𒐟𒐜𒐏𒐎 in the discrete counting system, and 𒌋𒌋𒐍𒐏𒐎 in the sexagesimal place value system.

The discrete counting system was not the only non-positional system in use in the Ur III and Old Babylonian periods; different systems were in use depending on what was being counted or measured. For instance, field areas were measured using the following system, where for the named units we have provided the name of the unit in transliterated Sumerian, normalized Old Babylonian Akkadian, and the approximate metric equivalent [Fri07, p. 378; Rob19]:



Note that for the range of areas given above[3], this system does not use any symbols separate from the numerals for the individual units (*ubûm*, *ikûm*, *eblum*, and *būrum*). As mentioned in [Rob19], the whole numeric expression for the area would be followed by the sign 𒃷 functioning as punctuation, but the numerals are tied to the metrology; thus a surface of 5 *būrū* 1 *eblum* 4 *ikû* (100 *ikû*, 36 ha) would be written[4] 𒐐𒑘𒃷. Contrast this with systems where the same numerals are used for different units, and overt units are used, as in "88 acres 3 roods 33 perches". Note also that the same signs are shared between multiple systems, with different relations; the ŠAR₂ sign 𒊹 is equal to sixty times the U sign 𒌋 in the area system, but to three hundred and sixty times 𒌋 in the discrete counting system.

Another such system of note is the one for capacities[5] [Fri07, p. 376; Rob19],



where the numerals for ban₂ are 𒑏, 𒑐, 𒑑, 𒑒, and 𒑓, and those for bariga are 𒑖, 𒑗, 𒑘, and 𒑙 (contrast ordinary 𒐖 and 𒐗 otherwise used with 𒁹-numerals). As described in [Hue11, p.585 with notes (b) and (f)], the sign GUR 𒄥, while it is used

[3]For areas smaller than a quarter *ikûm*, an overt unit is used, with 1 *mūšarum* (36 m²) written 𒁹𒊬, equal to one hundredth of an *ikûm*, then sexigesimally subdivided in 60 𒂆 (shekels). For areas greater than 3600 *būrū*, the 𒊹- and 𒐬-numerals are reused with a suffix 𒃲 (gal, Sumerian: big), as follows [Rob08, p.295 with notes b and c; Fri07, p. 378; Rob19]:



[4]As in the surface of the field of (Apisal) reported on P102305 r. 1.

[5]Used for volumes of grain, but also oil, dairy products, beer, etc., as well as to express the capacity of boats; volumes of earthworks instead use system $G_{\text{Ur III/OB}}$ based on a height of one cubit, see[Pow87, p. 488; Rob08, p. 294; Rob19].

only with volumes in excess of one gur, is written after the whole expression, after the overt unit sign 𒋡 if present, and after the word for “grain” if present, as in

𒐡𒐝𒌋𒐂	𒑘	𒐋	𒋡	𒊺	𒄥[6]
3554 gur	3 ban$_2$	6	sila$_3$	of grain.	

Observe that while large numbers of gur follow[7] system $S_{\text{Ur III/OB}}$, the use of horizontal (AŠ) numerals for the gur disambiguates from the vertical bariga, as 𒌋𒁹𒄥 would be 10 gur 1 bariga, and 𒌋𒀸𒄥 would be 11 gur; again even with some overt units, most of the numerals that participate in a metrological system have an interpretation dependent on that system. To quote [Rob08, p. 78]: “The SPVS temporarily changed the status of numbers from properties of real-world objects to independent entities that could be manipulated without regard to [...] metrological system. [...] Once the calculation was done, the result was expressed in the most appropriate metrological units and thus re-entered the natural world as a concrete quantity.”

This intertwining of units and numerals explains the large number of already-encoded numeral series:

- — 𒁹–𒐎 used in $S_{\text{Ur III/OB}}$ and the SPVS as well as with overt units;
- — 𒌋–𒐐 used in $G_{\text{Ur III/OB}}$, of which 𒌋–𒐏 are also used in $S_{\text{Ur III/OB}}$ and the SPVS as well as with overt units;
- — 𒐕–𒐝 used in $S_{\text{Ur III/OB}}$ and the SPVS;
- — 𒀸–𒐇 used in $C_{\text{Ur III/OB}}$ as well as in the weight system;
- — 𒑘, 𒑙, 𒑚, 𒑛, 𒑜 used in $C_{\text{Ur III/OB}}$;
- — 𒁹, 𒑏, 𒑐, 𒑑 used in $C_{\text{Ur III/OB}}$—note the overlap with 𒁹–𒐎;
- — 𒑗 and 𒑖 used in $G_{\text{Ur III/OB}}$.

4 Arguments for curviform–cuneiform unification

As outlined in, *e.g.*, [UTR56], the cuneiform encoding model is diachronic; each character may have wildly different glyphs depending on time period and region. For instance, the sign IM may resemble 𒅎 in texts from Early Dynastic IIIa Šuruppag as in the character code charts, 𒅎 later in the third millenium[8], 𒅎 in Old Babylonian cursive, 𒅎 in Neo-Assyrian, but is always encoded as U+1214E CUNEIFORM SIGN IM.

This encoding model allows for the interoperable representation of editions of diachronic reference works such as sign lists[9] and dictionaries[10], and of composite texts[11]. By being compatible with similarly diachronic transliteration practice (that is, by avoiding distinctions finer than those made in transliteration), the encoding model also allows for automated conversion of transliterated corpora to cuneiform, which has proven useful as a processing step in analyses such

---

[6] From P309594.

[7] A larger unit, the guru$_7$ (*karûm*, grain heap), is sometimes used instead, with 𒀸𒂁𒄥 (1 *karûm* = 3600 kurrū). See [Fri07, p. 415; Rob19].

[8] Merging with U+1224E 𒉎 NI$_2$.

[9] Notably the online edition of [Bor10] in [Jim+23, Signs], as well as [VT+14].

[10] Notably the online edition of [Sch10] in [Jim+23, Dictionary], as well as [TJV17].

[11] For example, there are Neo-Assyrian and Neo-Babylonian copies parts of the laws of 𒄩𒄠𒈬𒊏𒉿, as well as Old Babylonian copies in both archaizing and cursive styles. Some sections are known only from those copies. See [Oel22, pp. 110 sqq.].

as [Rom24; JJ][12]. The diachronic approach is also useful for pedagogical applications[13].

In this context, the argument was made in [And04] as part of ongoing work on the cuneiform encoding[14] that the curviform numerals, which occasionally appear in the Ur III period and are used heavily in the Early Dynastic period, were a stylistic distinction unifiable with the cuneiform digits, and that an archaizing Ur III font or an Early Dynastic font could have curviform glyphs for the appropriate characters; some co-occurrence was known and acknowledged, but considered to be styling rather than plain text. Although they had been part of the preliminary proposal [EFT03], they were therefore removed, and have since not been encoded.

Indeed, some metrological systems from the Early Dynastic period match the ones previously mentioned. In particular, the discrete counting system used in the Early Dynastic period (and earlier in the Uruk period) clearly mirrors system $S_{\text{Ur III/OB}}$ [Fri07, p. 374; DE87, pp. 127, 165]:



(S)

Likewise the area system used in the Early Dynastic IIIb period mirrors system $G_{\text{Ur III/OB}}$ [Fri07, p. 378; **Gombert2016**]:



($G_{\text{ED IIIb}}$)

TODO(egg): words

Note that in [Rom24] [TODO(egg): Cite the GitHub repository], as in many other such analyses, numbers are removed as an early step in processing; these therefore would not benefit from diachrony in the encoding of numeric expressions.

[12] Attendees may recall the summary given on the third day of UTC #180, as recorded in [Con24]. Other readers may refer to [Svä+24, pp. 242, 148].

[13] For instance, Old Babylonian grammar may be taught in the Neo-Assyrian script, as in [Cap02].

[14] At that time scoped to the répertoire of the Ur III period and later, see [EF03, p. 1], although many disunifications, such as  ≠ , were informed by Early Dynastic distinctions.

5 Problems with unification: Early metrology

6 Problems with unification: Non-numeric usage

> [illegible]
>
> *The beginning of the scribal art is a single wedge. That one has six pronunciations; it also stands for 'sixty'. Do you know its reading?*
>
> *Examenstext A*

6.1 The case of ŠAR$_2$

7 Compatibility with transliteration

8 The necessity of ED–Uruk numeral identification

9 Characters not included in this proposal

9.1 Missing numerals

(N_{17}, $12N_{14}$, etc.)

9.2 Stacking patterns

(… are a mess, vary within Uruk, and are not transliterated/documented by Englund, so let's not go there for now.)

References

[And04] L. Anderson. *Unification of Cuneiform Numbers*. 2004.
UTC: L2/04-099.

[Bor10] R. Borger. *Mesopotamisches Zeichenlexikon*. Alter Orient und Altes Testament 305. Ugarit-Verlag, 2010.

[Cap02] R. Caplice. *Introduction to Akkadian*. 4th ed. Editrice Pontificio Istituto Biblico, 2002.
ISBN: 88-7653-566-7.

[Con24] P. Constable, ed. *Minutes of UTC Meeting 180* (July 23–25, 2024). July 29, 2024.
UTC: L2/24-159.

[DE87] P. Damerow and R. K. Englund. "Die Zahlzeichensysteme der archaischen Texte aus Uruk". In: M. W. Green and H. J. Nissen. *Zeichenliste der archaischen Texte aus Uruk*. Archaische Texte aus Uruk 2. An offprint of this chapter is available at https://cdli.mpiwg-berlin.mpg.de/files-up/publications/englund1987a.pdf. Gebr. Mann Verlag, 1987. Chap. 3, pp. 117–165.

[EF03] M. Everson and K. Feuerherm. *Basic principles for the encoding of Sumero-Akkadian Cuneiform*. May 25, 2003.
UTC: L2/03-162.

[EFT03] M. Everson, K. Feuerherm, and S. Tinney. *Preliminary proposal to encode AND MEOW AT the Cuneiform script in the SMP of the UCS*. Nov. 3, 2003.
UTC: L2/03-393R.

[Fri07] J. Friberg. *A Remarkable Collection of Babylonian Mathematical Texts. Manuscripts in the Schøyen Collection: Cuneiform Texts I*. Sources and Studies in the History of Mathematics and Physical Sciences. Springer, 2007.
ISBN: 978-0-387-34543-7.

[Fri78] J. Friberg. *A Method for the Decipherment, through Mathematical and Metrological Analysis, of Proto-Sumerian and Proto-Elamite Semi-Pictographic Inscriptions*. The Third Millenium Roots of Babylonian Mathematics 1. Department of Mathematics, Chalmers University of Technology, 1978.

[Hue11] J. Huehnergard. *A Grammar of Akkadian*. 3rd ed. Brill, 2011.
ISBN: 978-1-57506-941-8.

[Jim+23] E. Jiménez, Z. Földi, A. Hätinen, A. Heinrich, T. Mitto, G. Rozzi, I. Khait, J. Laasonen, F. Simonjetz, et al., eds. *electronic Babylonian Library*. 2023–.
eprint: `https://www.ebl.lmu.de/`.

[JJ] T. Jauhiainen and H. Jauhiainen. "Advancing Cuneiform Text Dating Through Automatic Analysis". 69th Rencontre Assyriologique Internationale (July 8–12, 2024).

[Oel22] J. Oelsner. *Der Kodex Ḫammu-rāpi*. dubsar 4. Zaphon, 2022.

[Pow87] M. Powell. "Maße und Gewichte". In: *Reallexikon der Assyriologie und vorderasiatischen Archäologie*. Ed. by D. O. Edzard. Vol. 7 Libanukšabaš–Medizin. 1987–1990, pp. 457–530.

[Rob08] E. Robson. *Mathematics in Ancient Iraq. A Social History*. Princeton University Press, 2008.
ISBN: 978-0-691-09182-2.

[Rob19] E. Robson. "Oracc metrology guidelines". In: *Oracc: The Open Richly Annotated Cuneiform Corpus*. Dec. 18, 2019.
eprint: `http://oracc.org/doc/help/editinginatf/metrology/metrologicaltables/`.

[Rob22] E. Robson. "Overview of Metrological Systems". In: *The Digital Corpus of Cuneiform Mathematical Texts*. 2022.
eprint: `http://oracc.org/dccmt/Metrology/`.

[Rom24] A. Romach. "The Neo Assyrian Land Sale Documents from Dur-Katlimmu: A Stylometric Analysis of Their Scribal Features". 69th Rencontre Assyriologique Internationale (July 8–12, 2024). July 10, 2024 12:00.

[Sch10] W. Schramm. *Akkadische Logogramme*. Göttinger Beiträge zum Alten Orient 5. Universitätsverlag Göttingen, 2010.
ISBN: 9783941875654.
DOI: `10.17875/gup2010-511`.

[Svä+24] S. Svärd, M. Lorenzon, J. Töyräänvuori, J. Valk, T. Alstola, E. Bennett, R. Uotila, and T. Auranne, eds. *RAI 69 Abstracts*. July 2024.
eprint: https://www.helsinki.fi/assets/drupal/2024-07/RaiAbstractBookAjoitettuJaPäivätty_1.pdf.

[TJV17] S. Tinney, P. Jones, and N. Veldhuis, eds. *The electronic Pennsylvania Sumerian Dictionary*. 2nd ed. 2017–.
eprint: http://oracc.org/epsd2.

[Uni16] The Unicode Consortium. *The Unicode Standard*. Version 16.0.0. The Unicode Consortium, Sept. 10, 2024.
ISBN: 978-1-936213-34-4.
eprint: https://www.unicode.org/versions/Unicode16.0.0/core-spec/.

[UTR56] R. Leroy, ed. *Unicode Cuneiform Sign Lists*. Unicode Technical Report #56.
eprint: https://www.unicode.org/reports/tr56/.

[VT+14] N. Veldhuis, S. Tinney, et al., eds. *Oracc Sign List*. 2014–.
eprint: http://oracc.org/osl/.