



See)Base set-up dwg.


revisions					
ECN	부호	날짜	내용	수정자	승인자
-	-	2022.00.00	-	-	J.W HEO







NOTE


1) This drawing is an assembly drawing of RB5-850EA1.




REVISIONS					
ECN	부호	날짜	내용	수정자	승인자
-	-	2022.00.00	-	-	J.W HEO









I/O Connector A			
1) I/O Connector	- M12xP0.5 female circular connector, 12pin - Spec : SW-10W-12(R) - Maker : Sam Woo Electronics		
2) Cable	- M12xP0.5 male circular connector, 12pin - Spec : SW-10W-12(P) - Maker : Sam Woo Electronics		
3) CAP	- M12 knurling cap - Maker : Rainbow-Robotics		



NOTE					
1)	This drawing is a "Tool flange set-up" drawing.				
2)	Mechanical interfaces: ISO 9409-1-50-4-M6				

	PART NAME Tool flange set up_RB3-1200E/RB5-850E(E-Version)				
ROBOTICS	DRAWING NO.			Rev –	
THIS DRAWING MAY NOT BE REPRODUCED WITHOUT PRIOR WRITTEN APPROVAL.	SCALE 1:1	MATERIAL _	T.K AHN	2024.01.18	
TOLERANCE UNLESS			- CHK D. BY	-	
OTHERWISE SPECIFIED: XXX: ±0.2 XX: ±0.1	SIZE A D	REFERENCE	J.W HEO	2024.01.18	
X: ±0.1 X.X: ±0.05 ANGLE: ±0.5°	A 3	_	Page 1 of 1	$\bigcirc \bigcirc$	
단위 : MM	COPYRIGHT (C) RAINBOW ROBOTICS CORP. ALL RIGHTS RESERVED.				





Free space for cable installation Ø33 x 100mm 4x M8 TAP DP20 4xØ8.5 HOLE \bigcirc \bigcirc Ø10 FG8+0.008 PIN HOLE DP8 100

NOTE

1) This drawing is a "Base set-up" drawing.

RAINBOW ROBOTICS	PART NAME Base set-up_RB3-1200E/RB5-850E(E- DRAWING NO			-Version)
THIS DRAWING MAY NOT BE REPRODUCED WITHOUT PRIOR WRITTEN APPROVAL.	SCALE 1:1	MATERIAL –	DRN. BY T.K AHN CHK'D. BY -	2024.01.18
OTHERWISE SPECIFIED: XXX: ±0.2 XX: ±0.1 X: ±0.1 XX: ±0.05 ANGLE: ±0.5°	A2	REFERENCE -	J.W HEO Page 1 of 1	2024.01.18
단위 : MM COPYRIGHT (C) RAINBOW ROBOTICS CORP. ALL RIGHTS RESERVED.				ERVED.