

## REFERENCES

- Baraldi, A, Durieux, L, Simonetti, D, Conchedda, G, Holecz, F & Blonda, P 2010. Automatic spectral-rule-based preliminary classification of radiometrically calibrated SPOT-4/-5/IRS, AVHRR/MSG, AATSR, IKONOS/QuickBird/OrbView/GeoEye, and DMC/SPOT-1/-2 imagery—Part I: System design and implementation. *IEEE Transactions on Geoscience and Remote Sensing* 48 (3): 1299–1325.
- Baviaanskloof Mega-reserve Project 2006. *Baviaanskloof Mega-reserve background document for the strategic management plan*. Wilderness Foundation.
- Bayer, A 2013. Methodological developments for mapping soil constituents using imaging spectroscopy. Doctoral dissertation. Potsdam: University of Potsdam, Department of Mathematics and Natural Sciences.
- Chandelier, L & Martinoty, G 2009. A radiometric aerial triangulation for the equalization of digital aerial images and orthoimages. *Photogrammetric Engineering & Remote Sensing* 75 (2): 193–200.
- Collings, S, Caccetta, P, Campbell, N & Wu, X 2011. Empirical models for radiometric calibration of digital aerial frame mosaics. *IEEE Transactions on Geoscience and Remote Sensing* 49 (7): 2573–2588.
- Curran, P, Smedley, D, Thompson, P & Knight, AT 2012. Mapping restoration opportunity for collaborating with land managers in a carbon credit-funded restoration program in the Makana municipality, Eastern Cape, South Africa. *Restoration Ecology* 20 (1): 56–64.
- Eisfelder, C, Kuenzer, C & Dech, S 2012. Derivation of biomass information for semi-arid areas using remote-sensing data. *International Journal of Remote Sensing* 33 (9): 2937–2984.
- Fabricius, C, Burger, M & Hockey, PAR 2003. Comparing biodiversity between protected areas and adjacent rangeland in xeric succulent thicket, South Africa: arthropods and reptiles. *Journal of Applied Ecology* 40 (2): 392–403.
- Forsyth, G, Vlok, J & Reyers, B 2008. *Retention and restoration of the biodiversity of the Little Karoo*. CSIR Report No CSIR/NRE/ECO/ER/2008/0118/C. CSIR.
- Goetz, SJ, Baccini, A, Laporte, NT, Johns, T, Walker, W, Kelldorfer, J, Houghton, R a & Sun, M 2009. Mapping and monitoring carbon stocks with satellite observations: a comparison of methods. *Carbon balance and management* 4: 2.
- Guralnick, LJ & Ting, IP 1986. Seasonal response to drought and rewatering in *Portulacaria afra* (L.) Jacq. *Oecologia* 70: 85–91.
- Hein, L, de Ridder, N, Hiernaux, P, Leemans, R, de Wit, A & Schaepman, M 2011. Desertification in the Sahel: Towards better accounting for ecosystem dynamics in the

- interpretation of remote sensing images. *Journal of Arid Environments* 75 (11): 1164–1172.
- Honkavaara, E, Arbiol, R, Markelin, L, Martinez, L, Cramer, M, Bovet, S, Chandelier, L, Ilves, R, Klonus, S, Marshal, P, Schläpfer, D, Tabor, M, Thom, C & Veje, N 2009. Digital airborne photogrammetry—a new tool for quantitative remote sensing?—A state-of-the-art review on radiometric aspects of digital photogrammetric images. *Remote Sensing* 1 (3): 577–605.
- Intergraph 2008. Digital mapping camera system [online]. Available from: [http://www.geospace.co.za/pdf/DMC Brochure.pdf](http://www.geospace.co.za/pdf/DMC%20Brochure.pdf) [Accessed September 4, 2014].
- Jain, AK, Duin, RPW & Mao, J 2000. Statistical pattern recognition: a review. *IEEE Transactions on Pattern Analysis and Machine Intelligence* 22 (1): 4–37.
- Knight, AT, Cowling, RM, Boshoff, AF, Wilson, SL & Pierce, S 2011. Walking in STEP: Lessons for linking spatial prioritisations to implementation strategies. *Biological Conservation* 144 (1): 202–211.
- Laliberte, AS, Goforth, M a., Steele, CM & Rango, A 2011. Multispectral remote sensing from unmanned aircraft: Image processing workflows and applications for rangeland environments. *Remote Sensing* 3 (11): 2529–2551.
- Lechmere-Oertel, RG, Kerley, G, Mills, AJ & Cowling, RM 2008. Litter dynamics across browsing-induced fenceline contrasts in succulent thicket, South Africa. *South African Journal of Botany* 74 (4): 651–659.
- Lelong, CCD, Burger, P, Jubelin, G, Roux, B, Labbé, S & Baret, F 2008. Assessment of unmanned aerial vehicles imagery for quantitative monitoring of wheat crop in small plots. *Sensors* 8 (5): 3557–3585.
- López, DH, García, BF, Piqueras, JG & Guillermo, VA 2011. An approach to the radiometric aerotriangulation of photogrammetric images. *ISPRS Journal of Photogrammetry and Remote Sensing* 66 (6): 883–893.
- Lu, D 2006. The potential and challenge of remote sensing based biomass estimation. *International Journal of Remote Sensing* 27 (7): 1297–1328.
- Marais, C, Cowling, RM & Powell, M 2009. Establishing the platform for a carbon sequestration market in South Africa: The Working for Woodlands Subtropical Thicket Restoration Programme. In *XIII World Forestry Congress*, 1–13. Buenos Aires, Argentina.
- Markelin, L, Honkavaara, E, Schläpfer, D, Bovet, S & Korpela, I 2012. Assessment of radiometric correction methods for ADS40 imagery. *Photogrammetrie - Fernerkundung - Geoinformation* 2012 (3): 251–266.
- Mills, AJ, Blignaut, J, Cowling, RM, Knipe, A, Marais, C, Marais, S, Pierce, S, Powell, M, Sigwela, A & Skowno, A 2010. *Investing in sustainability. Restoring degraded thicket*,

*creating jobs, capturing carbon and earning green credit*. Climate Action Partnership, Cape Town and Wilderness Foundation, Port Elizabeth.

- Mills, AJ & Cowling, RM 2010. Below-ground carbon stocks in intact and transformed subtropical thicket landscapes in semi-arid South Africa. *Journal of Arid Environments* 74 (1): 93–100.
- Mills, AJ & Cowling, RM 2006. Rate of carbon sequestration at two thicket restoration sites in the Eastern Cape, South Africa. *Restoration Ecology* 14 (1): 38–49.
- Mills, AJ, Cowling, RM, Fey, M, Kerley, G, Donaldson, J, Sigwela, A, Skowno, A & Rundel, P 2005. Effects of goat pastoralism on ecosystem carbon storage in semiarid thicket, Eastern Cape, South Africa. *Austral Ecology* 30: 797–804.
- Mills, AJ & Fey, M 2004. Transformation of thicket to savanna reduces soil quality in the Eastern Cape, South Africa. *Plant and Soil* 265 (1-2): 153–163.
- Mills, AJ, Turpie, JK, Cowling, RM, Marais, C, Kerley, G, Richard, G, Sigwela, A & Powell, M 2007. Assessing costs, benefits, and feasibility of restoring natural capital in Subtropical Thicket in South Africa. In J. Aronson, S. Milton, & J. Blignaut (eds.) *Restoring Natural Capital: Science, Business and Practice (The Science and Practice of Ecological Restoration Series)*, 179–187. Washington DC: Island Press.
- Mouton, J 2001. *How to succeed in your master's and doctoral studies : a South African guide and resource book*. Pretoria: Van Schaik Publishers.
- National Geo-spatial Information 2012. National aerial photography and imagery programme [online]. Department of Rural Development and Land Reform (DRDLR). Available from: <http://www.ngi.gov.za/index.php/Image-tabs-home/national-aerial-photography-and-imagery-programme.html> [Accessed May 22, 2012].
- Pierce, S, Cowling, RM, Knight, AT, Lombard, AT, Rouget, M & Wolf, T 2005. Systematic conservation planning products for land-use planning: Interpretation for implementation. *Biological Conservation* 125 (4): 441–458.
- Powell, M, Mills, AJ, Marais, C, Thicket, S, Project, R & Town, C 2005. Carbon sequestration and restoration: Challenges and opportunities in Subtropical Thicket. : 214–223.
- Powell, MJ 2009. Restoration of degraded subtropical thickets in the Baviaanskloof Megareserve, South Africa. Master's thesis. Grahamstown: Rhodes University, Department of Environmental Science.
- Restoration Research Group 2012. Intact and degraded Spekboomveld [online]. Available from: <http://www.r3g.co.za/spekboom.htm> [Accessed May 15, 2012].
- SANBI 2007. Baviaanskloof Mega-Reserve vegetation types [online]. Available from: <http://bgis.sanbi.org/baviaanskloof/vegetation.asp> [Accessed October 13, 2014].

- Satellite Imaging Corporation 2014. WorldView-2 Satellite Sensor [online]. Available from: <http://www.satimagingcorp.com/satellite-sensors/worldview-2/> [Accessed October 13, 2014].
- Sigwela, A, Kerley, G, Mills, AJ & Cowling, RM 2009. The impact of browsing-induced degradation on the reproduction of subtropical thicket canopy shrubs and trees. *South African Journal of Botany* 75 (2): 262–267.
- Statistics South Africa 2011. *Quarterly labour force survey quarter 1, 2011*. P0211. Pretoria: Statistics South Africa.
- Stuart-Hill, G 1992. Effects of elephants and goats on the Kaffrarian succulent thicket of the eastern Cape, South Africa. *Journal of Applied Ecology* 29 (3): 699–710.
- Suganuma, H, Abe, Y, Taniguchi, M, Tanouchi, H, Utsugi, H, Kojima, T & Yamada, K 2006. Stand biomass estimation method by canopy coverage for application to remote sensing in an arid area of Western Australia. *Forest Ecology and Management* 222 (1-3): 75–87.
- Tax, DMJ & Juszczak, P 2003. Kernel whitening for one-class classification. *International Journal of Pattern Recognition and Artificial Intelligence* 17 (3): 333–347.
- Thompson, M, Vlok, J, Rouget, M, Hoffman, MT & Cowling, RM 2009. Mapping grazing-induced degradation in a semi-arid environment: A rapid and cost effective approach for assessment and monitoring. *Environmental Management* 43: 585–596.
- Turner, MD 2003. Methodological reflections on the use of remote sensing and geographic information science in human ecological research. *Human Ecology* 31 (2): 255–279.
- Vlok, J, Cowling, RM & Wolf, T 2005. A vegetation map for the Little Karoo. Unpublished maps and report for a SKEP project supported by CEPF grant no 1064410304.
- Vyver, ML, Cowling, RM, Campbell, EE & Difford, M 2012. Active restoration of woody canopy dominants in degraded South African semi-arid thicket is neither ecologically nor economically feasible. *Applied Vegetation Science* 15 (1): 26–34.
- Zhang, L & Gruen, A 2006. Multi-image matching for DSM generation from IKONOS imagery. *ISPRS Journal of Photogrammetry and Remote Sensing* 60 (3): 195–211.