Agent Interaction Evaluation & Submission Guide

1. Participant Resources

Participants should utilize the Python interaction interface example code (continuously updated):https://github.com/ego-link/egolink2026/blob/main/code/track2/Evaluating_Interface/agent_benchmark_interface.py

2. Multimodal Interactive Agent Task Submission Rules

2.1 Brief Explanation of Interface Usage Code:

When using agent_benchmark_interface.py for online interaction with the server during the evaluation phase: The server receives scene name, question ID, and a list of interaction messages as standard input. The messages list represents structured dialogue history in the format:[{"role": "assistant", "content": "Agent output"}, ...]. Role Naming Conventions in messages: Tool call results returned by the server must be recorded with the role name "tools". Natural language responses from users returned by the server must use the role name "user". Outputs generated by the agent itself must use the role name "assistant". Critical Requirements: Dialogue history must always end with an "assistant" role message. In each episode, the first message from the "assistant" role must strictly be: "Dear customer, how can I help you?"

All submissions to the server must strictly adhere to this input format; otherwise, correct server responses cannot be obtained.

Note: Before May 25, officials will provide a checker.py(updated to https://github.com/ego-link/egolink2026/blob/main/code/track2/Evaluating_Interface/) to help participants validate input structure legality before each API call. (For further details, carefully read the comments within the provided code.)

2.2 Online Testing Phase (May 25, 2026 - June 25, 2026):

This stage is designed to help participants better understand the tasks and conduct targeted analysis or training based on the results. During this stage, for the four different scenarios, we will each provide only 25 tasks as the data for online testing. At the same time, we will release the video download links corresponding to these tasks, as well as the tool descriptions required for these tasks. All the above information, along with the corresponding online testing

server address, will be packaged into a JSON file, which we will **update before May 25** on GitHub at https://github.com/ego-link/egolink2026/blob/main/code/track2/Evaluating_Interface/. **During the online testing stage, each team (i.e., each candidate_id) can interact with the server for at most 500 dialogue rounds per day.**

2.3 Final Interaction/Submission Phase (June 15, 2026 - June 25, 2026):

We will randomly select a number of tasks from the task pool as the final evaluation data (the task list obtained by each participant will be identical). (All the above information, along with the corresponding final interaction server address, will be packaged into a JSON file, which we will update on June 15 on GitHub at https://github.com/ego-link/egolink2026/blob/main/code/track2/Evaluating_Interface/). During this stage, for each task, each participant (candidate_id) will have only one episode of interaction opportunity per day. Participants should also save the best interaction history for each task (i.e., the complete dialogue/tool-calling record for that task within the episode) as part of the final submission. This part of the data must be saved as a JSON file; an example can be found in **Section 3.3**.

Before the submission deadline, please submit a ZIP package via email to the organizers containing the complete agent code, dependency instructions, and the JSON file of the final interaction results for the tasks. In addition, please include a paper of no more than 4 pages (PDF format) that describes your agent design.

PS: Although there are no restrictions in this track on the agent architecture or the use of open-source/closed-source models, the final submitted interaction records must be from the real interaction process and must not be modified arbitrarily, and the message format must strictly follow the specifications. (The server backend will also store the interaction records of each participant. If any modification of the interaction records is detected, the participant will be disqualified.)

3. Other Information

3.1 Server Interface Call Input Example:

Json

```
{
  "candidate_id": "User 001"
  "scenario": "retail1",
  "scenario_id": 1,
  "tool_call": False,
  "messages": [
    {"role": "assistant", "content": "Dear customer, how can I help you?"},
    {"role": "user", "content": "I want to know what 1 + 2 equals."},
    {"role":"assistant","content":
{"tool_name":"calculator","parameters":{"p_a":1,"p_b":2}}},
    {"role": "tools", "content": "3"},
    {"role": "assistant", "content": "1+2=3"}
  ]
}
```

3.2 Interaction Example

```
{
  "messages": [
    {
      "role": "user",
      "content": "Hello. I'm in the wine aisle. I just pointed at the
third bottle from the left on the middle shelf, the white wine with the
blue and white label. Could you please confirm the exact name and price
of this bottle?"
    },
    {
      "role": "assistant",
```

```
      "content": "I can see the bottle you're pointing at. It's the
third bottle from the left on the middle shelf, with a blue and white
label. The name of the bottle is \"River Terrace\" and the price is
48.00. Let me know if you need any further assistance!"
    },
    {
      "role": "user",
      "content": "Okay, thanks for confirming the price. Can you help me
check if there are any other wines from the same country of origin that
are priced lower than this bottle?"
    },
    {
      "role": "assistant",
      "content":
"{\"tool_name\":\"find_products_by_country_of_origin\",\"parameters\":{
\"country\":\"New Zealand\"}}"
    },
    {
      "role": "tools",
      "content": "{\"product_names\": [\"pinot noir reserve\", \"glitz
sauvignon blanc\", \"silver bay sauvignon blanc\", \"silver bay pinot
noir\", \"merlot oyster bay\", \"tasting room sauvignon blanc\",
\"silver bay chardonnay\"]}; {\"product_names\": [\"riumi moscato\"]}"
    },
    {
      "role": "assistant",
      "content":
"{\"tool_name\":\"find_products_by_price_range\",\"parameters\":{\"min_
price\":0,\"max_price\":48.0}}"
    },
    {
      "role": "tools",
      "content": "{\"product_names\": [\"pinot noir reserve\", \"glitz
sauvignon blanc\", \"silver bay sauvignon blanc\", \"silver bay pinot
noir\", \"merlot oyster bay\", \"tasting room sauvignon blanc\",
\"silver bay chardonnay\"]}; {\"product_names\": [\"riumi moscato\"]}"
    },
    {
      "role": "assistant",
      "content": "There are a few wines from New Zealand that are priced
lower than the \"River Terrace\" bottle. One option is \"Riumi
Moscato,\" which is within your price range. Let me know if you'd like
more details about any of these options!"
    },
```

```
    {
      "role": "user",
      "content": "Okay, since there are cheaper options from the same
country, please go ahead and add the cheapest one to my cart."
    },
    {
      "role": "assistant",
      "content":
"{\"tool_name\":\"get_price\",\"parameters\":{\"product_name\":\"Riumi
Moscato\"}}"
    },
    {
      "role": "tools",
      "content": "{\"products\": [{\"product_name\": \"riumi moscato\",
\"price\": 45}], \"count\": 1}"
    },
    {
      "role": "assistant",
      "content":
"{\"tool_name\":\"add_to_cart\",\"parameters\":{\"user_id\":\"user123\"
,\"product_name\":\"Riumi
Moscato\",\"qty\":1,\"category\":\"Wine\",\"price\":45,\"tax_rate\":0.0
8,\"discount\":1.0}}"
    },
    {
      "role": "tools",
      "content": "{\"status\": \"success\", \"message\": \"Added 1 of
'Riumi Moscato' to user 'user123' cart.\"}"
    },
    {
      "role": "assistant",
      "content": "The cheapest wine from New Zealand, \"Riumi Moscato,\"
has been successfully added to your cart. Let me know if you need
further assistance!"
    },
    {
      "role": "user",
      "content": "Thanks. Now, could you please calculate the total
calorie count for all items currently in my cart?"
    },
    {
      "role": "assistant",
      "content":
"{\"tool_name\":\"get_cart\",\"parameters\":{\"user_id\":\"user123\"}}"
```

```
    },
    {
      "role": "tools",
      "content": "{\"cart_items\": [{\"product_name\": \"riumi
moscato\", \"quantity\": 1, \"category\": \"wine\", \"price\": 45,
\"tax_rate\": 0.08, \"discount\": 1.0}]}; {\"user_id\": \"user123\",
\"total_nutrition\": {\"basis\": \"TOTAL\", \"serving_size_g\": 100.0,
\"calories_kcal\": 120.0, \"protein_g\": 0.5, \"fat_g\": 0.0,
\"carbs_g\": 13.0, \"sugar_g\": 10.0, \"sodium_mg\": 5.0, \"fiber_g\":
0.0}, \"details\": [{\"product_name\": \"riumi moscato\", \"quantity\":
1}], \"status\": \"success\", \"message\": \"Calculation completed
successfully.\"}"
    },
    {
      "role": "assistant",
      "content":
"{\"tool_name\":\"compute_total_nutrition\",\"parameters\":{\"user_id\"
:\"user123\",\"products\":[{\"product_name\":\"Riumi
Moscato\",\"quantity\":1}]}}"
    },
    {
      "role": "tools",
      "content": "{\"cart_items\": [{\"product_name\": \"riumi
moscato\", \"quantity\": 1, \"category\": \"wine\", \"price\": 45,
\"tax_rate\": 0.08, \"discount\": 1.0}]}; {\"user_id\": \"user123\",
\"total_nutrition\": {\"basis\": \"TOTAL\", \"serving_size_g\": 100.0,
\"calories_kcal\": 120.0, \"protein_g\": 0.5, \"fat_g\": 0.0,
\"carbs_g\": 13.0, \"sugar_g\": 10.0, \"sodium_mg\": 5.0, \"fiber_g\":
0.0}, \"details\": [{\"product_name\": \"riumi moscato\", \"quantity\":
1}], \"status\": \"success\", \"message\": \"Calculation completed
successfully.\"}"
    },
    {
      "role": "assistant",
      "content": "The total calorie count for the item in your cart,
\"Riumi Moscato,\" is 120 kcal. Let me know if you need any more
details or assistance!"
    },
    {
      "role": "user",
      "content": "STOP, SUCCESS"
    }
  ]
}
```

3.3 Final Evaluation Result Summary File Submission Example (submit_data.json)

Json

```
[
  {
    "scenario_id": "retail1",
    "task_id": 1,
    "messages": [
      {"role": "assistant", "content": "xxx"},
      {"role": "user", "content": "xxx"},
      {"role": "assistant", "content": "xxx"},
      {"role": "tools", "content": "xxx"}
    ]
  },
  {
    "scenario_id": "retail1",
    "task_id": 2,
    "messages": [
      {"role": "assistant", "content": "xxx"},
      {"role": "user", "content": "STOP"}
    ]
  }
  ...
]
```

PPS: Papers related to benchmark construction will be published in early May and will be updated in this document and on GitHub.