

20.02.24. [V(x1, x2) 2 [X1+ L. p1 X1+p2 X2 $\frac{dU}{dx} = 0 \Rightarrow \frac{1}{2} \frac{dx}{dx} + dx = 0$ p1dx1+p2dx2=0 $\chi_2 = \left(T - P_1 \left(\frac{P_1}{P_2}\right)^2\right) \frac{1}{P_2} < 0$ X2 - CONST - 1×1 Dononnevery go 6 epreoro $x_a = (I - P_1 \left(\frac{P_2}{P_1}\right)^2 \left(\frac{1}{P_2}\right)^2 > 0$ $\left(\frac{1-P_1\left(\frac{P_2}{P_1}\right)^2}{\frac{P_2}{P_2}}\right) = \frac{\lambda^2}{P_2}$ 100+20.6=420



CB-6A	Mouze	og crber	reori	go yu	· .			į
(AKC	noveol	<u></u>						9
i)F(X1	;, kn)	- HOK-	et in	atc.	вози	ouje	sect.	,
bocnyc	x , x_n	un0167	DBAKEL	ecu XI	,, Ln			,
2) F(x1	·;, X:-	1,0,Xi+	,, ·, \	かって	<i>9</i> : :			
	quare			J.K X	geril	puu T	NBHOR	re
Meddig	quacore	914 M	rough	OCT GA	Upski	opn.		,
	6 yrest							,
F 64	MERALT T	rce bce	reest	squal	re pa	empor	upocej	,6
FCKL	T Brew				CTGA	•		
		_						i
4. 2F	>0.(2		• • •					,
		•						
0.1.1.1.	/x1,, x	1. 1. 9.2	(94),	9.K).	1170			
/ (x) =	t; Fly	リニア . (字)		.42	0 0			,
Flax+	(1-0)4,	1>+	1200A					,
·, · ·								,
1609			12094			1/2:		,
ARCUOC G MAR	un 6 ko	g pazyelle o les	baer,	RA.	our.		7 <i>441</i>	,
						STENYKA	unu.	,

Bagara menegmepa F(x1; x2) = const Lugorbanos no aparegany Dydnaca: 42 F(x1, x2) - Boinget. P1. P2 - 40.461 C1, C2 (duno) gener. partopol uppuzeogeteA $(F(x_1,x_2) = \alpha x_1 + \beta x_2 = \varphi^2 const.$ CIXIT Caxa >min 300gara cuercognuepa.

XI Mobepheru Genu: C14/4 C2 4/B $J = g \cdot min(\frac{c_1}{\alpha}; \frac{c_2}{\beta}).$ TC(4) (total cost) (origue rezgepairer)



Sagarth:	*	• •	•	
Texnonour up-64 paux preser			Bys	RRCA
	•	• •		• •
N1. $f(x_1, x_2) = x_1^{\alpha} x_2^{\beta}$ $L_{upouglogerb}. g-cus$	•		•	• •
	•	• •	*	
$MP = \frac{\partial TP}{\partial L} = \frac{\partial F}{\partial x_1} = \frac{\partial X_1}{\partial x_2}$	•		•	
			•	
d) y-bungckælen eg-y. npogykynen	•			o, 6
y= f(x1, x2). 20ct 3acce	· Ne	Гь·	Mo	. ·
$0 = \frac{\partial f}{\partial x_1} \cdot \sqrt{x_1} + \frac{\partial f}{\partial x_2} \sqrt{x_2}$	•			• •
$\frac{\partial}{\partial x_1} \cdot \frac{\partial}{\partial x_2} + \frac{\partial}{\partial x_2} \cdot \frac{\partial}{\partial x_2}$				
$\frac{MRTS}{dv} = 2 \rightarrow 1.$	•	• •	•	
- WRTS	•			• •
$\frac{\partial f}{\partial x_2} = \frac{\partial f}{\partial x_2}$	•		•	
$\frac{1}{\sqrt{1}} = -\frac{1}{\sqrt{1}} = \frac{1}{\sqrt{1}} = $	• ·			
S = S = S = S = S = S = S = S = S = S =	•	• •	(m) 3)	• •
$f(SX_1, SX_2) = S^{\alpha+\beta} X_1^{\alpha} X_2^{\beta}$	•	• •	•	
	0			
Satp \(\(\langle \) \(\lang	-lı -	- AOC	70.JK	real)
(2) OTGOTA 07 reacurados	10	LP	·	₹' ₹

