

Weekly Timetable

This calendar template is useful for creating a weekly timetable of recurring events. It features a clean division between the time of the event and the event title to act as a quick reference.

Description

This calendar template is useful for creating a weekly timetable of recurring events, such as for a university lecture timetable or a weekly rotation of tasks for staff members. It features a clean division between the time of the event and the event title to act as a quick reference. The days of the week are automatically populated at the top of the calendar based on a specification in the template. The heights of days can also be easily changed to accommodate longer or shorter timetables.

Need a custom template?

LaTeX Templates offers a [paid typesetting service](#) to create LaTeX templates to your specifications.

[Find Out More](#)

Newest Templates

LaTeX Typesetting Service

SUNDAY	MONDAY	TUESDAY
9am-5pm Work at McDonald's	9am-10am BIOSCI 101 - BLT100 10am-11am BIOSCI 104 - LLT 12pm-1pm BIOSCI 105 - BLT204 2pm-5pm BIOSCI 101 Laboratory	9am-10am BIOSCI 101 - BLT100 10am-11am BIOSCI 104 - LLT 2pm-3pm GEO 101 - HSB1

Authorship

Current Version

This template was created by Vel.

v2.0 (January 6, 2025)

License

This template is licensed under a **CC BY-NC-SA 4.0** license. Click here to see what this license means for your use of the template.

Setting Starting Day of the Week

Newest Templates

LaTeX Typesetting Service

Days of the week are automatically output at the top of the timetable. The starting day is set with

```
\setcounter{startingdayoftheweek}{1}
```

 where a value of 1 means Sunday, 2 means Monday, 3 for Tuesday, etc.

These will loop around, so if you start with a Tuesday, the last day in the timetable will be a Monday.

Set Day Heights

The height of the days is set on the

```
\setlength{\dayheight}{4cm}
```

line. Increase or decrease this value as needed for taller or shorter day cells.

Outputting Days

Each day in the timetable is output with

a `\day` or `\blankday` command.

`\day` is used for all days with dates at the top right of the day cell and takes 2 parameters: 1) the header at the top of the day cell (e.g. location on that day). 2) the day's events. `\blankday` takes a single parameter for the day's events (if any) but must be used for empty days even if no events are present.

Within Days

command followed by more text then a

`\eventskip`

command.

Newest Templates

LaTeX Typesetting Service

`\eventrule`

adds a horizontal rule

between the 2 lines of text and

`\eventskip`

adds vertical

whitespace below to space out entries

per day.

Download Template

Download Template Code

Preview Template PDF

Click Here to Download or Preview a Previous Version ▼

Have a Question? Report Bug

Ask a Question at LaTeX.org **Report via Email**

This page last updated on: January 6, 2025

LaTeX Templates

Template Categories

What Is LaTeX?

Newest Templates LaTeX Typesetting Service

LaTeX Templates Information



General enquiries
vel@latextemplates.com



Most templates licensed
under [CC BY-NC-SA 4.0](#)



LaTeX Templates is
[developed in Boston](#)

© Creosoft LLC All Rights Reserved.