



WebbButton

-DEFAULT_BORDER_SIZE : int = 10 {readOnly}

-borderSize : int -textColor : Color -text : String

-image : BufferedImage

-font : Font

-drawBackground : boolean -backgroundColor : Color

<<constructor>> WebbButton(text : String, clickListener :

ClickListener)

<<constructor>> WebbButton(text: String, imageIn :

BufferedImage, width: int, height: int, clickListener, ClickListener) <<constructor>> WebbButton(imageIn: BufferedImage, width: int, height: int, clickListener: ClickListener)

<<constructor>> WebbButton(clickListener : ClickListener)

+setClickReleaseListener(clickReleaseListener: clickReleaseListener)

+setBorderSize(borderSize : int) +setTextColor(textColor : setTextColor)

+setDrawBackground(drawBackground : boolean)

+setBackgroundColor(backgroundColor : Color)

+setFont(font : Font) +getFont() : Font +setText(text : String) +getText() : String +paint(g : Graphics)

WebbBackButton

<<constructor>> WebbBackButton(contentPane : Component, layout : SpringLayout, clickListener : ClickListener)

WebbCustomScrollpane

-TRACK_COLOR : Color {readOnly}
-BAR_COLOR : Color {readOnly}

-BAR_COLOR_HOVER : Color {readOnly}

-BAR_COLOR_CLICK : Color {readOnly}

-ARC SIZE : int=15 {readOnly}

<<constructor>> WebbCustomScrollpane(view : Component, trackColor : Color, barColor : Color, barHoverColor : Color, barClickColor : Color) +setVerticalScrollbarWidth(width : int)

WebbScrollbarUI

-EMPTY_DIMENSION : Dimension {readOnly}

#createDecreaseButton(orientation : int) : JButton
#createIncreaseButton(orientation : int) : JButton
#paintTrack(g : Graphics, c : JComponent, r : Rectangle)
#paintThumb(g Grahpics, c : JComponent, r : Rectangle)
#setThumbBounds(x : int, y : int, width : int, height : int)

WebbProgressBar

-COLOR_BACKGROUND : Color {readOnly}

-COLOR_BAR : Color {readOnly}

<<constructor>>

WebbProgressBar(background : Color,

barColor : Color)

WebProgressBarUI

-STROKE_WIDTH: int=3 {readOnly}

#paintDeterminate(g : Graphics, c : JComponent)

WebbRoundedJPanel

rWidth : int {readOnly} rHeight : int {readOnly}

<<constructor>>WebbRoundedJPanel()

<<constructor>>WebbRoundedJPanel(roundWidth: int,

roundhHeight: int)

#paintComponent(g : Graphics)

WebbSimpleImage

image : BufferedImage {readOnly}

<cconstructor>> WebbSingleImage(image : BufferedImage, width : int, height : int)

#paintComponent(g : Graphics)

WebbTable

-alternatingColors : boolean

-c1 : Color -c2 : Color

-headerColor : Color

-isEditingAllowed : boolean

<<constructor>> WebbTable(columnNames : String[],

data: String[][])

#setColWidth(col : int, width : int) {leaf}

#removeCellLines() {leaf}

+setFont(font : Font)

#setAlternatingColors(c1 : Color, c2 : Color) {leaf}

#setHeaderColor(c : Color) {leaf}

#setTableEditingAllowed(b : boolean) {leaf}
+isCellEditable(row : int, column : int) : boolean
+isCellSelected(row : int, column : int) : boolean

-updateCellRenderer()