

## Summary

Tests	Failures	Errors	Success rate	Time
39	5	6	71.79%	63.111

Note: *failures* are anticipated and checked for with assertions while *errors* are unanticipated.

Esito test su APPDidattica  
Egoless Group

## Packages

Note: package statistics are not computed recursively, they only sum up all of its testsuites numbers.

Name	Tests	Errors	Failures	Time(s)	Time Stamp
ws.didattica.driver	39	6	5	63.111	

### Package ws.didattica.driver

Name	Tests	Errors	Failures	Time(s)	Time Stamp
AssenzaDriverTest	4	2	0	6.110	
ClasseDriverTest	3	0	0	3.703	
ContattoDriverTest	4	0	0	5.188	
MateriaDriverTest	3	0	0	4.016	
NazioneDriverTest	1	0	1	1.188	
PersonaDriverTest	10	3	2	21.578	
ReligioneDriverTest	1	0	1	1.266	
TipoAssenzaDriverTest	3	0	0	4.422	
TipoProvaDriverTest	3	0	0	3.250	
TipoVotoDriverTest	3	0	0	4.000	
VotoDriverTest	4	1	1	8.390	

## TestCase AssenzaDriverTest

Name	Status	Type	Time(s)
testDriverAggiungiAssenza	Error	Exception Description: Error preallocating sequence numbers. The sequence table information is not complete.  <pre> javax.xml.ws.soap.SOAPFaultException: Exception Description: Error preallocating sequence numbers. The sequence table information is not complete. at com.sun.xml.internal.ws.encoding.soap.ClientEncoderDecoder.toMe at com.sun.xml.internal.ws.encoding.soap.client.SOAPXMLDecoder.toM at com.sun.xml.internal.ws.protocol.soap.client.SOAPMessageDispatc at com.sun.xml.internal.ws.protocol.soap.client.SOAPMessageDispatc at com.sun.xml.internal.ws.protocol.soap.client.SOAPMessageDispatc at com.sun.xml.internal.ws.encoding.soap.internal.DelegateBase.sen at com.sun.xml.internal.ws.client.EndpointIFInvocationHandler.impl at com.sun.xml.internal.ws.client.EndpointIFInvocationHandler.invo at \$Proxy20.aggiungiAssenza(Unknown Source) at ws.didattica.driver.AssenzaDriver.driverAggiungiAssenza(Assenza at ws.didattica.driver.AssenzaDriverTest.testDriverAggiungiAssenza </pre>	2.063
testDriverModificaAssenza	Error	N/A  <pre> java.lang.NullPointerException at ws.didattica.driver.AssenzaDriverTest.testDriverModificaAssenza </pre>	1.750
testDriverCancellaAssenza	Success		1.281
testDriverCercaAssenza	Success		0.954

## Log AssenzaDriverTest

```
driverAggiungiAssenza  
driverModificaAssenza  
driverCancellaAssenza  
driverCercaAssenza  
Result = [ws.didattica.driver.assenzaclient.Assenza@166aab6]
```

## TestCase ClasseDriverTest

Name	Status	Type	Time(s)
testDriverAggiungiClasse	Success		2.094
testDriverCancellaClasse	Success		0.937
testDriverRecuperaClassi	Success		0.609

## Log ClasseDriverTest

```
Result = 99  
driverAggiungiClasse  
Result = 1  
Result = 99  
driverCancellaClasse  
Result = 99  
driverRecuperaClassi
```

## TestCase ContattoDriverTest

Name	Status	Type	Time(s)
testDriverAggiungiContatto	Success		2.485
testDriverModificaContatto	Success		0.937
testDriverCancellaContatto	Success		0.938
testDriverCercaContatto	Success		0.781

## Log ContattoDriverTest

```
Result = 99
driverAggiungiContatto
Result = 1
Result = 1
Result = 99
driverModificaContatto
Result = 99
driverCancellaContatto
Result = 99
driverCercaContatto
Result = [ws.didattica.driver.contattoclient.Contatto@1e40274]
```



## TestCase MateriaDriverTest

Name	Status	Type	Time(s)
testDriverAggiungiMateria	Success		2.313
testDriverCancellaMateria	Success		0.968
testDriverRecuperaMaterie	Success		0.688

## Log MateriaDriverTest

```
Result = 99  
driverAggiungiMateria  
Result = 1  
Result = 99  
driverCancellaMateria  
Result = 99  
driverRecuperaMaterie  
Result = [ws.didattica.driver.materiaclient.MateriaInsegnamento@1fbc355]
```

## TestCase NazioneDriverTest

Name	Status	Type	Time(s)
testDriverRecuperaNazioni	Failure	expected:<[]> but was:<null>  junit.framework.AssertionFailedError: expected:<[]> but was:<null> at ws.didattica.driver.NazioneDriverTest.testDriverRecuperaNazioni	1.125

## Log NazioneDriverTest

driverRecuperaNazioni

## TestCase PersonaDriverTest

Name	Status	Type	Time(s)
testDriverAggiungiStudiante	Failure	expected:<1> but was:<-1>  junit.framework.AssertionFailedError: expected:<1> but was:<-1> at ws.didattica.driver.PersonaDriverTest.testDriverAggiungiStudent	4.547
testDriverModificaStudiante	Error	N/A  java.lang.NullPointerException at ws.didattica.driver.PersonaDriverTest.testDriverModificaStudent	2.656
testDriverCancellaStudiante	Success		2.031
testDriverCercaStudiante	Success		1.735
testDriverAggiungiDocente	Failure	expected:<2> but was:<-1>  junit.framework.AssertionFailedError: expected:<2> but was:<-1> at ws.didattica.driver.PersonaDriverTest.testDriverAggiungiDocente	1.937
testDriverModificaDocente	Error	N/A  java.lang.NullPointerException at ws.didattica.driver.PersonaDriverTest.testDriverModificaDocente	1.891
testDriverCancellaDocente	Success		1.812
testDriverCercaDocente	Success		1.516
testGetClasse	Success		1.453
testGetMaterie	Error	Internal server error  javax.xml.ws.soap.SOAPFaultException: Internal server error at com.sun.xml.internal.ws.encoding.soap.ClientEncoderDecoder.toMe at com.sun.xml.internal.ws.encoding.soap.client.SOAPXMLDecoder.toM at com.sun.xml.internal.ws.protocol.soap.client.SOAPMessageDispatc at com.sun.xml.internal.ws.protocol.soap.client.SOAPMessageDispatc at com.sun.xml.internal.ws.protocol.soap.client.SOAPMessageDispatc at com.sun.xml.internal.ws.encoding.soap.internal.DelegateBase.sen at com.sun.xml.internal.ws.client.EndpointIFInvocationHandler.impl at com.sun.xml.internal.ws.client.EndpointIFInvocationHandler.invo at \$Proxy20.getMaterie(Unknown Source) at ws.didattica.driver.PersonaDriver.getMaterie(PersonaDriver.java at ws.didattica.driver.PersonaDriverTest.testGetMaterie(PersonaDri	1.797

## Log PersonaDriverTest

```
driverAggiungiStudiante  
driverModificaStudiante  
driverCancellaStudiante  
driverCercaStudiante  
Result = [ws.didattica.driver.personaclient.Studiante@d8326d]  
driverAggiungiDocente  
driverModificaDocente  
driverCancellaDocente  
driverCercaDocente  
getClasse  
getMaterie
```

## Error log PersonaDriverTest

```
javax.xml.ws.soap.SOAPFaultException:
Exception Description: Error preallocating sequence numbers. The sequence table information is not complete.
at com.sun.xml.internal.ws.encoding.soap.ClientEncoderDecoder.toMessageInfo(ClientEncoderDecoder.java:86)
at com.sun.xml.internal.ws.encoding.soap.client.SOAPXMLDecoder.toMessageInfo(SOAPXMLDecoder.java:211)
at com.sun.xml.internal.ws.protocol.soap.client.SOAPMessageDispatcher.receive(SOAPMessageDispatcher.java:540)
at com.sun.xml.internal.ws.protocol.soap.client.SOAPMessageDispatcher.doSend(SOAPMessageDispatcher.java:260)
at com.sun.xml.internal.ws.protocol.soap.client.SOAPMessageDispatcher.send(SOAPMessageDispatcher.java:139)
at com.sun.xml.internal.ws.encoding.soap.internal.DelegateBase.send(DelegateBase.java:86)
at com.sun.xml.internal.ws.client.EndpointIFInvocationHandler.implementSEIMethod(EndpointIFInvocationHandler.java:174)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:108)
at $Proxy20.aggiungiStudiante(Unknown Source)
at ws.didattica.driver.PersonaDriver.driverAggiungiStudiante(PersonaDriver.java:38)
at ws.didattica.driver.PersonaDriverTest.testDriverAggiungiStudiante(PersonaDriverTest.java:193)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:39)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
at java.lang.reflect.Method.invoke(Method.java:597)
at junit.framework.TestCase.runTest(TestCase.java:154)
at junit.framework.TestCase.runBare(TestCase.java:127)
at junit.framework.TestResult$1.protect(TestResult.java:106)
at junit.framework.TestResult.runProtected(TestResult.java:124)
at junit.framework.TestResult.run(TestResult.java:109)
at junit.framework.TestCase.run(TestCase.java:118)
at junit.framework.TestSuite.runTest(TestSuite.java:208)
at junit.framework.TestSuite.run(TestSuite.java:203)
at org.apache.tools.ant.taskdefs.optional.junit.JUnit4Runner.run(JUnit4Runner.java:297)
at org.apache.tools.ant.taskdefs.optional.junit.JUnit4Runner.launch(JUnit4Runner.java:672)
at org.apache.tools.ant.taskdefs.optional.junit.JUnit4Runner.main(JUnit4Runner.java:567)
javax.xml.ws.soap.SOAPFaultException:
Exception Description: Error preallocating sequence numbers. The sequence table information is not complete.
at com.sun.xml.internal.ws.encoding.soap.ClientEncoderDecoder.toMessageInfo(ClientEncoderDecoder.java:86)
at com.sun.xml.internal.ws.encoding.soap.client.SOAPXMLDecoder.toMessageInfo(SOAPXMLDecoder.java:211)
at com.sun.xml.internal.ws.protocol.soap.client.SOAPMessageDispatcher.receive(SOAPMessageDispatcher.java:540)
at com.sun.xml.internal.ws.protocol.soap.client.SOAPMessageDispatcher.doSend(SOAPMessageDispatcher.java:260)
at com.sun.xml.internal.ws.encoding.soap.internal.DelegateBase.send(DelegateBase.java:86)
at com.sun.xml.internal.ws.client.EndpointIFInvocationHandler.implementSEIMethod(EndpointIFInvocationHandler.java:174)
at com.sun.xml.internal.ws.client.EndpointIFInvocationHandler.invoke(EndpointIFInvocationHandler.java:108)
at $Proxy20.aggiungiDocente(Unknown Source)
at ws.didattica.driver.PersonaDriver.driverAggiungiDocente(PersonaDriver.java:101)
at ws.didattica.driver.PersonaDriverTest.testDriverAggiungiDocente(PersonaDriverTest.java:356)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:39)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
at java.lang.reflect.Method.invoke(Method.java:597)
at junit.framework.TestCase.runTest(TestCase.java:154)
at junit.framework.TestCase.runBare(TestCase.java:127)
at junit.framework.TestResult$1.protect(TestResult.java:106)
at junit.framework.TestResult.runProtected(TestResult.java:124)
at junit.framework.TestResult.run(TestResult.java:109)
at junit.framework.TestCase.run(TestCase.java:118)
at junit.framework.TestSuite.runTest(TestSuite.java:208)
at junit.framework.TestSuite.run(TestSuite.java:203)
at org.apache.tools.ant.taskdefs.optional.junit.JUnit4Runner.run(JUnit4Runner.java:297)
at org.apache.tools.ant.taskdefs.optional.junit.JUnit4Runner.launch(JUnit4Runner.java:672)
at org.apache.tools.ant.taskdefs.optional.junit.JUnit4Runner.main(JUnit4Runner.java:567)
```

## TestCase ReligioneDriverTest

Name	Status	Type	Time(s)
testDriverRecuperaReligioni	Failure	expected:<[]> but was:<null>  junit.framework.AssertionFailedError: expected:<[]> but was:<null> at ws.didattica.driver.ReligioneDriverTest.testDriverRecuperaRelig	1.219



Log ReligioneDriverTest

driverRecuperaReligioni

## TestCase TipoAssenzaDriverTest

Name	Status	Type	Time(s)
testDriverAggiungiTipoAssenza	Success		2.563
testDriverCancellaTipoAssenza	Success		1.062
testDriverRecuperaTipiAssenza	Success		0.703

## Log TipoAssenzaDriverTest

```
Result = 99
driverAggiungiTipoAssenza
Result = 1
Result = 99
driverCancellaTipoAssenza
Result = 99
driverRecuperaTipiAssenza
Result = [ws.didattica.driver.tipoassenzaclient.TipoAssenza@1f2428d]
```

## TestCase TipoProvaDriverTest

Name	Status	Type	Time(s)
testDriverAggiungiTipoProva	Success		1.906
testDriverCancellaTipoProva	Success		0.781
testDriverRecuperaTipiProva	Success		0.500

## Log TipoProvaDriverTest

```
Result = 99
driverAggiungiTipoProva
Result = 1
Result = 99
driverCancellaTipoProva
driverCancellaTipoVoto
Result = 99
driverRecuperaTipiProva
Result = [ws.didattica.driver.tipoprovaclient.TipoProva@83020]
```

## TestCase TipoVotoDriverTest

Name	Status	Type	Time(s)
testDriverAggiungiTipoVoto	Success		2.422
testDriverCancellaTipoVoto	Success		0.922
testDriverRecuperaTipiVoto	Success		0.609

## Log TipoVotoDriverTest

```
Result = 99  
driverAggiungiTipoVoto  
Result = 1  
Result = 99  
driverCancellaTipoVoto  
Result = 99  
driverRecuperaTipoVoto  
Result = [ws.didattica.driver.tipovotoclient.TipoVoto@1d532ae]
```

## TestCase VotoDriverTest

Name	Status	Type	Time(s)
testDriverAggiungiVoto	Failure	expected:<1> but was:<-1>  junit.framework.AssertionFailedError: expected:<1> but was:<-1> at ws.didattica.driver.VotoDriverTest.testDriverAggiungiVoto(VotoD	3.187
testDriverModificaVoto	Error	N/A  java.lang.NullPointerException at ws.didattica.driver.VotoDriverTest.testDriverModificaVoto(VotoD	1.922
testDriverCancellaVoto	Success		1.922
testDriverCercaVoto	Success		1.312



## Log VotoDriverTest

```
driverAggiungiVoto  
driverModificaVoto  
driverCancellaVoto  
driverCercaVoto
```

## Error log VotoDriverTest

```
javax.xml.ws.soap.SOAPFaultException:
Exception Description: Error preallocating sequence numbers. The sequence table information is not complete.
at com.sun.xml.internal.ws.encoding.soap.ClientEncoderDecoder.toMessageInfo(ClientEncoderDecoder.java:86)
at com.sun.xml.internal.ws.encoding.soap.client.SOAPXMLDecoder.toMessageInfo(SOAPXMLDecoder.java:211)
at com.sun.xml.internal.ws.protocol.soap.client.SOAPMessageDispatcher.receive(SOAPMessageDispatcher.java:540)
at com.sun.xml.internal.ws.protocol.soap.client.SOAPMessageDispatcher.doSend(SOAPMessageDispatcher.java:260)
at com.sun.xml.internal.ws.protocol.soap.client.SOAPMessageDispatcher.send(SOAPMessageDispatcher.java:139)
at com.sun.xml.internal.ws.encoding.soap.internal.DelegateBase.send(DelegateBase.java:86)
at com.sun.xml.internal.ws.client.EndpointIFInvocationHandler.implementSEIMethod(EndpointIFInvocationHandler.java:174)
at com.sun.xml.internal.ws.client.EndpointIFInvocationHandler.invoke(EndpointIFInvocationHandler.java:108)
at $Proxy20.aggiungiVoto(Unknown Source)
at ws.didattica.driver.VotoDriver.driverAggiungiVoto(VotoDriver.java:31)
at ws.didattica.driver.VotoDriverTest.testDriverAggiungiVoto(VotoDriverTest.java:91)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:39)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
at java.lang.reflect.Method.invoke(Method.java:597)
at junit.framework.TestCase.runTest(TestCase.java:154)
at junit.framework.TestCase.runBare(TestCase.java:127)
at junit.framework.TestResult$1.protect(TestResult.java:106)
at junit.framework.TestResult.runProtected(TestResult.java:124)
at junit.framework.TestResult.run(TestResult.java:109)
at junit.framework.TestCase.run(TestCase.java:118)
at junit.framework.TestSuite.runTest(TestSuite.java:208)
at junit.framework.TestSuite.run(TestSuite.java:203)
at org.apache.tools.ant.taskdefs.optional.junit.JUnit4Runner.run(JUnit4Runner.java:297)
at org.apache.tools.ant.taskdefs.optional.junit.JUnit4Runner.launch(JUnit4Runner.java:672)
at org.apache.tools.ant.taskdefs.optional.junit.JUnit4Runner.main(JUnit4Runner.java:567)
```