

Part 1 — Common: ParaBank Locators

Control	CSS Locator	XPath Locator
Username input (login)	<code>input[name='username']</code>	<code>//input[@name='username']</code>
Password input (login)	<code>input[name='password']</code>	<code>//input[@name='password']</code>
LOG IN button	<code>input[value='Log In']</code>	<code>//input[@value='Log In']</code>
Forgot login info? link	<code>a[href*='lookup']</code>	<code>//a[contains(@href,'lookup')]</code>
Register link	<code>a[href*='register']</code>	<code>//a[contains(@href,'register')]</code>
ParaBank logo / header	<code>a.logo img</code>	<code>//div[@id='logo']//img</code>
Home / About / Contact icons	<code>#headerPanel a img</code>	<code>//div[@id='headerPanel']//img</code>
Register button (signup form)	<code>input[value='Register']</code>	<code>//input[@value='Register']</code>
Confirm Password field (signup)	<code>input[name='repeatedPassword']</code>	<code>//input[@name='repeatedPassword']</code>

Part 2 — Individual: Wiggle.com Locators

locators_9.png — Student: Kyrilin, Yehor

Website: <https://www.wiggle.com/> — Home page

Highlighted controls: Wiggle logo, Search input, "Available Now" button

Control	CSS Locator	XPath Locator
Wiggle logo	<code>a[href='/'] img</code>	<code>//a[@href='/']//img</code>
Search input	<code>input[placeholder='Search product or brand']</code>	<code>//input[@placeholder='Search product or brand']</code>
Available Now button	<code>a[href*='pinnacle']</code>	<code>//a[contains(text(),'Available Now')]</code>