# [Template] Targeted Database Migration Checklist: <client name>

#### 1. Initial Audit

Click here to expand...

A. Source Server - <hostname><IP>

#### I. SQL Server Level Settings

	Task	Pending	Notes
1	If non-MI DBs exist, run by customer		
2	If disabled jobs exist, run by customer		SELECT  @@servername as ServerName, name as JobName, date_modified as LastModifiedDate FROM msdb.dbo.sysjobs WITH (NOLOCK) WHERE enabled = 0 ORDER BY name
3	If processor affinity settings are vanilla, check-off 1B-II-2		
4	If Dashboard objects do not exist, check-off section 2b		
5	If non-MI SSIS & SSAS objects exist, run by customer		
6	If IP and hostname will be changed post the migration, uncheck 2A-I-12 and 3-29		

#### **II. DB Level Settings**

	Task	Pending	Notes
1	If [medical] does not "Auto Shrink", check-off "Day Of" Task #14		
2	Ensure [medical_test] uses simple recovery with TLs shrunk		
3	Ensure PAGE_VERIFY CHECKSUM is enabled <a href="https://docs.microsoft.com/en-us/troubleshoot/sql/admin/troubleshoot-dbcc-errors#investigate-root-cause-for-database-consistency-errors">https://docs.microsoft.com/en-us/troubleshoot/sql/admin/troubleshoot-dbcc-errors#investigate-root-cause-for-database-consistency-errors</a> >		

B. Target Server - <hostname><IP>

#### I. Windows Server Level Settings

	Task	Pending	Notes
1	Ensure that the same services/programs exist (ex. SSIS, SSAS, SSDT for Visual Studio)		Ensure that SQL Server Agent and SQL Server Browser has "automatic" startup type  Here is a Microsoft KB for installing SSDT for Visual Studio:  https://docs.microsoft.com/en-us/sql/ssdt/download-sql-server-data-tools-ssdt?view=sql-server-ver15  Here is the download page for Visual Studio's "SSIS Projects" extension, which is also needed to configure the dtsx packages:  https://marketplace.visualstudio.com/items?itemName=SSIS.SqlServerIntegrationServicesProjects  Here is a Microsoft KB for installing SSIS:  https://docs.microsoft.com/en-us/sql/integration-services/install-windows/install-integration-services?view=sql-server-ver15
2	Ensure that Windows has been activated		
3	Run services in target with service acct as in source		As reference, this article lists the permissions recommended by Microsoft:  https://docs.microsoft.com/en-us/sql/database-engine/configure-windows/configure-windows-service-accounts-and-permissions? view=sql-server-ver15#Serv_Perm
4	Ensure that network protocols are same as source		If changes are made, restart the SQL Server service
5	Confirm if server will be used for SQL Server only, or for the main app as well		
6	Ensure enough memory, CPU, storage, & drives were provisioned. See if dedicated drives (not C:\) can be provided for both the data and backups.		If changes are made, reconfigure SQL Server accordingly (ex. set default backup directory, or set max server memory)  Note:  If the server will be used for the main app as well, make sure it has enough space to house the MEDINFO folder as well.  If the server will be used for the main app, recommend that the drive names are the same
7	Ensure firewall settings are same as source. If it is off in source but on in target, add inbound & outbound rules to open SQL Server ports (TCP 1433 & 1434, UDP 1434)		https://msdn.microsoft.com/en-us/library/cc646023.aspx

## II. SQL Server Level Settings

	Task	Pending	Notes
1	Verify MSSQL 2012+ with latest CU is installed		https://docs.microsoft.com/en-us/sql/database-engine/install-windows //atest-updates-for-microsoft-sql-server?view=sql-server-ver15 https://sqlserverbuilds.blogspot.com/
2	Ensure that processor affinity settings are the same as source		
3	Ensure that mixed authentication is enabled		

## 2A. Prepwork

→ Click here to expand...

### I. SQL Server Level Settings

|--|

1	Copy latest full backup and create dummy DB(s). If non C:\ drives were provisioned in step 1B-I-6, configure instance DB directories accordingly first.	
2	Recreate Logins and configure as in source	Disable [sa] if [sa] is disabled in source  grant select, insert, update, delete to mwuser  grant exec to mwuser  If creating Logins from scratch, create [usr] Login and tie with [mwuser] User
3	Recreate jobs (excluding Maintenance Plans), then disable them	USE MSDB; GO UPDATE MSDB.dbo.sysjobs SET Enabled = 0 WHERE Enabled = 1; GO  If creating jobs from scratch, here is the list of standard jobs:  1. "job_cldictionary_archive" 2. "Cleanup CdsRsnRequests [medical]" (omit for v75) 3. "Appt Search Scrub Data/ Build Cache" (omit for v75) 4. "Dimrun Cutoff (month to date) [medical]" 5. "Dimrun Collections [Medical]" 6. "Import NC Files" (contingent on eRX module evaluation) 7. Patient Portal Job(s) (contingent on Patient Portal module evaluation)
4	Recreate Maintenance Plans	If creating Maintenance Plans from scratch, can use Ola Hallengren maintenance solutions.  For reference, here is a sample schedule:  1. Integrity check for user DBs every Sat at 2am 2. Integrity check for system DBs every Sat at 3am 3. Optimize index for [medical] every Sun at 2am 4. Full backup for [medical] every day at 10pm 5. Log backup for [medical] every hour of every day from 6am to 9pm 6. Cleanup command log every Sat at 12am 7. Cleanup output logs every Sun at 12am 8. Cleanup backup history every Sat at 1am 9. Cleanup job history every Sun at 1am
5	Ensure server-level objects are same as source. If no proxy, check-off 2B-1	

6	Enable "Optimize for Ad Hoc", "Compress Backup", "xp_cmdshell" settings.  If "Cost Threshold for Paralellism" is 5, set to 50.  Set MAXDOP to 8 or lower <a href="https://littlekendra.com/2016/07/14/max-degree-of-parallelism-cost-threshold-for-parallelism/">https://littlekendra.com/2016/07/14/max-degree-of-parallelism-cost-threshold-for-parallelism/</a> Ensure instant file initialization (IFI) and Lock Pages in Memory (LPIM) are enabled	<pre>sp_configure 'show advanced   options', 1   go   reconfigure   go  sp_configure 'xp_cmdshell', 1   go   reconfigure   go  </pre> <pre><https: blitz="" instant-file-initialization="" www.brentozar.com=""></https:></pre> <https: 09="" 16="" 2019="" blog.sqlauthority.com="" sql-server-enable-lock-pages-in-memory-lpim=""></https:>
7	If Patient Portal exists, enable "Database Mail XPs"	
8	Set Min Server Memory to 1 GB and Max Server Memory to 80% of server memory	
9	Check for "orphaned" users. If none, check-off 3-12.	<pre>EXEC sp_change_users_login 'REPORT'  Use [\$databaseName]; GO  ALTER USER OrphanUser WITH LOGIN = correctedLoginName  SELECT * FROM sys.objects WHERE schema_id = SCHEMA_ID('dbo')</pre>

10	Setup and test "Import NC Files" job		
			<pre>begin tran select * from clparms as [a] where 1=1 and a.code='erx' and a. skey='up' update clparms set ALPHA1='D: \MEDINFO\ERX' where 1=1 and code='erx' and skey='up' update clparms set ALPHA3='D: \MEDINFO\' where 1=1 and code='erx' and skey='up' select * from clparms as [a] where 1=1 and a.code='erx' and a. skey='up' rollback trancommit tran  exec util_newcrop_import @filename='NCTSV-201907.EXE', @checkSyslog = 0, @debug = 1 using last month's file</pre>
11	(Time permitting) Run DMA (Data Migration Assistant)		
12	Note down which objects are configured using IP or hostname		
13	Ensure there are 8 equally sized data files for tempdb. If there are less than 8 cores, create the same number for files as cores. If adding files, restart SQL Server.  If on 2014 and below, enable TF 1117 and 1118	0	https://wiki.galenhealthcare.com/index.php /Create_Multiple_TempDB_files_for_best_performance  DBCC TRACEON(1117, -1); DBCC TRACEON(1118, -1);

### II. 3rd Party Settings

	Task	Pending	Notes
1	If Patient Portal exists, try configuring DB mail or reach out to Support		Confirm whether a maintenance splashscreen should be implemented
2	Check if customer uses reporting platform requiring ODBC connection		
3	If Interfaces exist, touch bases with Interface		
4	If HDL exists, touch bases with HDL engineer		
5	If Phone Tree exists, touch bases with Phone Tree engineer		

6	If Provider Portal exists, ensure that connection to the new DB server is tested	Confirm whether a maintenance splashscreen should be implemented
7	If Hef Exports exist, ensure Proxy, Credential, and export directory are copied over. Also, ensure that an engineer is assigned to re-install and test Box Sync post the migration.	

## 2B. Dashboard Tasks

Premium Dashboard not used. Disregard section

Click here to expand...

	Task	Pending	Notes
1	Create SSIS proxy (if used)		
2	Migrate SSAS DB(s)		
3	Reconfigure, reimport, and test SSIS package(s)		Custom packages may require that certain directories be moved over

## 3. The Day Of

✓ Click here to expand...

	Task	Notes
1	If Portal(s) exist, coordinate a time to implement splashscreen	
2	Contact client 30 mins prior	
3	At specified time, make sure Medinfo users are off	
4	Disable jobs in source server and disable SQL Server Agent	Note which jobs are disabled  USE MSDB; GO UPDATE MSDB.dbo.sysjobs SET Enabled = 0 WHERE Enabled = 1; GO

5	Place DB(s) in "read-only"	Use GUI if other users are connected
	mode	USE [master] GO ALTER DATABASE [dashboardDB] SET READ_ONLY WITH NO_WAIT GO
6	Take "copy only" backup with "verify backup integrity"	
7	Transfer backup(s) to new server	
8	Drop "bogus" DB(s) in new server	
9	Restore backup(s) to new instance	
10	Set DB(s) from "read- only" to "read-write"	
11	Check Login Permissions	grant select, insert, update, delete to mwuser grant exec to mwuser
12	Check for "orphaned" users	<pre>EXEC sp_change_users_login 'REPORT'  Use [\$databaseName]; GO  ALTER USER OrphanUser WITH LOGIN = correctedLoginName  SELECT * FROM sys.objects WHERE schema_id = SCHEMA_ID('dbo')</pre>
13	Shrink logs (if autogrowth has kicked in)	
14	Turn off auto shrink (if used)	

5 Ensure that TL autogrowth settings are optimal	
Setup and test "Import NC Files" job	begin tran select * from clparms as [a] where 1=1 and a. code='erx' and a.skey='up' update clparms set ALPHA1='D:\MEDINFO\ERX' where 1=1 and code='erx' and skey='up' update clparms set ALPHA3='D:\MEDINFO\' where 1=1 and code='erx' and skey='up' select * from clparms as [a] where 1=1 and a. code='erx' and a.skey='up' rollback trancommit tran  exec util_newcrop_import @filename='NCTSV- 201907.EXE', @checkSyslog = 0, @debug = 1 using last month's file
7 Ensure server computer name has been renamed	https://msdn.microsoft.com/en-us/library/ms143799.aspx  Default Instance:  sp_dropserver <old_name>; GO sp_addserver <new_name>, local; GO</new_name></old_name>
	Named Instance:
	<pre>sp_dropserver <old_name\instancename>; GO sp_addserver <new_name\instancename>, local; GO</new_name\instancename></old_name\instancename></pre>
	Verify:
	SELECT @@SERVERNAME AS 'Server Name';
	If changed, SQL Server will have to be restarted.

19	Conduct unit testing	
		<pre>select * from clmaster where plname='test' and account=</pre>
20	Re-enable jobs and restart SQL Server Agent	USE MSDB; GO UPDATE MSDB.dbo.sysjobs SET Enabled = 1 WHERE Enabled = 0; GO
21	Take full backup of [medical]	
22	Set old DB(s) to offline (be sure that current Login's default DB is not [medical])	ALTER DATABASE <dbname> SET OFFLINE WITH ROLLBACK IMMEDIATE</dbname>
23	Run dbcc checkdb	dbcc checkdb('medical') WITH NO_INFOMSGS, ALL_ERRORMSGS
24	Rebuild indexes	
25	Review Error Logs and SQL Server Logs for any errors	
26	Remove tmp backups in target and source	
27	If Portal exist(s), have Portal engineer remove splashscreen(s) and possibly reconfigure the DB connection	
28	Confirm with customer that migration has been completed	
29	After IP and/or hostname is changed, reconfigure affected objects	

|--|

### 4. Baselining and Performance Tuning

Click here to expand...

Traditionally, this goes as follows:

- Change the Compatibility Level to the latest versionCollect perfmon counters
- Generate a PAL report and analyze its results
- · If any alarming patterns are found, a trace is run during those times to see if they are caused by slow performing queries.

When crossing the SQL Server 2014 threshold, however, Microsoft recommends the following:

- Keep the source Compatibility Level
- Enable Query Store to collect baseline data
- If using SSMS v18+, enable Query Tuning Assistant
- Change Compatibility Level to latest version
- Fix performance regressions with Automatic Plan Correction (SQL 2017+)

#### Things to explore:

- The latest version of PAL <a href="https://github.com/clinthuffman/PAL">https://github.com/clinthuffman/PAL</a>
- Perfmon recommendations (counters to collect and expected numbers) from "SQL Server Query Performance Tuning" book