

Minilab – LTS - Testplan

Testplan	Objective	Evaluation Criteria	Test action
Monthly Automated Ingestion	Verify that the server automatically triggers, downloads, and processes the monthly Belgian Edition	HTTP Status: na system must automatically flag the new version as active for new lookups + relegate the previous version to read-only mode	1. Verify current version (Month N-1) => OK/NOK 2. Trigger a download for a specific version => OK/NOK 3. Background ingestion & re-indexing finishes OR system confirms version already installed => OK/NOK 4. Verify new version (Month N) is live and set as default => OK/NOK
FHIR capability	Verify that the server response format matches the FHIR R4 interface	HTTP Status: 200 Response body must parse as standard FHIR R4 JSON or XML structures. Components like resourceType, valid structural boundaries, and basic metadata envelopes must contain no schema errors.	1. Submit a standard GET query to the system metadata endpoint (eg. /metadata) to fetch the vendor's conformance statement => OK/NOK 2. Execute simple lookup operations to retrieve a core terminology resource => OK/NOK 3. Pass returned payloads through HL7 Validator CLI to verify baseline structural compliance => OK/NOK

Minilab – LTS - Testplan

Testplan	Objective	Evaluation Criteria	Test action
Multi-lingual Concept Search	Verify the server can filter, expand, and return designated ValueSets while properly delivering regional language variations (FR/NL/DE) using designations.	HTTP Status: 200 returned resource must contain an expanded array populated containing matching active codes	1. Issue a concept \$lookup request (eg. code=50841000172109) => OK/NOK 2. Toggle language headers between FR and NL => OK/NOK 3. Validate dynamic response delivery time => OK/NOK
Expression Capability & Semantic Queries	Process hierarchical + attribute based queries Verify that the server can accurately process hierarchical + attribute based relationships using terminology query expressions	HTTP Status: 200 system must successfully parse the expression, navigate the taxonomy, and return only the specific subsets or child concepts that dynamically match the logical constraints	1. Issue a query requesting a complex, attribute-constrained clinical concept subset (such as finding all structural subsets of a clinical finding at a specific anatomical site)(eg. (< 404684003 Clinical finding : 363698007 Finding site = << 56459004 Foot structure)) => OK/NOK 2. Formulate this request using the vendor's natively supported syntax => OK/NOK 3. Evaluate the returned collection to confirm it correctly captures all valid nested descendants and excludes out-of-scope concepts => OK/NOK

Minilab – LTS - Testplan

Testplan	Objective	Evaluation Criteria	Test action
Constrained Selection	Verify that the server correctly enforces clinical boundaries by validating if a specific code belongs to a strict subset.	HTTP Status: 200 Response Body must be a 'Parameters' resource containing a 'result' parameter. The value of this parameter must be a valueBoolean set to true if the code is valid within the VS or false if the code is out of bounds	1. Issue a GET or POST request to /ValueSet/\$validate-code?url=http://snomed.info/sct?fhir_vs=refset/721000172106&system=http://snomed.info/sct&code=
=> OK/NOK 2. Test with an in-bound valid concept
=> OK/NOK 3. Test with an out-of-bound parent/child code => OK/NOK
Historical Records	Verify that the server properly retains inactive concepts from past versions, returns their correct metadata status and provides the designated replacement paths	HTTP Status: 200 Must explicitly include a property named inactive set to valueBoolean: true (a replacedBy code is suggested)	1. Execute a \$lookup request for a deprecated SNOMED CT code inactivated in the BEMARCH26 release => OK/NOK 2. Query specific metadata parameters: property=inactive and property=replacedBy => OK/NOK

Minilab – LTS - Testplan

Testplan	Objective	Evaluation Criteria	3. Test action
Error Handling	Verify the server properly intercepts invalid parameters or malformed syntax and returns standard FHIR-compliant error structures	HTTP Status: 400 Bad Request / 422 Unprocessable Entity Response body must be a valid FHIR OperationOutcome with clear diagnostic logs	1. Send an incomplete \$lookup query entirely omitting the mandatory system identifier parameter => OK/NOK 2. Send an incomplete \$lookup query entirely omitting the mandatory system identifier parameter => OK/NOK

Minilab – LTS - Testplan

General Feedback/Comments
