WEEK 4 DAY 2 REVIEW

Swing/Scanner/MC questions

Scanner

- There are various ways to read input from the keyboard, the java.util.Scanner class is one of them.
- Scanner class breaks the input into tokens using a delimiter that is whitespace by default
- Scanner class must be imported from java.util
- Scanner sc = new Scanner(System.in);
- System.out.println("Enter your guess");
- String quess=sc.next();

Swing-JFrame

- Main object interface is a FRAME (JFrame)
 - Can use constructor to set title or setTitle(String)
 - setSize(int int)
 - pack() sizes based on components
 - setVisable(Boolean)
 - setDefaultCloseOperation()
 - EXIT_ON_CLOSE
 - DISPOSE_ON_CLOSE
 - DO_NOTHING_ON_CLOSE
 - HIDE_ON_CLOSE

Components

- Superclass=JComponent
- □ setEnabled(Boolean)
- □ isEnabled()
- □ setVisable()
- □ isVisable
- setSize(int, int)
- □ getSize()returns dimension object

Component-JButton

- JButton(Swing) A button labeled with the specific text
- □ **JButton(Icon)** A button that displays the specified graphical icon
- JButton(String, Icon) A button with the specified text and graphical icon

Component-JLabel

- □ JLabel(String) a label with specified text
- JLabel(String, int) a label with specified text and alignment
- JLabel(String, Icon, int) a label with a specified text, icon and alignment
- SwingConstants interface that are used to indicate alignment: LEFT, CENTER and RIGHT
- setText() getText() setIcon() getIcon()

Component-JText

- TEXT FIELD is a location on an interface where a user can enter and modify text
- □ JTextField() An empty text field
- □ JTextField(int) A text field with a specified width
- □ JTextField(String, int) A text field with the specified text and width
- setEditable(Boolean) isEditable(Boolean)
- Password fields hide the characters the user enters.
 They are represented by the JPasswordField class which is a subclass of JTextField

Component-JText (2)

- getText(), getSelectedText() and setText()
- append(String) method that adds the specified text at the end of the current text
- insert(String, int) method to insert the specified text at the insertion point
- setLineWrap(boolean)
- setWrapStyleWord(boolean)

Scrolling Panes

- A scrolling pane is associated with a component
 JScrollPane(Component) A scrolling pane that contains the specified component
- JScrollPane(Component, int, int) A scrolling pane with the specified component, vertical scrollbar configuration and horizontal scroll bar configuration
 - VERTICAL_SCROLLBAR_ALWAYS
 - VERTICAL_SCROLLBAR_AS _NEEDED
 - VERTICAL_SCROLLBAR_NEVER

Which of the following loops will execute the body of loop even when condition controlling the loop is initially false?

- a) do-while
- b) while
- c) for
- d) None of the mentioned

What is the process of defining more than one method in a class differentiated by method signature?

- a) Function overriding
- b) Function overloading
- c) Function doubling
- d) None of the mentioned

Which method can be defined only once in a program?

- a) main method
- b) finalize method
- c) static method
- d) private method

Which of these access specifiers must be used for main() method?

- a) private
- b) public
- c) protected
- d) None of the mentioned

Which of these class is superclass of every class in Java?

- a) String class
- b) Object class
- c) Abstract class
- d) ArrayList class

Which of these keywords can be used to prevent inheritance of a class?

- a) super
- b) constant
- c) Class
- d) final

What is the use of try & catch?

- a) It allows us to manually handle the exception.
- b) It allows to fix errors.
- c) It prevents automatic terminating of the program in cases when an exception occurs.
- d) All of the mentioned.