Charge

1. Conservation – isolated system total electric charge
2. Quantization

   smallest unit of charge e → elementary
   ↳ proton or electron

   q ← variable

SI units → Coulomb $\quad 1e \equiv 1.602 \cdot 10^{-19}\,C$

$$\downarrow$$

$$1C = \frac{1}{1.602 \cdot 10^{-19}}\,e = 6.242 \cdot 10^{18}\,e$$

Electrostatics

$$\hat{a} = \frac{\vec{a}}{|\vec{a}|} \qquad r^2 = \vec{r} \cdot \vec{r}$$



The force between q_1 + q_2 is directly proportional to the product of q_1 + q_2 AND inversely proportional to distance squared btt them

Coulomb's Law

$$\vec{F}_{21} = \frac{k\, q_1 q_2}{r_{21}^2}\,\hat{r}_{21}$$

Coulomb constant

electric constant

$$k = 8.988 \cdot 10^{9}\ \frac{N\,m^2}{C^2} \approx 9 \cdot 10^{9}\ \frac{N\,m^2}{C^2}$$

$$k = \frac{1}{4\pi\epsilon_0}$$

permittivity of free space

$$\epsilon_0 = 8.85 \cdot 10^{-12}\ \frac{C^2}{N\,m^2}$$

What about more than two charges?

→ Superposition

$$\vec{F}_1 = \vec{F}_{12} + \vec{F}_{13}$$





$$0 = F = 2 \cdot \frac{k q q_0}{y^2 + \frac{s^2}{4}} \cdot \frac{y}{\sqrt{y^2 + \frac{s^2}{4}}} - \frac{k q q_0}{\left(y - s\frac{\sqrt{3}}{2}\right)^2}$$

SOHCAHTOA

$$\cos\theta = \frac{y}{\sqrt{y^2 + \frac{s^2}{4}}}$$