	thermo	electro	magneto	light	chemo	bio	pH	hygro
Piezoceramics	[181]	[71, 172, 47, 58, 69, 156, 1, 102, 14]	[86, 56, 105, 167]					[107, 188]
Electrostrictive materials		[26, 123, 84]						
Magnetostrictive materials	[5, 23, 200]		[26, 151]					
Dielectric Elastomer Actuators (DEAs)	[85]	[4, 62, 44, 80, 127]						
Ionic Polymer Metal Composites (IPMCs)	[76, 113, 15, 185, 16]	[130, 2, 175, 138, 148, 149, 90, 75]	[19]					[15, 185, 16]
Hydrogels/ polymer gels (HGs)	[35, 192, 83, 32]	[98, 54, 8, 9]	[92, 201, 152, 141, 170]	[120, 101, 198, 164, 82, 174, 161]	[98, 38, 99]	[139, 65, 137, 132, 81, 129, 37, 128, 131, 49]	[194, 89, 160, 199, 87, 118, 121]	[12, 115, 116, 168]
Conductive Polymers (CPs)		[135, 134, 61, 10, 119, 155]						
Shape Memory Alloys (SMAs)	[184, 157, 166, 74, 147, 162]		[39]	[64]				
Shape Memory Polymers (SMPs)	[114, 73, 183]							[176, 24]
Piezoelectric polymers	[108]							
Metal Organic Frameworks					[88]			[100]
Liquid-crystalline networks	[144, 169, 187]	[97, 68]	[41]	[112, 28, 93, 195]			[25]	[67, 25]
Carbon Nanotube yarn		[104]		[104]	[104]			

Table 1: Different classes of active materials; base version according to Ref. [34].

	(0) actuator	(i) sens-act	(ii) connection	(iii) obstruction	(iv) structural	(v) conductivities	(vi) logic
Piezoceramics	[47, 58, 71]	[172, 154]			[146, 178, 177]	[171, 51]	
Electrostrictive materials	[26, 27, 66, 94]						[84]
Magnetostrictive materials	[48, 30, 53]	[79]			[151]		
Hydrogels/polymer gels	[136, 198, 50, 77]	[186, 117, 65, 43, 143, 173, 17]	[40, 145, 31, 36]	[35, 3, 6, 142, 199]	[109, 33, 153]	[70, 103, 22, 12, 72]	[55, 21, 42]
Dielectric Elastomer Actuators	[4, 44, 62, 110, 159]	[179]		[52]	[96, 124, 7, 63]	[133, 20, 150]	[62, 57]
Ionic Polymer Metal Composites	[130, 193, 78]	[182, 140]		[197]	[111, 196]	[95]	[180]
Conductive Polymers	[10, 119, 155, 135, 29, 190]						
Shape Memory Alloys	[157, 13, 91]	[45]		[126]	[122, 59, 18]	[60, 163, 165]	
Shape Memory Polymers	[11, 191, 158]				[106, 46, 125]	[183, 189]	

Table 2: Application examples of the active materials from Table 1 as actuators or for secondary applications from the groups according to [34]. The concepts are from left to right: (0) Actuator, (i) sensor-actuator, (ii) connection/breaking, (iii) obstruction, (iv) change of structural/surface interactions, (v) change of conductivity, (vi) material logic.

References

[1] Matias Acosta, N Novak, V Rojas, S Patel, R Vaish, J Koruza, GA Rossetti, and JJAP Rödel. Batio3-based piezoelectrics: Fundamentals, current status, and perspectives. *Applied Physics Reviews*, 4(4), 2017.

[2] Barbar J Akle, Wassim Habchi, Thomas Wallmersperger, Etienne J Akle, and Donald J Leo. High surface area electrodes in ionic polymer transducers: numerical and experimental investigations of the electro-chemical behavior. *Journal of Applied Physics*, 109(7):074509, 2011.

[3] Halima Alem, Alain M. Jonas, and Sophie Demoustier-Champagne. Poly(n-isopropylacrylamide) grafted into nanopores: Thermo-responsive behaviour in the presence of different salts. *Polymer Degradation and Stability*, 95(3):327–331, 2010. ISSN 0141-3910. doi: 10.1016/j.polymdegradstab.2009.11.004. Special Issue: MoDeSt 2008.

[4] Iain A Anderson, Todd A Gisby, Thomas G McKay, Benjamin M O'Brien, and Emilio P Calius. Multi-functional dielectric elastomer artificial muscles for soft and smart machines. *Journal of Applied Physics*, 112(4):041101, 2012.

[5] M Anjanappa and J Bi. A theoretical and experimental study of magnetostrictive mini-actuators. *Smart Materials and Structures*, 3(2):83, 1994.

[6] Karl-Friedrich Arndt, Dirk Kuckling, and Andreas Richter. Application of sensitive hydrogels in flow control. *Polymers for Advanced Technologies*, 11(8-12):496–505, 2000.

[7] Joseph Ashby, Samuel Rosset, E-F Markus Henke, and Iain A Anderson. Chemical auto-inflation of dea space robots. In *Electroactive Polymer Actuators and Devices (EAPAD) XXIV*, page PC1204206. SPIE, 2022.

[8] Abdolhamid Attaran, Jörg Brummund, and Thomas Wallmersperger. Modeling and simulation of the bending behavior of electrically-stimulated cantilevered hydrogels. *Smart Materials and Structures*, 24(3):035021, 2015.

[9] Dirk Ballhause and Thomas Wallmersperger. Coupled chemo-electro-mechanical finite element simulation of hydrogels: I. chemical stimulation. *Smart Materials and Structures*, 17(4):045011, 2008.

[10] RH Baughman. Conducting polymer artificial muscles. *Synthetic metals*, 78(3):339–353, 1996.

[11] Marc Behl, Karl Kratz, Ulrich Noechel, Tilman Sauter, and Andreas Lendlein. Temperature-memory polymer actuators. *Proceedings of the National Academy of Sciences*, 110(31):12555–12559, 2013.

[12] C Bellmann, A Steinke, T Frank, and G Gerlach. Humidity micro switch based on humidity-sensitive polymers. In *Electroactive Polymer Actuators and Devices (EAPAD) 2015*, volume 9430, pages 575–582. SPIE, 2015.

[13] William L Benard, Harold Kahn, Arthur H Heuer, and Michael A Huff. Thin-film shape-memory alloy actuated micropumps. *Journal of Microelectromechanical systems*, 7(2):245–251, 1998.

[14] CR Bowen, HA Kim, PM Weaver, and S Dunn. Piezoelectric and ferroelectric materials and structures for energy harvesting applications. *Energy & Environmental Science*, 7(1):25–44, 2014.

[15] Paola Brunetto, Luigi Fortuna, Pietro Giannone, Salvatore Graziani, and Salvatore Strazzeri. Static and dynamic characterization of the temperature and humidity influence on ipmc actuators. *IEEE Transactions on Instrumentation and Measurement*, 59(4):893–908, 2009.

[16] Paola Brunetto, Luigi Fortuna, Pietro Giannone, Salvatore Graziani, and Salvatore Strazzeri. Characterization of the temperature and humidity influence on ionic polymer–metal composites as sensors. *IEEE Transactions on Instrumentation and Measurement*, 60(8):2951–2959, 2011.

[17] Daniel Buenger, Fuat Topuz, and Juergen Groll. Hydrogels in sensing applications. *Progress in Polymer Science*, 37(12):1678–1719, 2012. ISSN 0079-6700. doi: 10.1016/j.progpolymsci.2012.09.001.

[18] Frederick T. Calkins and James H. Mabe. Shape memory alloy based morphing aerostructures. *Journal of Mechanical Design*, 2010.

[19] Xi Liang Chang, Pei Song Chee, Eng Hock Lim, and Woon Chan Chong. Radio-frequency enabled ionic polymer metal composite (ipmc) actuator for drug release application. *Smart Materials and Structures*, 28(1): 015024, 2018.

[20] Nixon Chau, Geoffrey A Slipher, Benjamin M O'Brien, Randy A Mrozek, and Iain A Anderson. A solid-state dielectric elastomer switch for soft logic. *Applied Physics Letters*, 108(10), 2016.

[21] Joseph Páez Chávez, Andreas Voigt, Jörg Schreiter, Uwe Marschner, Stefan Siegmund, and Andreas Richter. A new self-excited chemo-fluidic oscillator based on stimuli-responsive hydrogels: mathematical modeling and dynamic behavior. *Applied Mathematical Modelling*, 40(23-24):9719–9738, 2016.

[22] Guoyin Chen, Siming Xu, Qiangqiang Zhou, Yuejiao Zhang, Yuhan Song, Jing Mi, Yuehua Liu, Kai Hou, and Jie Pan. Temperature-gated light-guiding hydrogel fiber for thermoregulation during optogenetic neuromodulation. *Advanced Fiber Materials*, 5(3):968–978, 2023.

[23] Long Chen, Yuchuan Zhu, Jie Ling, and Mingming Zhang. Temperature dependence modeling and experimental evaluation of a multidimensional discrete magnetostrictive actuator. *Applied Thermal Engineering*, 230: 120736, 2023.

[24] Shaojun Chen, Jinlian Hu, Chun-wah Yuen, and Laikuen Chan. Novel moisture-sensitive shape memory polyurethanes containing pyridine moieties. *Polymer*, 50(19):4424–4428, 2009.

[25] Hyun-Cheol Cho, Byeong-Sang Kim, Jung-Jun Park, and Jae-Bok Song. Development of a braille display using piezoelectric linear motors. In *2006 SICE-ICASE International Joint Conference*, pages 1917–1921. IEEE, 2006.

[26] Inderjit Chopra and Jayant Sirohi. *Magnetostrictives and Electrostrictives*, chapter Magnetostrictives and Electrostrictives, pages 581–684. Cambridge Aerospace Series. Cambridge University Press, New York, 2013. doi: 10.1017/CBO9781139025164.007.

[27] Matteo Cianchetti, Virgilio Mattoli, Barbara Mazzolai, Cecilia Laschi, and Paolo Dario. A new design methodology of electrostrictive actuators for bio-inspired robotics. *Sensors and Actuators B: Chemical*, 142(1):288–297, 2009.

[28] Marina Pilz Da Cunha, Evelien AJ van Thoor, Michael G Debije, Dirk J Broer, and Albert PHJ Schenning. Unravelling the photothermal and photomechanical contributions to actuation of azobenzene-doped liquid crystal polymers in air and water. *Journal of Materials Chemistry C*, 7 (43):13502–13509, 2019.

[29] Tapan K Das and Smita Prusty. Review on conducting polymers and their applications. *Polymer-plastics technology and engineering*, 51(14): 1487–1500, 2012.

[30] Zhangxian Deng and Marcelo J Dapino. Review of magnetostrictive materials for structural vibration control. *Smart Materials and Structures*, 27(11):113001, 2018.

[31] Xiaoya Ding, Wenzhao Li, Luoran Shang, Yuanjin Zhao, and Weijian Sun. Controllable contact-destructive hydrogel actuators. *Advanced materials*, page e2409965, 2024.

[32] Z. Ding, W. Toh, J. Hu, Z. Liu, and T. Y. Ng. A simplified coupled thermo-mechanical model for the transient analysis of temperature-sensitive hydrogels. *Mechanics of Materials*, 97:212–227, 2016. doi: 10.1016/j.mechmat.2016.02.018.

[33] Adrian Ehrenhofer and Thomas Wallmersperger. Surface softness tuning with arch-forming active hydrogel elements. *Advanced Engineering Materials*, 25(16):2201935, 2023. doi: 10.1002/adem.202201935.

[34] Adrian Ehrenhofer and Thomas Wallmersperger. Soft-hard active-passive embedded structures: A review of smart structures with design and modeling guidelines. *Submitted to Smart Materials and Structures*, 2024.

[35] Adrian Ehrenhofer, Gerd Bingel, Georgi Paschew, Marcus Tietze, Raoul Schröder, Andreas Richter, and Thomas Wallmersperger. Permeation Control in Hydrogel-Layered Patterned PET Membranes with Defined Switchable Pore Geometry - Experiments and Numerical Simulation. *Sensors and Actuators B: Chemical*, 232:499–505, 2016. doi: 10.1016/j.snb.2016.03.152.

[36] T. Ehrenhofer A., Wallmersperger and G. Gerlach. Sensor und Sicherungsvorrichtung, 2022.

[37] Jan Erfkamp, Margarita Guenther, and Gerald Gerlach. Enzyme-functionalized piezoresistive hydrogel biosensors for the detection of urea. *Sensors*, 19(13):2858, 2019.

[38] Aaron P Esser-Kahn, Anthony T Iavarone, and Matthew B Francis. Metallothionein-cross-linked hydrogels for the selective removal of heavy metals from water. *Journal of the American Chemical Society*, 130(47): 15820–15822, 2008.

[39] E Faran and D Shilo. Ferromagnetic shape memory alloys—challenges, applications, and experimental characterization. *Experimental Techniques*, 2015.

[40] Ruochong Fei, A. Kristen Means, Alexander A. Abraham, Andrea K. Locke, Gerard L. Coté, and Melissa A. Grunlan. Self-cleaning, thermoresponsive p(nipaam-co-amps) double network membranes for implanted glucose biosensors. *Macromolecular Materials and Engineering*, 301(8): 935–943, 2016. doi: 10.1002/mame.201600044.

[41] Wei Feng, Aniket Pal, Tianlu Wang, Ziyu Ren, Yingbo Yan, Yanqing Lu, Huai Yang, and Metin Sitti. Cholesteric liquid crystal polymeric coatings for colorful artificial muscles and motile humidity sensor skin integrated with magnetic composites. *Advanced functional materials*, 33(23):2300731, 2023.

[42] Philipp Frank, David Gräfe, Christopher Probst, Sebastian Haefner, Martin Elstner, Dietmar Appelhans, Dietrich Kohlheyer, Brigitte Voit, and Andreas Richter. Autonomous integrated microfluidic circuits for chip-level flow control utilizing chemofluidic transistors. *Advanced functional materials*, 27(30):1700430, 2017.

[43] Daniela Franke, Simon Binder, and Gerald Gerlach. Performance of fast-responsive, porous crosslinked poly (n-isopropylacrylamide) in a piezoresistive microsensor. *IEEE Sensors Letters*, 1(6):1–4, 2017.

[44] M. Franke, A. Ehrenhofer, S. Lahiri, E.-F. M. Henke, T. Wallmersperger, and A. Richter. Dielectric elastomer actuator driven soft robotic structures with bioinspired skeletal and muscular reinforcement. *Frontiers in Robotics and AI*, 7:178, 2020. ISSN 2296-9144. doi: 10.3389/frobt.2020.510757.

[45] Stephen J Furst, John H Crews, and Stefan Seelecke. Stress, strain, and resistance behavior of two opposing shape memory alloy actuator wires for resistance-based self-sensing applications. *Journal of intelligent material systems and structures*, 24(16):1951–1968, 2013.

[46] Farhan Gandhi and Sang-Guk Kang. Beams with controllable flexural stiffness. *Smart Materials and Structures*, 16(4):1179, 2007.

[47] Xiangyu Gao, Jikun Yang, Jingen Wu, Xudong Xin, Zhanmiao Li, Xiaoting Yuan, Xinyi Shen, and Shuxiang Dong. Piezoelectric actuators and motors: materials, designs, and applications. *Advanced Materials Technologies*, 5(1):1900716, 2020.

[48] H García-Miquel, D Barrera, Rafael Amat, GV Kurlyandskaya, and S Sales. Magnetic actuator based on giant magnetostrictive material terfenol-d with strain and temperature monitoring using fbg optical sensor. *Measurement*, 80:201–206, 2016.

[49] Pierfrancesco Gaziano and Michele Marino. Computational modeling of cell motility and clusters formation in enzyme-sensitive hydrogels. *Meccanica*, 2024.

[50] Amir Ghasemkhani, Hashem Mazaheri, and Pouya Beigzadeh Arough. Numerical study on the behavior of a biphasic temperature-sensitive hydrogel twisting actuator. *Scientia Iranica*, 2023.

[51] Amrita Ghosh, Zhiyang Jin, Kevin Whitmore, Maryam Tousi, and Lukas Graber. Response and control of individual stacks of a multi-stack piezoelectric actuator for DC fast disconnect switches. In *2023 IEEE 68th Holm Conference on Electrical Contacts (HOLM)*, pages 1–5. IEEE, 2023.

[52] Metin Giousouf and Gabor Kovacs. Dielectric elastomer actuators used for pneumatic valve technology. *Smart Materials and Structures*, 22(10): 104010, 2013.

[53] Bonnie L Gray. A review of magnetic composite polymers applied to microfluidic devices. *Journal of The Electrochemical Society*, 161(2):B3173, 2014.

[54] PE Grimshaw, JH Nussbaum, AJ Grodzinsky, and ML Yarmush. Kinetics of electrically and chemically induced swelling in polyelectrolyte gels. *The Journal of Chemical Physics*, 93(6):4462–4472, 1990.

[55] Edgar Guerrero, Alexander Polednik, Melanie Ecker, Alexandra Joshi-Imre, Wooyeol Choi, Gerardo Gutierrez-Heredia, Walter E Voit, and Jimin Maeng. Indium–gallium–zinc oxide schottky diodes operating across the glass transition of stimuli-responsive polymers. *Advanced Electronic Materials*, 6(4):1901210, 2020.

[56] Benoit Guiffard, J-W Zhang, Daniel Guyomar, L Garbuio, P-J Cottinet, and Rabah Belouadah. Magnetic field sensing with a single piezoelectric ceramic disk: Experiments and modeling. *Journal of Applied Physics*, 108 (9), 2010.

[57] Ehsan Hajiesmaili, Natalie M Larson, Jennifer A Lewis, and David R Clarke. Programmed shape-morphing into complex target shapes using architected dielectric elastomer actuators. *Science Advances*, 8(28): eabn9198, 2022.

[58] DA Hall. Review nonlinearity in piezoelectric ceramics. *Journal of materials science*, 36:4575–4601, 2001.

[59] Darren J Hartl and Dimitris C Lagoudas. Aerospace applications of shape memory alloys. *Proceedings of the Institution of Mechanical Engineers, Part G: Journal of Aerospace Engineering*, 221(4):535–552, 2007.

[60] Nazmul Hasan, Hanseup Kim, and Carlos H Mastrangelo. Large aperture tunable-focus liquid lens using shape memory alloy spring. *Optics express*, 24(12):13334–13342, 2016.

[61] Xingxi He, Donald J Leo, and Barbar Akle. Multi-scale modeling of ion transport in high-strain ionomers with conducting powder electrodes. *Journal of Intelligent Material Systems and Structures*, 25(10):1196–1210, 2014. doi: 10.1177/1045389X13502873.

[62] E-F Markus Henke, Samuel Schlatter, and Iain A Anderson. Soft dielectric elastomer oscillators driving bioinspired robots. *Soft robotics*, 4(4):353–366, 2017.

[63] Markus Henke, Jörg Sorber, and Gerald Gerlach. Multi-layer beam with variable stiffness based on electroactive polymers. In *Electroactive Polymer Actuators and Devices (EAPAD) 2012*, volume 8340, pages 412–424. SPIE, 2012.

[64] Madhubhashitha Herath, Jayantha Epaarachchi, Mainul Islam, Liang Fang, and Jinsong Leng. Light activated shape memory polymers and composites: A review. *European Polymer Journal*, 136:109912, 2020.

[65] Anna Herrmann, Rainer Haag, and Uwe Schedler. Hydrogels and their role in biosensing applications. *Advanced healthcare materials*, 10(11): 2100062, 2021.

[66] Min Hu, Hejun Du, Shih-Fu Ling, Zhaoying Zhou, and Yong Li. Motion control of an electrostrictive actuator. *Mechatronics*, 14(2):153–161, 2004.

[67] Wei Hu, Jian Sun, Qian Wang, Lanying Zhang, Xiaotao Yuan, Feiwu Chen, Kexuan Li, Zongcheng Miao, Dengke Yang, Haifeng Yu, et al. Humidity-responsive blue phase liquid-crystalline film with reconfigurable and tailored visual signals. *Advanced Functional Materials*, 30(43): 2004610, 2020.

[68] Cheng Huang, QM Zhang, and Antal Jákli. Nematic anisotropic liquid-crystal gels—self-assembled nanocomposites with high electromechanical response. *Advanced functional materials*, 13(7):525–529, 2003.

[69] Alexander Humer and Michael Krommer. Modeling of piezoelectric materials by means of a multiplicative decomposition of the deformation gradient. *Mechanics of Advanced Materials and Structures*, 22(1-2):125–135, 2015.

[70] Pinar Ilgin, Hava Ozay, and Ozgur Ozay. A new dual stimuli responsive hydrogel: Modeling approaches for the prediction of drug loading and release profile. *European Polymer Journal*, 113:244–253, 2019. ISSN 0014-3057. doi: 10.1016/j.eurpolymj.2019.02.003.

[71] Hans Jaffe. Piezoelectric ceramics. *Journal of the American Ceramic Society*, 41(11):494–498, 1958.

[72] Mehak Jain, Giuseppe Trapani, Britta Trappmann, and Bart Jan Ravoo. Stiffness modulation and pulsatile release in dual responsive hydrogels. *Angewandte Chemie*, page e202403760, 2024.

[73] Daseul Jang, Chase B Thompson, Sourav Chatterjee, and LaShanda TJ Korley. Engineering bio-inspired peptide–polyurea hybrids with thermo-responsive shape memory behaviour. *Molecular systems design & engineering*, 6(12):1003–1015, 2021.

[74] Jaronie Mohd Jani, Martin Leary, Aleksandar Subic, and Mark A Gibson. A review of shape memory alloy research, applications and opportunities. *Materials & Design (1980-2015)*, 56:1078–1113, 2014.

[75] Choonghee Jo, David Pugal, Il-Kwon Oh, Kwang J Kim, and Kinji Asaka. Recent advances in ionic polymer–metal composite actuators and their modeling and applications. *Progress in Polymer Science*, 38(7):1037–1066, 2013.

[76] Tom Johnson and Farid Amirouche. Multiphysics modeling of an ipmc microfluidic control device. *Microsystem Technologies*, 14:871–879, 2008.

[77] Mulenga Kalulu, Christopher Mwanza, Onesmus Munyati, Jun Hu, Shephrah Olubusola Ogungbesan, and Guodong Fu. Temperature-responsive anisotropic bilayer hydrogel actuators with adaptive shape transformation

for enhanced actuation and smart sensor applications. *Macromolecular Chemistry and Physics*, 2024.

[78] Norihiro Kamamichi, Masaki Yamakita, Kinji Asaka, and Zhi-Wei Luo. A snake-like swimming robot using ipmc actuator/sensor. In *Proceedings 2006 IEEE International Conference on Robotics and Automation, 2006. ICRA 2006.*, pages 1812–1817. IEEE, 2006.

[79] Eugenijus Kaniusas, Lars Mehnen, and Helmut Pfützner. Magnetostrictive amorphous bilayers and trilayers for thermal sensors. *Journal of magnetism and magnetic materials*, 254:624–626, 2003.

[80] Christoph Keplinger, Jeong-Yun Sun, Choon Chiang Foo, Philipp Rothemund, George M Whitesides, and Zhigang Suo. Stretchable, transparent, ionic conductors. *Science*, 341(6149):984–987, 2013.

[81] Arum Kim, Siddharthya K Mujumdar, and Ronald A Siegel. Swelling properties of hydrogels containing phenylboronic acids. *Chemosensors*, 2 (1):1–12, 2013.

[82] Sung-Hoon Kim, In-Jeong Hwang, Seon-Yeong Gwon, and Young-A Son. Photoregulated optical switching of poly (n-isopropylacrylamide) hydrogel in aqueous solution with covalently attached spironaphthoxazine and d-π-a type pyran-based fluorescent dye. *Dyes and Pigments*, 87(2):158–163, 2010.

[83] Young-Jin Kim and Yukiko T Matsunaga. Thermo-responsive polymers and their application as smart biomaterials. *Journal of Materials Chemistry B*, 5(23):4307–4321, 2017.

[84] Chloe J Kirkby. Electrostriction and strain-optic phenomena in plzt 9/65/35. *Ferroelectrics*, 37:567–570, 1981.

[85] Mario Kleo, Florentine Förster-Zügel, Helmut F Schlaak, and Thomas Wallmersperger. Thermo-electro-mechanical behavior of dielectric elastomer actuators: experimental investigations, modeling and simulation. *Smart Materials and Structures*, 29(8):085001, 2020.

[86] Lucjan Kozielski and Frank Clemens. Multiferroics application: magnetic controlled piezoelectric transformer. *Processing and Application of Ceramics*, 6(1):15–20, 2012.

[87] AT Krause, S Zschoche, M Rohn, C Hempel, A Richter, D Appelhans, and B Voit. Swelling behavior of bisensitive interpenetrating polymer networks for microfluidic applications. *Soft matter*, 2016.

[88] Simon Krause, Volodymyr Bon, Irena Senkovska, Ulrich Stoeck, Dirk Wallacher, Daniel M Többens, Stefan Zander, Renjith S Pillai, Guillaume Maurin, François-Xavier Coudert, et al. A pressure-amplifying framework material with negative gas adsorption transitions. *Nature*, 532(7599):348–352, 2016.

[89] Christoph Kroh, Roland Wuchrer, Margarita Günther, Thomas Härtling, and Gerald Gerlach. Evaluation of the ph-sensitive swelling of a hydrogel by means of a plasmonic sensor substrate. *Journal of Sensors and Sensor Systems*, 7(1):51–55, 2018.

[90] Karl Kruusamäe, Andres Punning, Alvo Aabloo, and Kinji Asaka. Self-sensing ionic polymer actuators: a review. In *Actuators*, volume 4(1), pages 17–38. MDPI, 2015. doi: 10.3390/act4010017.

[91] Dileep Kumar, Jawaid Daudpoto, and Bhawani Shankar Chowdhry. Challenges for practical applications of shape memory alloy actuators. *Materials Research Express*, 7(7):073001, 2020.

[92] Jui-Chang Kuo, Hen-Wei Huang, Shu-Wei Tung, and Yao-Joe Yang. A hydrogel-based intravascular microgripper manipulated using magnetic fields. *Sensors and Actuators A: Physical*, 211:121–130, 2014.

[93] Ruochen Lan, Jian Sun, Chen Shen, Rui Huang, Zhongping Zhang, Cong Ma, Jinying Bao, Lanying Zhang, Ling Wang, Dengke Yang, et al. Light-driven liquid crystalline networks and soft actuators with degree-of-freedom-controlled molecular motors. *Advanced Functional Materials*, 30 (19):2000252, 2020.

[94] Minh Quyen Le, Jean-Fabien Capsal, Jérémy Galineau, Florent Ganet, Xunqian Yin, Mingchia Yang, Jean-François Chateaux, Louis Renaud, Christophe Malhaire, Pierre-Jean Cottinet, et al. All-organic electrostrictive polymer composites with low driving electrical voltages for microfluidic pump applications. *Scientific reports*, 5(1):11814, 2015.

[95] Hyung-Kun Lee, Nak-Jin Choi, Sunkyung Jung, Sunyoung Lee, Hewon Jung, Jae Wook Ryu, and Kang-Ho Park. Application of ionic polymer-metal composites for auto-focusing compact camera modules. In *Electroactive Polymer Actuators and Devices (EAPAD) 2008*, volume 6927, pages 508–514. SPIE, 2008.

[96] Hyung Seok Lee, Hoa Phung, Dong-Hyuk Lee, Ui Kyum Kim, Canh Toan Nguyen, Hyungpil Moon, Ja Choon Koo, Hyouk Ryeol Choi, et al. Design analysis and fabrication of arrayed tactile display based on dielectric elastomer actuator. *Sensors and Actuators A: Physical*, 205:191–198, 2014.

[97] W Lehmann, H Skupin, C Tolksdorf, E Gebhard, R Zentel, P Krüger, M Lösche, and F Kremer. Giant lateral electrostriction in ferroelectric liquid-crystalline elastomers. *Nature*, 410(6827):447–450, 2001.

[98] P. Leichsenring and T. Wallmersperger. Modelling and simulation of the chemically induced swelling behavior of anionic polyelectrolyte gels by applying the theory of porous media. *Smart Materials and Structures*, 26(3):035007, 2017. doi: 10.1088/1361-665X/26/3/035007.

[99] Hua Li, Teng Yong Ng, Yong Kin Yew, and Khin Yong Lam. Modeling and simulation of the swelling behavior of ph-stimulus-responsive hydrogels. *Biomacromolecules*, 6(1):109–120, 2005.

[100] Jiamin Li, Zhaoyi Liu, Jinjin Liu, Xue Liu, Yang Luo, Jiajie Liang, and Zhenjie Zhang. Humidity-induced self-oscillating and self-healing hypercrosslinked metal–organic polyhedra membranes. *Advanced Science*, 11 (20):2307376, 2024.

[101] Lei Li, Johannes M Scheiger, and Pavel A Levkin. Design and applications of photoresponsive hydrogels. *Advanced Materials*, 31(26):1807333, 2019.

[102] Qun Li, Andreas Ricoeur, Marco Enderlein, and Meinhard Kuna. Evaluation of electromechanical coupling effect by microstructural modeling of domain switching in ferroelectrics. *Mechanics Research Communications*, 37(3):332–336, 2010.

[103] Xin-Hao Li, Chang Liu, Shien-Ping Feng, and Nicholas Xuanlai Fang. Broadband light management with thermochromic hydrogel microparticles for smart windows. *Joule*, 3(1):290–302, 2019. ISSN 2542-4351. doi: 10.1016/j.joule.2018.10.019.

[104] Márcio D Lima, Na Li, Mônica Jung de Andrade, Shaoli Fang, Jiyoung Oh, Geoffrey M Spinks, Mikhail E Kozlov, Carter S Haines, Dongseok Suh, Javad Foroughi, et al. Electrically, chemically, and photonically powered torsional and tensile actuation of hybrid carbon nanotube yarn muscles. *science*, 338(6109):928–932, 2012.

[105] Ji-Tzuoh Lin, Barclay Lee, and Bruce Alphenaar. The magnetic coupling of a piezoelectric cantilever for enhanced energy harvesting efficiency. *Smart materials and Structures*, 19(4):045012, 2010.

[106] John Lin, Carl Knoll, and Cliff Willey. Shape memory rigidizable inflatable (ri) structures for large space systems applications. In *47th AIAA/ASME/ASCE/AHS/ASC Structures, Structural Dynamics, and Materials Conference 14th AIAA/ASME/AHS Adaptive Structures Conference 7th*, page 1896, 2006.

[107] IP Lipscomb, PM Weaver, Jonathan Swingler, and JW McBride. The effect of relative humidity, temperature and electrical field on leakage currents in piezo-ceramic actuators under DC bias. *Sensors and Actuators A: Physical*, 151(2):179–186, 2009.

[108] Changdeng Liu, Haihu Qin, and PT Mather. Review of progress in shape-memory polymers. *Journal of materials chemistry*, 17(16):1543–1558, 2007.

[109] Junjie Liu, Shaoxing Qu, Zhigang Suo, and Wei Yang. Functional hydrogel coatings. *National Science Review*, 8(2):nwaa254, 2021.

[110] Peter Lotz, Marc Matysek, and Helmut F. Schlaak. Fabrication and application of miniaturized dielectric elastomer stack actuators. *IEEE/ASME Transactions on Mechatronics*, 16(1):58–66, 2011.

[111] Jen-Hahn Low, Pei-Song Chee, Eng-Hock Lim, and Vinod Ganesan. Kirigami-inspired self-powered pressure sensor based on shape fixation treatment in ipmc material. *Smart Materials and Structures*, 33(2): 025029, 2024.

[112] Xili Lu, Hu Zhang, Guoxia Fei, Bing Yu, Xia Tong, Hesheng Xia, and Yue Zhao. Liquid-crystalline dynamic networks doped with gold nanorods showing enhanced photocontrol of actuation. *Advanced Materials*, 30(14): 1706597, 2018.

[113] Waqas Akbar Lughmani, Jae Young Jho, Jang Yeol Lee, and Kyehan Rhee. Modeling of bending behavior of ipmc beams using concentrated ion boundary layer. *International Journal of Precision Engineering and Manufacturing*, 10:131–139, 2009.

[114] Lan Luo, Fenghua Zhang, Linlin Wang, Yanju Liu, and Jinsong Leng. Recent advances in shape memory polymers: Multifunctional materials, multiscale structures, and applications. *Advanced Functional Materials*, 34(14):2312036, 2024.

[115] Yibing Luo, Jianye Li, Qiongling Ding, Hao Wang, Chuan Liu, and Jin Wu. Functionalized hydrogel-based wearable gas and humidity sensors. *Nano-Micro Letters*, 15(1):136, 2023.

[116] Chao Lv, Xiang-Chao Sun, Hong Xia, Yan-Hao Yu, Gong Wang, Xiao-Wen Cao, Shun-Xin Li, Ying-Shuai Wang, Qi-Dai Chen, Yu-De Yu, et al. Humidity-responsive actuation of programmable hydrogel microstructures based on 3d printing. *Sensors and Actuators B: Chemical*, 259:736–744, 2018.

[117] Yuan Ma, Yang Gao, Li Liu, Xiuyan Ren, and Guanghui Gao. Skin-contactable and antifreezing strain sensors based on bilayer hydrogels. *Chemistry of Materials*, 32(20):8938–8946, 2020.

[118] Nicky Mac Kenna, Paul Calvert, and Aoife Morrin. Impedimetric transduction of swelling in ph-responsive hydrogels. *Analyst*, 140(9):3003–3011, 2015.

[119] John David Madden, Peter Geoffrey Madden, and Ian Warwick Hunter. Conducting polymer actuators as engineering materials. In *Smart Structures and Materials 2002: Electroactive Polymer Actuators and Devices (EAPAD)*, volume 4695, pages 176–190. SPIE, 2002. doi: 10.1117/12.475163.

[120] Daniel Mählich, Adrian Ehrenhofer, and Thomas Wallmersperger. Modeling of photo-thermo-sensitive hydrogels by applying the temperature expansion analogy. *Journal of Intelligent Material Systems and Structures*, 34(19):2268–2279, 2023. doi: 10.1177/1045389X231167798.

[121] Iman Manavi-Tehrani, Mohammad Rabiee, Maryam Parviz, Mohammad Reza Tahriri, and Zahra Fahimi. Preparation, characterization and controlled release investigation of biocompatible ph-sensitive pva/paa hydrogels. In *Macromolecular symposia*, volume 296(1), pages 457–465. Wiley Online Library, 2010.

[122] Justin Manzo, Ephrahim Garcia, Adam Wickenheiser, and Garnett C Horner. Design of a shape-memory alloy actuated macro-scale morphing aircraft mechanism. In *Smart Structures and Materials 2005: Smart Structures and Integrated Systems*, volume 5764, pages 232–240. SPIE, 2005.

[123] WP Mason. Electrostrictive effect in barium titanate ceramics. *Physical Review*, 74(9):1134, 1948.

[124] Marc Matysek, Peter Lotz, and Helmut F Schlaak. Tactile display with dielectric multilayer elastomer actuators. In *Electroactive Polymer Actuators and Devices (EAPAD) 2009*, volume 7287, page 72871D. International Society for Optics and Photonics, 2009.

[125] Geoff McKnight and Chris Henry. Variable stiffness materials for reconfigurable surface applications. In *Smart Structures and Materials 2005: Active Materials: Behavior and Mechanics*, volume 5761, pages 119–126. SPIE, 2005.

[126] Christof Megnin and Manfred Kohl. Shape memory alloy microvalves for a fluidic control system. *Journal of micromechanics and microengineering*, 24(2):025001, 2013.

[127] Shane K. Mitchell, Xingrui Wang, Eric Acome, Trent Martin, Khoi Ly, Nicholas Kellaris, Vidyacharan Gopaluni Venkata, and Christoph Keplinger. An easy-to-implement toolkit to create versatile and high-performance hasel actuators for untethered soft robots. *Advanced Science*, 6(14):1900178, 2019. doi: 10.1002/advs.201900178.

[128] Takashi Miyata, Tadashi Uragami, and Katsuhiko Nakamae. Biomolecule-sensitive hydrogels. *Advanced drug delivery reviews*, 54(1):79–98, 2002.

[129] Yoshihiko Murakami and Mizuo Maeda. Dna-responsive hydrogels that can shrink or swell. *Biomacromolecules*, 6(6):2927–2929, 2005.

[130] Sia Nemat-Nasser and Chris W Thomas. Ionomeric polymer-metal composites. *Electroactive Polymer (EAP) Actuators as Artifical Muscles. Reality, Potential, and Challenges, SPIE Press, Washington*, 2001.

[131] Tram Nguyen, Prashant Tathireddy, and Jules J Magda. Continuous hydrogel-based glucose sensors with reduced ph interference and contact–free signal transduction. *IEEE Sensors Journal*, 19(6):2330–2337, 2018.

[132] Zakia Sultana Nishat, Tanvir Hossain, Md Nazmul Islam, Hoang-Phuong Phan, Md A Wahab, Mohammad Ali Moni, Carlos Salomon, Mohammed A Amin, Abu Ali Ibn Sina, Md Shahriar A Hossain, et al. Hydrogel nanoarchitectonics: an evolving paradigm for ultrasensitive biosensing. *Small*, 18(26):2107571, 2022.

[133] Benjamin M O'Brien, Emilio P Calius, Tokushu Inamura, Sheng Q Xie, and Iain A Anderson. Dielectric elastomer switches for smart artificial muscles. *Applied Physics A*, 100:385–389, 2010.

[134] TF Otero, JG Martinez, and J Arias-Pardilla. Biomimetic electrochemistry from conducting polymers. a review: artificial muscles, smart membranes, smart drug delivery and computer/neuron interfaces. *Electrochimica Acta*, 84:112–128, 2012.

[135] Toribio F Otero and Jose M Sansieña. Soft and wet conducting polymers for artificial muscles. *Advanced Materials*, 10(6):491–494, 1998.

[136] Aishwarya Pantula, Bibekananda Datta, Yupin Shi, Margaret Wang, Jiayu Liu, Siming Deng, Noah J Cowan, Thao D Nguyen, and David H Gracias. Untethered unidirectionally crawling gels driven by asymmetry in contact forces. *Science Robotics*, 7(73):eadd2903, 2022.

[137] Valber A Pedrosa, Jun Yan, Aleksandr L Simonian, and Alexander Revzin. Micropatterned nanocomposite hydrogels for biosensing applications. *Electroanalysis*, 23(5):1142–1149, 2011.

[138] Maurizio Porfiri. Charge dynamics in ionic polymer metal composites. *Journal of Applied Physics*, 104(10):104915, 2008.

[139] Minju Pu, Huan Cao, Hengjie Zhang, Tianyou Wang, Yiwen Li, Shimeng Xiao, and Zhipeng Gu. Ros-responsive hydrogels: from design, additive manufacturing to biomedical applications. *Materials Horizons*, 2024.

[140] Andres Punning, Maarja Kruusmaa, and Alvo Aabloo. Surface resistance experiments with ipmc sensors and actuators. *Sensors and Actuators A: Physical*, 133(1):200–209, 2007.

[141] Yu L Raikher and OV Stolbov. Magnetodeformational effect in ferrogel samples. *Journal of magnetism and magnetic materials*, 258:477–479, 2003.

[142] A. Richter, Dirk Kuckling, S. Howitz, Thomas Gehring, and K.-F. Arndt. Electronically controllable microvalves based on smart hydrogels: magnitudes and potential applications. *Journal of Microelectromechanical Systems*, 12(5):748–753, October 2003. ISSN 1057-7157. doi: 10.1109/JMEMS.2003.817898.

[143] Andreas Richter, Georgi Paschew, Stephan Klatt, Jens Lienig, Karl-Friedrich Arndt, and Hans-Jürgen P Adler. Review on hydrogel-based ph sensors and microsensors. *Sensors*, 8(1):561–581, 2008.

[144] Ingrid A Rousseau and Patrick T Mather. Shape memory effect exhibited by smectic-c liquid crystalline elastomers. *Journal of the American Chemical Society*, 125(50):15300–15301, 2003.

[145] Stephan Schmidt, Michael Zeiser, Thomas Hellweg, Claus Duschl, Andreas Fery, and Helmuth Möhwald. Adhesion and mechanical properties of pnipam microgel films and their potential use as switchable cell culture substrates. *Advanced Functional Materials*, 20(19):3235–3243, 2010. ISSN 1616-3028. doi: 10.1002/adfm.201000730. Project: Hydrogels.

[146] Marc R Schultz and Michael W Hyer. Snap-through of unsymmetric cross-ply laminates using piezoceramic actuators. *Journal of intelligent material systems and structures*, 14(12):795–814, 2003.

[147] Stefan Seelecke and Ingo Mu¨ ller. Shape memory alloy actuators in smart structures: Modeling and simulation. *Appl. Mech. Rev.*, 57(1):23–46, 2004.

[148] Mohsen Shahinpoor and Kwang J Kim. Ionic polymer-metal composites: I. fundamentals. *Smart materials and structures*, 10(4):819, 2001.

[149] Mohsen Shahinpoor and Kwang J Kim. Ionic polymer–metal composites: Iii. modeling and simulation as biomimetic sensors, actuators, transducers, and artificial muscles. *Smart materials and structures*, 13(6):1362, 2004.

[150] Samuel Shian, Roger M Diebold, and David R Clarke. Tunable lenses using transparent dielectric elastomer actuators. *Optics express*, 21(7): 8669–8676, 2013.

[151] A. Singh, T. Mukhopadhyay, S. Adhikari, and B. Bhattacharya. Extreme on-demand contactless modulation of elastic properties in magnetostrictive lattices. *Smart Materials and Structures*, 31(12):125005, 2022.

[152] K Samba Sivudu and KY Rhee. Preparation and characterization of ph-responsive hydrogel magnetite nanocomposite. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 349(1-3):29–34, 2009.

[153] Oliver Skarsetz, Robin Mathes, Ricarda Sophia Schmidt, Moritz Simon, Viacheslav Slesarenko, and Andreas Walther. Hard-and soft-coded strain stiffening in metamaterials via out-of-plane buckling using highly entangled active hydrogel elements. *ACS Applied Materials & Interfaces*, 16 (29):38511–38519, 2024.

[154] Petr Skládal. Piezoelectric biosensors: shedding light on principles and applications. *Microchimica Acta*, 191(4):184, 2024.

[155] Elisabeth Smela, O Inganas, and I Lundstrom. Conducting polymers as artificial muscles: challenges and possibilities. *Journal of Micromechanics and Microengineering*, 3(4):203, 1993.

[156] Ralph C Smith, Stefan Seelecke, Zoubeida Ounaies, and Joshua Smith. A free energy model for hysteresis in ferroelectric materials. *Journal of intelligent material systems and structures*, 14(11):719–739, 2003.

[157] A. Y. N. Sofla, D. M. Elzey, and H. N. G. Wadley. Two-way antagonistic shape actuation based on the one-way shape memory effect. *Journal of Intelligent Material Systems and Structures*, 19(9):1017–1027, 2008. doi: 10.1177/1045389X07083026.

[158] Janice J Song, Huntley H Chang, and Hani E Naguib. Biocompatible shape memory polymer actuators with high force capabilities. *European Polymer Journal*, 67:186–198, 2015.

[159] Kaidong Song, Yi Wu, Yingnan Zhai, Jun Yin, Jin Qian, and Yong Huang. Design of facile dielectric elastomer-based bending module for soft robotics applications. *2024 International Symposium on Flexible Automation*, 2024.

[160] Kumaresh S Soppimath, Anandrao R Kulkarni, and Tejraj M Aminabhavi. Chemically modified polyacrylamide-g-guar gum-based crosslinked anionic microgels as ph-sensitive drug delivery systems: preparation and characterization. *Journal of Controlled Release*, 75(3):331–345, 2001.

[161] Kimio Sumaru, Katsuhide Ohi, Toshiyuki Takagi, Toshiyuki Kanamori, and Toshio Shinbo. Photoresponsive properties of poly (n-isopropylacrylamide) hydrogel partly modified with spirobenzopyran. *Langmuir*, 22(9):4353–4356, 2006.

[162] Li Sun, Wei Min Huang, Zhi Ding, Y Zhao, Chang Chun Wang, Hendra Purnawali, and Cheng Tang. Stimulus-responsive shape memory materials: a review. *Materials & Design*, 33:577–640, 2012.

[163] Boonsong Sutapun, Massood Tabib-Azar, and Michael A Huff. Applications of shape memory alloys in optics. *Applied Optics*, 37(28):6811–6815, 1998.

[164] Atsushi Suzuki and Toyoichi Tanaka. Phase transition in polymer gels induced by visible light. *Nature*, 346(6282):345–347, 1990.

[165] M Tabib-Azar, B Sutapun, and M Huff. Applications of tini thin film shape memory alloys in micro-opto-electro-mechanical systems. *Sensors and Actuators A: Physical*, 77(1):34–38, 1999.

[166] T Tadaki, K Otsuka, and K Shimizu. Shape memory alloys. *Annual Review of Materials Science*, 18(1):25–45, 1988.

[167] Lihua Tang and Yaowen Yang. A nonlinear piezoelectric energy harvester with magnetic oscillator. *Applied Physics Letters*, 101(9), 2012.

[168] John C Tellis, Christopher A Strulson, Matthew M Myers, and Kristi A Kneas. Relative humidity sensors based on an environment-sensitive fluorophore in hydrogel films. *Analytical chemistry*, 83(3):928–932, 2011.

[169] Donald L Thomsen, Patrick Keller, Jawad Naciri, Roger Pink, Hong Jeon, Devanand Shenoy, and Banahalli R Ratna. Liquid crystal elastomers with mechanical properties of a muscle. *Macromolecules*, 34(17):5868–5875, 2001.

[170] Zhuangzhuang Tian, Chuankai Du, Jingze Xue, and Yan Liu. Optically responsive hydrogel with rapid deformation for motion regulation of magnetic actuators. *Nano letters*, 2024.

[171] Maryam Tousi, Guillaume Mansuy, Mathieu Thomachot, Alexandre Pages, Ebrahim Karimi, Zhiyang Jin, Kevin Whitmore, and Lukas Graber. A piezoelectric actuator optimized for fast mechanical switch applications. In *2022 IEEE 67th Holm Conference on Electrical Contacts (HLM)*, pages 1–6. IEEE, 2022.

[172] James F Tressler, Sedat Alkoy, and Robert E Newnham. Piezoelectric sensors and sensor materials. *Journal of electroceramics*, 2:257–272, 1998.

[173] Quang Thong Trinh, Gerald Gerlach, Joerg Sorber, and Karl-Friedrich Arndt. Hydrogel-based piezoresistive ph sensors: Design, simulation and output characteristics. *Sensors and Actuators B: Chemical*, 117(1):17–26, 2006. ISSN 0925-4005. doi: 10.1016/j.snb.2005.10.041.

[174] Vinh X Truong, Fanyi Li, Francesca Ercole, and John S Forsythe. Wavelength-selective coupling and decoupling of polymer chains via reversible [2+ 2] photocycloaddition of styrylpyrene for construction of cytocompatible photodynamic hydrogels. *ACS Macro Letters*, 7(4):464–469, 2018.

[175] Nicco Ulbricht, Alain Boldini, Chulsung Bae, Thomas Wallmersperger, and Maurizio Porfiri. Solvation-driven actuation of anion-exchange membranes. *Advanced Materials Interfaces*, page 2200888, 2022.

[176] Harun Venkatesan, Jianming Chen, Haiyang Liu, Yoonjung Kim, Sungsoo Na, Wei Liu, and Jinlian Hu. Artificial spider silk is smart like natural one: having humidity-sensitive shape memory with superior recovery stress. *Materials Chemistry Frontiers*, 3(11):2472–2482, 2019.

[177] Roelof Vos and Ron Barrett. Mechanics of pressure-adaptive honeycomb and its application to wing morphing. *Smart Materials and Structures*, 20 (9):094010, 2011.

[178] Roelof Vos, Roeland De Breuker, Ron Barrett, and Paolo Tiso. Morphing wing flight control via postbuckled precompressed piezoelectric actuators. *Journal of Aircraft*, 44(4):1060–1068, 2007.

[179] Christopher R Walker and Iain A Anderson. Monitoring diver kinematics with dielectric elastomer sensors. In *Electroactive Polymer Actuators and Devices (EAPAD) 2017*, volume 10163, pages 11–21. SPIE, 2017.

[180] Depeng Wang, Shufang Zhao, Linlin Li, Lili Wang, Shaowei Cui, Shuo Wang, Zheng Lou, and Guozhen Shen. All-flexible artificial reflex arc based on threshold-switching memristor. *Advanced Functional Materials*, 32(21):2200241, 2022.

[181] Donny Wang, Yevgeniy Fotinich, and Greg P Carman. Influence of temperature on the electromechanical and fatigue behavior of piezoelectric ceramics. *Journal of applied physics*, 83(10):5342–5350, 1998.

[182] Gengying Wang, Yi Sun, Aihong Ji, GuoXiao Yin, Hengzao Ge, Xuefei Liu, Xiaojie Tong, and Min Yu. Review on the research progress and application of ipmc sensors. *Journal of Bionic Engineering*, pages 1–30, 2024.

[183] Kaili Wang, Tao Zhang, Cheng Li, Xiao Xiao, Yuxin Tang, Xinyu Fang, Haozhe Peng, Xiaorong Liu, Youming Dong, Yahui Cai, et al. Shape-reconfigurable transparent wood based on solid-state plasticity of polythiourethane for smart building materials with tunable light guiding, energy saving, and fire alarm actuating functions. *Composites Part B: Engineering*, 246:110260, 2022.

[184] Wei Wang and Sung-Hoon Ahn. Shape memory alloy-based soft gripper with variable stiffness for compliant and effective grasping. *Soft Robotics*, 4(4):379–389, 2017. doi: 10.1089/soro.2016.0081. PMID: 29251571.

[185] Yanjie Wang, Gangqiang Tang, Chun Zhao, Keli Wang, Jiale Wang, Jie Ru, Junjie Sheng, Longfei Chang, and Lijie Li. Experimental investigation on the physical parameters of ionic polymer metal composites sensors for humidity perception. *Sensors and Actuators B: Chemical*, 345:130421, 2021.

[186] Zhaosu Wang, Ning Li, Xinru Yang, Zhiyi Zhang, Hulin Zhang, and Xiaojing Cui. Thermogalvanic hydrogel-based e-skin for self-powered on-body dual-modal temperature and strain sensing. *Microsystems & Nanoengineering*, 10(1):55, 2024.

[187] Taylor H Ware, Michael E McConney, Jeong Jae Wie, Vincent P Tondiglia, and Timothy J White. Voxelated liquid crystal elastomers. *Science*, 347(6225):982–984, 2015.

[188] PM Weaver, MG Cain, M Stewart, A Anson, J Franks, IP Lipscomb, JW McBride, D Zheng, and Jonathan Swingler. The effects of porosity, electrode and barrier materials on the conductivity of piezoelectric ceramics in high humidity and DC electric field. *Smart materials and structures*, 21(4):045012, 2012.

[189] Christian Wischke and Andreas Lendlein. Shape-memory polymers as drug carriers—a multifunctional system. *Pharmaceutical research*, 27(4): 527–529, 2010.

[190] Yanzhe Wu, Dezhi Zhou, Geoffrey M Spinks, Peter C Innis, WM Megill, and GG Wallace. Titan: a conducting polymer based microfluidic pump. *Smart materials and structures*, 14(6):1511, 2005.

[191] Shu-ting Xing, Ping-ping Wang, Shu-qi Liu, Yong-hang Xu, Rong-min Zheng, Zhi-fu Deng, Ze-fei Peng, Jun-yun Li, Yao-yi Wu, and Lan Liu. A shape-memory soft actuator integrated with reversible electric/moisture actuating and strain sensing. *Composites Science and Technology*, 193: 108133, 2020.

[192] Yiheng Xue, Zishun Liu, and J. N. Reddy. A three-fields coupled numerical framework for transient deformation of thermo-sensitive hydrogel. *International Journal for Numerical Methods in Engineering*, 125(18):e7550, 2024. doi: 10.1002/nme.7550.

[193] Masaki Yamakita, Akio Sera, Norihiro Kamamichi, Kinji Asaka, and Zhi-Wei Luo. Integrated design of ipmc actuator/sensor. In *Proceedings 2006 IEEE International Conference on Robotics and Automation, 2006. ICRA 2006.*, pages 1834–1839. IEEE, 2006.

[194] Hui-Xian Yan, Hai-Lian Hong, Lian-Hui Zheng, and Heng-Di Su. Analysis of the coupling behavior of a thin layer of a temperature-ph dual sensitive hydrogel for an inhomogeneous large deformation. *Journal of the Korean Physical Society*, 73(7):965–972, 2018.

[195] Zhongqiang Yang, George A Herd, Stuart M Clarke, Ali R Tajbakhsh, Eugene M Terentjev, and Wilhelm TS Huck. Thermal and uv shape shifting of surface topography. *Journal of the American Chemical Society*, 128(4):1074–1075, 2006.

[196] Hyun Uk Yun, Chul Jin Kim, Sung Joo Kim, No Cheol Park, Hyunseok Yang, and Young-Pil Park. Design of micromirror actuator by ionic polymer metal composites. *Microsystem technologies*, 15:1531–1538, 2009.

[197] Ji Sun Yun, Kwang Suk Yang, Nak-Jin Choi, Hyung-Kun Lee, Seung Eon Moon, and Do Hyun Kim. Microvalves based on ionic polymer-metal composites for microfluidic application. *Journal of Nanoscience and Nanotechnology*, 11(7):5975–5979, 2011.

[198] Emilia Zari, Davide Grillo, Zhengchu Tan, Natalia Swiatek, Joshua D Linfoot, Korn Borvorntanajanya, Luciana Nasca, Elena Pierro, Larisa Florea, Daniele Dini, and Ferdinando Rodriguez y Baena. A reinforced light-responsive hydrogel for soft robotics actuation. *2024 IEEE 7th International Conference on Soft Robotics (RoboSoft)*, pages 270–275, 2024.

[199] Yan Zhang, Zishun Liu, Somsak Swaddiwudhipong, Haiyan Miao, Zhiwei Ding, and Zhengzhi Yang. ph-sensitive hydrogel for micro-fluidic valve. *Journal of functional biomaterials*, 3(3):464–479, 2012.

[200] Yuchuan Zhu and Liang Ji. Theoretical and experimental investigations of the temperature and thermal deformation of a giant magnetostrictive actuator. *Sensors and Actuators A: Physical*, 218:167–178, 2014.

[201] M Zrinyi, L Barsi, and A Büki. Ferrogel: a new magneto-controlled elastic medium. *Polymer Gels and Networks*, 5(5):415–427, 1997.