

Data Science for Social Scientists

Daniel E. Ehrlich Anna Tremblay

2022-08-15

Contents

Preface	5
0.1 TO DO	5
0.2 GUIDING PRINCIPLES	5
1 Introduction	7
2 The Basics	9
2.1 Intro to R/RStudio	9
2.2 Reading Data / Distributions	9
3 IPUMS	11
3.1 Intro to IPUMS website	11
3.2 math example	11
4 Independent Research	13
4.1 Example one	14
4.2 Example two	14
5 Example RMD code	15
5.1 Core	15
5.2 Tips	16
5.3 Syntax	16

Preface

This is my very first bookdown book. I hope you like it.

TIP: Note the {-} used to indicate “do not number this section” eg: preface.

0.1 TO DO

- discuss style
 - key terms section for each chapter?
 - key terms in **bold**
 - italics for *emphasis*
 - are we pro-hyphens, or are they pedantic?

0.2 GUIDING PRINCIPLES

- phenomenon-based learning
 - try to start the class with a **question** or **problem**
 - *why* does the data look the way it does
 - structure class so students work towards solving the problem
- RELEVANT examples
 - try to touch on 2 or more disciplines (eg, economics, demography)

0.2.0.1 Documentation

This function grabs any packages in your project and adds them to a local list that can be referenced using `R-pacakgename` * **NOTE** in practice, that needs to be wrapped in markdown syntax, eg: `[@R-bookdown]` * See help files for more info - might be able to create/add a `citation` file

Chapter 1

Introduction

Welcome to our open-source and cross-listed course on Data Science for kids who can't read data but want to learn to read data and other things too. in R.

We hope your knowledge of R increases, just like the graph below! * (This is just making up reasons for the sample plot)

```
par(mar = c(4, 4, .1, .1))  
plot(pressure, type = 'b', pch = 19)
```




Figure 1.1: Here is a nice figure!

Table 1.1: Here is a nice table!

Sepal.Length	Sepal.Width	Petal.Length	Petal.Width	Species
5.1	3.5	1.4	0.2	setosa
4.9	3.0	1.4	0.2	setosa
4.7	3.2	1.3	0.2	setosa
4.6	3.1	1.5	0.2	setosa
5.0	3.6	1.4	0.2	setosa
5.4	3.9	1.7	0.4	setosa
4.6	3.4	1.4	0.3	setosa
5.0	3.4	1.5	0.2	setosa
4.4	2.9	1.4	0.2	setosa
4.9	3.1	1.5	0.1	setosa
5.4	3.7	1.5	0.2	setosa
4.8	3.4	1.6	0.2	setosa
4.8	3.0	1.4	0.1	setosa
4.3	3.0	1.1	0.1	setosa
5.8	4.0	1.2	0.2	setosa
5.7	4.4	1.5	0.4	setosa
5.4	3.9	1.3	0.4	setosa
5.1	3.5	1.4	0.3	setosa
5.7	3.8	1.7	0.3	setosa
5.1	3.8	1.5	0.3	setosa

Reference a figure by its code chunk label with the **fig:** prefix, e.g., see Figure 1.1. Similarly, you can reference tables generated from `knitr::kable()`, e.g., see Table 1.1.

```
knitr::kable(
  head(iris, 20), caption = 'Here is a nice table!',
  booktabs = TRUE
)
```

You can write citations, too. For example, we are using the **bookdown** package (Xie, 2022) in this sample book, which was built on top of R Markdown and **knitr** (Xie, 2015).

Each `.Rmd` creates a unique **CHAPTER**. * Organizing by content probably makes the most sense * Gives more flexibility to adapt 2/3 class days. * *other thoughts??*

Chapter 2

The Basics

For now, I have 3 main chapters for each of the main sections: * Basics of data science / R 2 * Applications/critiques using IPUMS data 3 * Student-driven projects 4

Each of these **Chapters** contains multiple sections. We'll likely want to break these sections out into their own `.Rmd` files as they get fleshed out. For now, I'll try to keep the abundance of files limited.

NOTE: As these actually get filled out, we will probably want to insert different **parts** to the book (EG, the content of Unit 1 is covered in **Part I**). * Declare parts with `# (PART) Part I {-}` immediately before the first chapter `#` it contains.

2.1 Intro to R/RStudio

2.2 Reading Data / Distributions

2.2.1 What *is* a normal distribution

2.2.1.1 How normal is it?

show increasingly unclear examples of normal vs not
introduce tests of normality

2.2.1.2 Measuring normality - single sample

reinforce [concept of statistical] **normality**

is a value from a sample? - one way ttest something about tails

2.2.1.3 comparing normality - two samples

standard / two-way t test

2.2.1.4 comparing more than two - ANOVA

Chapter 3

IPUMS

Some text to break up the sub-section headers

3.1 Intro to IPUMS website

3.1.1 background on ipums

3.1.2 navigating website

Find certain (very common) variables to answer (common) social science questions.

We describe our methods in this chapter.

Math can be added in body using usual syntax as follows. This may be useful, particularly for explaining the math side of things.

3.2 math example

p is unknown but expected to be around $1/3$. Standard error will be approximated

$$SE = \sqrt{\frac{p(1-p)}{n}} \approx \sqrt{\frac{1/3(1-1/3)}{300}} = 0.027$$

You can also use math in footnotes like this¹. Footnotes are helpful because they re-link to where you left off.

¹where we mention $p = \frac{a}{b}$

We will approximate standard error to 0.027^2

The `longnote` footnote seems particularly useful.

² p is unknown but expected to be around $1/3$. Standard error will be approximated

$$SE = \sqrt{\left(\frac{p(1-p)}{n}\right)} \approx \sqrt{\frac{1/3(1-1/3)}{300}} = 0.027$$

Chapter 4

Independent Research

By this point, students should be familiar with basic concepts from Chapter 2. These include:

- Basic Coding
 - read/write data in/out of R
 - basic manipulations
- Theoretical Basis
 - looking at data distributions
 - formal assessment of distributions

Students will also be familiar with how these concepts are applied from Chapter 3. Hopefully students will be able to:

- Come up with a social science question they are interested in
 - Critically think about target variable(s) of interest. Any *a priori* covariates? confounders?
 - Acquire relevant data from IPUMS
 - Analyze, Summarize, Visualize Data
 - * scope and complexity at student/teach discretion
 - Present research to class
 - * **potentially** critically discuss/evaluate each others work.
 - * **science is collaborative** everyone should be out to do their best work and represent the data as best we can. We all have conscious and unconscious biases, and the best way to confront them is share and receive (respectful) feedback.

During this Unit, we suggest giving ample class time for independent student research, peer-to-peer collaboration, and basic R/stats troubleshooting. This would also be a great time to model how to give respectful criticism by discussing recent research papers. * We could maybe come up with 1-2 seed examples, with a few talking points

4.1 Example one

4.2 Example two

Chapter 5

Example RMD code

For now, this chapter is a bit of a placeholder. I'm not sure what/how the `references.Rmd` file actually fits in to the code/construction (it looks automatic) so I want to keep that in place and need a section to note that.

I also want a more centralized reference point to put any example code I find helpful while working in R/bookdown. This section could get really unruly really fast, but oh well.

5.1 Core

`index.Rmd` is required and treated as file 00. Chapters *should* be numbered for ease of sorting but custom orders are possible by specifying filenames somewhere **in this file**

Remember each Rmd file contains one and only one chapter, and a chapter is defined by the first-level heading `#`. + **IE** beyond the YAML header this file functions as a normal chapter since it starts with a top level header. + Note that `index.Rmd` has its own YMAL in addition to the various `.yaml` files...not sure exactly how these relate.

Reference a figure by its code chunk label with the `fig:` prefix, e.g., see Figure 1.1. Similarly, you can reference tables generated from `knitr::kable()`, e.g., see Table 1.1. * Again, this prints an auto-generated numeral * also leaving this in the context of the plots in Chapter 1

You can write citations, too. See `knitr::write_bib()` for more on this. Quick example from `demo/index` (may not work without `write_bib()` though): we are using the **bookdown** package (Xie, 2022) in this sample book, which was built on top of R Markdown and **knitr** (Xie, 2015). * If included, “References” section gets added to each chapter. * Not exactly sure where

Embed html renders (EG, fancy tables (IPUMS_var_desc), or any shiny app) with `webshot` R package and `phantomJS`.

```
install.packages("webshot")
webshot::install_phantomjs()
```

5.2 Tips

LABEL EVERYTHING you'll likely want to reference it later * code chunks that produce figures can be referenced via `@\ref(fig:[LABEL])`

You can label chapter and section titles using `{#label}` after them, e.g., we can reference Chapter 1. If you do not manually label them, there will be automatic labels anyway, e.g., Chapter 2. * No idea how the automatic references work, so always be sure to declare them. * **NOTE** these display as the relevant Chapter numeral.

5.3 Syntax

italics or *italics* (can handle spaces) **bold** code *equations*

5.3.1 Math

Randal Pruim features an extensive list of common math expression on their github page. Here are some quick notes:

In-line equations can be written within `$` and will be displayed right there: $a^2 + b^2 = c^2$. In contrast, you can also add equation chunks by using `$$`

This can be coded in-line,

$$\sum_{n=1}^{10} n^2$$

, but will result in a page break.

Alternatively, a more “classic” equation chunk:

`$$ Plain text doesnt get spaces`

how

very

odd

`$$`

To compile this example to PDF, you need XeLaTeX. You are recommended to install TinyTeX (which includes XeLaTeX): <https://yihui.name/tinytex/>.

Bibliography

Xie, Y. (2015). *Dynamic Documents with R and knitr*. Chapman and Hall/CRC, Boca Raton, Florida, 2nd edition. ISBN 978-1498716963.

Xie, Y. (2022). *bookdown: Authoring Books and Technical Documents with R Markdown*. R package version 0.27.